

Who What Where - Database Schema

NOTE: The schema does not include the modifications if any, required to implement Web Services, RSS Feeds and Dynamic

New Table 
New Field 

Field Name	Field Type	Primary Key/Other	AllowNull
admin1names			
id	varchar(14)	PRIMARY	
countryId	int(10)	auto_increment	
name	varchar(55)	unsigned	
pCode	varchar(15)		YES
defaultAdmin	tinyint(1)		YES
lat	double(14,8)		Yes
long	double(14,8)		Yes
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
admin2names			
id	varchar(14)	PRIMARY	
admin1Id	varchar(14)		
name	varchar(55)		
pCode	varchar(15)		YES
defaultAdmin	tinyint(1)		YES
lat	double(14,8)		Yes
long	double(14,8)		Yes
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
admin3names			
id	varchar(14)	PRIMARY	
admin2Id	varchar(14)		
name	varchar(55)		
pCode	varchar(15)		YES
defaultAdmin	tinyint(1)		YES
lat	double(14,8)		Yes
long	double(14,8)		Yes
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
admin4names			
id	varchar(14)	PRIMARY	
admin3Id	varchar(14)		
name	varchar(55)		
pCode	varchar(15)		YES
defaultAdmin	tinyint(1)		YES
lat	double(14,8)		Yes
long	double(14,8)		Yes
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
beneficiary			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
capsector			
id	int(11)	PRIMARY	
name	varchar(55)		

contact			
id	varchar(14)	PRIMARY	
orgld	varchar(14)		YES
officeId	varchar(14)		YES
salutation	varchar(10)		YES
firstName	varchar(50)		
lastName	varchar(50)		
title	varchar(50)		YES
responsibility	varchar(100)		YES
phone1	varchar(100)		YES
phone2	varchar(100)		YES
fax	varchar(50)		YES
satPhone	varchar(50)		YES
radioCallSign	varchar(50)		YES
primaryEmail	varchar(100)		YES
secondaryEmail	varchar(100)		YES
mailingGroupId	text		YES
sectorId	text		YES
themeld	text		YES
endMissionDate	varchar(10)		YES
address1	varchar(100)		YES
address2	varchar(100)		YES
zipCode	varchar(10)		YES
countryId	int(3)		YES
admin1Id	varchar(14)		YES
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
privacyStatus	enum('0','1')		YES
updated	varchar(10)		YES
deleted	enum('0','1')	default 0	YES
responsibilityId	text		YES
note	text		YES

contactwebinput			
id	varchar(14)	PRIMARY	
orgld	varchar(14)		YES
orgName	varchar(200)		YES
orgType	varchar(14)		YES
orgAcronym	varchar(25)		YES
orgClusterId	text		YES
orgWebsite	varchar(150)		YES
officeId	varchar(14)		YES
salutation	varchar(10)		YES
firstName	varchar(50)		
lastName	varchar(50)		
title	varchar(50)		YES
responsibility	varchar(100)		YES
phone1	varchar(100)		YES
phone2	varchar(100)		YES
fax	varchar(50)		YES
satPhone	varchar(50)		YES
radioCallSign	varchar(50)		YES
primaryEmail	varchar(100)		YES
secondaryEmail	varchar(100)		YES
mailingGroupId	text		YES
sectorId	text		YES
themeld	text		YES
endMissionDate	varchar(10)		YES
address1	varchar(40)		YES
address2	varchar(40)		YES
zipCode	varchar(10)		YES
countryId	int(3)		YES
admin1Id	varchar(14)		YES
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
privacyStatus	enum('0','1')		YES
updatedMain	enum('0','1')		YES
newOrg	enum('0','1')		YES
responsibilityId	text		YES

note	text		YES
continent			
id	int(10)	PRIMARY unsigned	
name	varchar(55)		
country			
id	int(11)	PRIMARY auto_increment	
countryCode	char(3)		YES
regionId	char(3)		
name	varchar(55)		
currency			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES
emergencycountry			
id	varchar(14)	PRIMARY unsigned default 1	
countryId	int(10)		
numOfAdminLevels	tinyint(1)		
defaultCountry	tinyint(1)		YES
defaultMainCity	varchar(50)		
admin1Name	varchar(30)		
admin2Name	varchar(30)		YES
admin3Name	varchar(30)		YES
admin4Name	varchar(30)		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES
subRegionId	varchar(14)		YES
fundingstatus			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES
fundingtype			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES
mailinggroup			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES

deleted	enum('0','1')		YES
office			
id	varchar(14)	PRIMARY	
orgId	varchar(14)		
name	varchar(100)		
officeType	varchar(14)		
officeStatus	varchar(14)		YES
phone1	varchar(100)		YES
phone2	varchar(100)		YES
email	varchar(150)		YES
fax	varchar(50)		YES
address1	varchar(100)		YES
address2	varchar(100)		YES
zipcode	varchar(10)		YES
otherInfo	varchar(200)		YES
countryId	int(10)	unsigned	YES
admin1Id	varchar(14)		YES
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
pCode	varchar(20)		YES
latX	double(14,8)		YES
longY	double(14,8)		YES
intlStaff	int(10)	unsigned	YES
natlStaff	int(10)	unsigned	YES
vehicleTypes	text		YES
numOfVehicles	int(10)	unsigned	YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES

officestatus			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

officetype			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

organization			
id	varchar(14)	PRIMARY	
name	varchar(200)		
organizationType	varchar(14)		
acronym	varchar(25)		
clusterId	text		YES
website	varchar(150)		YES
natlStaff	int(10)	unsigned	YES
intlStaff	int(10)	unsigned	YES
numOfVehicles	int(10)	unsigned	YES
vehicleTypes	text		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES
sectorWorking	text		YES
note	text		YES

organizationtype			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

placename			
id	varchar(14)	PRIMARY	
name	varchar(55)		
placeTypeld	varchar(14)		YES
latX	double(14,8)		YES
longY	double(14,8)		YES
pCode	varchar(15)		YES
countryId	int(10)	unsigned	
admin1Id	varchar(14)		
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES

placetype			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

project			
id	varchar(14)	PRIMARY	
orgId	varchar(14)		
sectorId	varchar(14)		
subSectorId	text		YES
projectTitle	varchar(200)		YES
projectTitleId	varchar(14)		YES
description	text		YES
objective	text		YES
projectTypeld	varchar(14)		YES
projectStatusId	varchar(14)		YES
projectThemeld	varchar(14)		YES
capNumber	varchar(30)		YES
startDate	varchar(10)		YES
endDate	varchar(10)		YES
primarybeneficiaryId	varchar(14)		YES
numOfPrimarybeneficiary	int(10)	unsigned	YES
secondarybeneficiaryId	text		YES
numOfSecondarybeneficiary	int(10)	unsigned	YES
implementingPartners	text		YES
fundingTypeld	varchar(14)		YES
fundingStatusId	varchar(14)		YES
fundingAmount	float(15,4)		YES
fundingCurrency	varchar(10)		YES
currencyId	varchar(14)		YES
fundReportedToFTS	enum('0','1')		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES
focalPoint	text		YES

projectfundingorganization			
id	varchar(14)	PRIMARY	
projectId	varchar(14)	PRIMARY	
orgId	varchar(14)	PRIMARY	
amount	float(15,2)		YES
fundingCurrency	varchar(10)		YES
currencyId	varchar(14)		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES

projectgeographiclocation			
id	varchar(14)	PRIMARY	
projectId	varchar(14)		
countryId	varchar(14)		
admin1Id	varchar(14)		
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
placeNameId	varchar(14)		YES
updated	varchar(10)		YES

deleted	enum('0','1')		YES
---------	---------------	--	-----

projectstatus

id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

projecttheme

id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

projecttitle

id	varchar(14)	PRIMARY	
sectorId	varchar(14)		
subsectorId	varchar(14)		
name	varchar(200)		
updated	varchar(10)		YES
locked	enum('0','1')		YES
deleted	enum('0','1')		YES

projecttype

id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

projectwebinput

id	varchar(14)	PRIMARY	
projectId	varchar(14)		
orgId	varchar(14)		
orgName	varchar(100)		YES
orgType	varchar(14)		YES
orgAcronym	varchar(25)		YES
orgClusterId	text		YES
orgWebsite	varchar(150)		YES
sectorId	varchar(14)		
subSectorId	text		YES
projectTitle	varchar(200)		YES
primaryBeneficiaryId	varchar(14)		YES
numOfPrimaryBeneficiary	int(11)		YES
countryId	varchar(14)		YES
admin1Id	varchar(14)		YES
admin2Id	varchar(14)		YES
admin3Id	varchar(14)		YES
admin4Id	varchar(14)		YES
placeNameId	varchar(14)		YES
updatedMain	enum('0','1')		YES
newOrg	enum('0','1')		YES

region

id	char(3)	PRIMARY	
id2	char(2)		
continentId	int(10)	unsigned	
name	varchar(55)		

reportquery

id	int(2)	PRIMARY	
uAI	varchar(16)	auto_increment	
publicQuery	enum('0','1')		YES
name	varchar(25)		YES
reportFile	varchar(30)		YES
filter	text		YES
reportTitle	varchar(15)		YES

responsibility			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

sections			
id	int(2)	PRIMARY	
pageNumber	int(10)	auto_increment	
sectionNumber	int(10)	unsigned	
sectionName	varchar(50)	unsigned	
active	enum('0','1')		YES

sector			
id	varchar(14)	PRIMARY	
capId	int(11)		
name	varchar(55)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

stdprojecttitle			
id	int(11)	PRIMARY	
capId	varchar(14)		
stdSubsectorId	varchar(14)		
name	varchar(200)		

stdsubsector			
id	int(11)	PRIMARY	
capId	int(11)		
name	varchar(55)		

subsector			
id	varchar(14)	PRIMARY	
sectorId	varchar(14)		
name	varchar(55)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

synchlog			
id	varchar(14)	PRIMARY	
dataEntity	varchar(25)		YES
FromIP	varchar(50)		YES
ToIP	varchar(50)		YES
dateNTime	varchar(10)		YES
command	varchar(25)		YES
result	varchar(25)		YES
tableName	varchar(50)		YES

user			
uAI	varchar(16)	PRIMARY	
uLe	char(3)		YES
uPa	varchar(100)		YES
name	varchar(16)		YES
lastName	varchar(16)		YES

vehicletype			
id	varchar(14)	PRIMARY	
name	varchar(50)		
locked	tinyint(1)		
updated	varchar(10)		YES
deleted	enum('0','1')		YES

yourorganizationinfo			
id	int(1)	PRIMARY	
name	varchar(75)	auto_increment	
language	varchar(5)		
description	text		YES
logo	varchar(150)		
logo2	varchar(150)		YES
address	varchar(75)		YES
website	varchar(75)		YES
phonenumber	varchar(50)		YES
fax	varchar(30)		YES
email	varchar(30)		YES
footertext1	varchar(100)		YES
footertext2	varchar(100)		YES
version	varchar(10)		YES
siteName	varchar(25)		YES
anonymousLogin	enum('0','1')		1 YES
archiveDate	varchar(10)		YES
enableEmail	enum('0','1')		YES
smtpServer	varchar(50)		YES
synchCV	text		YES
synchOrganization	text		YES
synchContact	text		YES
synchPlaceName	text		YES

synchProject
hideSite

text
enum('0','1')

YES
YES

archived	enum('0','1')		YES
----------	---------------	--	-----

projectBeneficiary

id	varchar(14)	PRIMARY	
projectGLocnId	varchar(14)		
primaryBeneficiary	text		YES
numOfPBeneficiary	int		YES
pBeneficiaryType	varchar(30)		YES
secondaryBeneficiary	text		YES
numOfSBeneficiary	int		YES
sBeneficiaryType	varchar(30)		YES

languageTable

id	varchar(14)	PRIMARY	
languageId	char(3)		
moduleName	varchar(25)		
msgId	varchar(14)		
msgName	varchar(50)		
updated	varchar(10)		YES
deleted	varchar(10)		YES

standarOrganization

id	varchar(14)	PRIMARY	
name	varchar(200)		
organizationType	varchar(14)		
acronym	varchar(25)		
clusterId	text		YES
clusterWorking	text		YES
website	varchar(150)		YES
updated	varchar(10)		YES
deleted	enum('0','1')		YES

subRegion

id	varhcra(14)	PRIMARY	
regionId	char(2)		
name	varchar(50)		

fieldStatus

id	varchar(14)		
name	varchar(25)		
tableName	varchar(25)		
fieldName	varhcar(25)		
hideField	enum('0','1')	default 0	
activateField	enum('0','1')	default 1	
updated	varchar(10)		YES
deleted	varchar(10)		YES

customFields

id	varchar(14)		
name	varchar(25)		
moduleName	varchar(25)		
fieldName	varhcar(25)		
fieldLabel	varchar(25)	default 0	
fieldType	enum('0','1')	default 1	
FieldLength	varchar(25)		
decimals	varchar(2))		
allowNull	enum('0','1')	default 1	
default	text		
errorMesg	varchar(150)		
updated	varchar(10)		YES
deleted	varchar(10)		YES
