



XHTML™ 1.0 The Extensible HyperText Markup Language (Third Edition)

A Reformulation of HTML 4 in XML 1.0

W3C Editor's Draft 02 June 2009

This version:

<http://www.w3.org/TR/2009/ED-xhtml1-20090602>

Latest version:

<http://www.w3.org/TR/xhtml1>

Previous version:

<http://www.w3.org/TR/2002/REC-xhtml1-20020801>

Diff-marked version:

<http://www.w3.org/TR/2009/ED-xhtml1-20090602/xhtml1-diff.html>

Authors:

See acknowledgments [p.25] .

Please refer to the **errata** for this document, which may include some normative corrections. See also translations.

This document is also available in these non-normative formats: Multi-part XHTML file, PostScript version, PDF version, ZIP archive, and Gzip'd TAR archive.

Copyright ©2000-2009 W3C® (MIT, ERCIM, Keio), All Rights Reserved. W3C liability, trademark and document use rules apply.

Abstract

This specification defines the Third Edition of XHTML 1.0, a reformulation of HTML 4 as an XML 1.0 application, and three DTDs corresponding to the ones defined by HTML 4. The semantics of the elements and their attributes are defined in the W3C Recommendation for HTML 4. These semantics provide the foundation for future extensibility of XHTML. Compatibility with existing HTML user agents is possible by following a small set of guidelines [XHTMLMIME [p.28]].

Status of this document

This section describes the status of this document at the time of its publication. Other documents may supersede this document. A list of current W3C publications and the latest revision of this technical report can be found in the W3C technical reports index at <http://www.w3.org/TR/>.

This document is a W3C Proposed Edited Recommendation. If approved, it will supersede the previous edition of XHTML 1.0. This third edition is *not* a new version of XHTML 1.0 (first published 26 January 2000). The changes in this document reflect corrections applied as a result of comments submitted by the community and as a result of ongoing work within the XHTML 2 Working Group. The only change of note in this version is that the contents of the informative Appendix A have been removed as they are being kept up to date in a separate document [XHTMLMIME [p.28]]. Changes between this version and the previous Recommendation are illustrated in a diff-marked version.

Publication as a Proposed Edited Recommendation does not imply endorsement by the W3C Membership. This is a draft document and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to cite this document as other than work in progress.

W3C Advisory Committee Members are invited to send formal review comments on this Proposed Edited Recommendation to the W3C Team until 4 June 2009. Members of the W3C Advisory Committee will find the appropriate review form for this document by consulting their list of current WBS questionnaires.

Please report errors in this document to www-html-editor@w3.org (archive). Public discussion on HTML features takes place on the mailing list www-html@w3.org (archive).

This document has been produced by the W3C XHTML 2 Working Group as part of the HTML Activity. The goals of the XHTML 2 Working Group are discussed in the XHTML 2 Working Group charter.

This document is governed by the 24 January 2002 CPP as amended by the W3C Patent Policy Transition Procedure. W3C maintains a public list of any patent disclosures made in connection with the deliverables of the group; that page also includes instructions for disclosing a patent. An individual who has actual knowledge of a patent which the individual believes contains Essential Claim(s) must disclose the information in accordance with section 6 of the W3C Patent Policy.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

Quick Table of Contents

1. What is XHTML?5
2. Definitions7
3. Normative Definition of XHTML 1.09

4. Differences with HTML 4	13
5. Compatibility Issues	17
A. DTDs	19
B. Element Prohibitions	21
C. HTML Compatibility Guidelines	23
D. Acknowledgements	25
E. References	27

Full Table of Contents

1. What is XHTML?5
1.1. What is HTML 4?5
1.2. What is XML?6
1.3. Why the need for XHTML?6
2. Definitions7
2.1. Terminology7
2.2. General Terms8
3. Normative Definition of XHTML 1.09
3.1. Document Conformance9
3.1.1. Strictly Conforming Documents9
3.1.2. Using XHTML with other namespaces	10
3.2. User Agent Conformance	11
4. Differences with HTML 4	13
4.1. Documents must be well-formed	13
4.2. Element and attribute names must be in lower case	13
4.3. For non-empty elements, end tags are required	13
4.4. Attribute values must always be quoted	14
4.5. Attribute Minimization	14
4.6. Empty Elements	14
4.7. White Space handling in attribute values	14
4.8. Script and Style elements	15
4.9. SGML exclusions	15
4.10. The elements with 'id' and 'name' attributes	15
4.11. Attributes with pre-defined value sets	16
4.12. Entity references as hex values	16
5. Compatibility Issues	17
5.1. Internet Media Type	17
A. DTDs	19
A.1. Document Type Definitions	19
A.1.1. XHTML-1.0-Strict	19
A.1.2. XHTML-1.0-Transitional	19
A.1.3. XHTML-1.0-Frameset	19
A.2. Entity Sets	19

A.2.1. Latin-1 characters	19
A.2.2. Special characters	20
A.2.3. Symbols	20
B. Element Prohibitions	21
C. HTML Compatibility Guidelines	23
D. Acknowledgements	25
E. References	27
E.1. Normative References	27
E.2. Informative References	28

1. What is XHTML?

This section is informative.

XHTML is a family of current and future document types and modules that reproduce, subset, and extend HTML 4 [HTML4 [p.27]]. XHTML family document types are XML based, and ultimately are designed to work in conjunction with XML-based user agents. The details of this family and its evolution are discussed in more detail in [XHTMLMOD [p.28]].

XHTML 1.0 (this specification) is the first document type in the XHTML family. It is a reformulation of the three HTML 4 document types as applications of XML 1.0 [XML [p.27]]. It is intended to be used as a language for content that is both XML-conforming and, if some simple guidelines [p.23] are followed, operates in HTML 4 conforming user agents. Developers who migrate their content to XHTML 1.0 will realize the following benefits:

- XHTML documents are XML conforming. As such, they are readily viewed, edited, and validated with standard XML tools.
- XHTML documents can be written to operate as well or better than they did before in existing HTML 4-conforming user agents as well as in new, XHTML 1.0 conforming user agents.
- XHTML documents can utilize applications (e.g. scripts and applets) that rely upon either the HTML Document Object Model or the XML Document Object Model [DOM [p.27]].
- As the XHTML family evolves, documents conforming to XHTML 1.0 will be more likely to interoperate within and among various XHTML environments.

The XHTML family is the next step in the evolution of the Internet. By migrating to XHTML today, content developers can enter the XML world with all of its attendant benefits, while still remaining confident in their content's backward and future compatibility.

1.1. What is HTML 4?

HTML 4 [HTML4 [p.27]] is an SGML (Standard Generalized Markup Language) application conforming to International Standard ISO 8879, and is widely regarded as the standard publishing language of the World Wide Web.

SGML is a language for describing markup languages, particularly those used in electronic document exchange, document management, and document publishing. HTML is an example of a language defined in SGML.

SGML has been around since the middle 1980's and has remained quite stable. Much of this stability stems from the fact that the language is both feature-rich and flexible. This flexibility, however, comes at a price, and that price is a level of complexity that has inhibited its adoption in a diversity of environments, including the World Wide Web.

HTML, as originally conceived, was to be a language for the exchange of scientific and other technical documents, suitable for use by non-document specialists. HTML addressed the problem of SGML complexity by specifying a small set of structural and semantic tags suitable for authoring relatively simple documents. In addition to simplifying the document structure, HTML added support for hypertext. Multimedia capabilities were added later.

In a remarkably short space of time, HTML became wildly popular and rapidly outgrew its original purpose. Since HTML's inception, there has been rapid invention of new elements for use within HTML (as a standard) and for adapting HTML to vertical, highly specialized, markets. This plethora of new elements has led to interoperability problems for documents across different platforms.

1.2. What is XML?

XML™ is the shorthand name for Extensible Markup Language [XML [p.27]].

XML was conceived as a means of regaining the power and flexibility of SGML without most of its complexity. Although a restricted form of SGML, XML nonetheless preserves most of SGML's power and richness, and yet still retains all of SGML's commonly used features.

While retaining these beneficial features, XML removes many of the more complex features of SGML that make the authoring and design of suitable software both difficult and costly.

1.3. Why the need for XHTML?

The benefits of migrating to XHTML 1.0 are described above. Some of the benefits of migrating to XHTML in general are:

- Document developers and user agent designers are constantly discovering new ways to express their ideas through new markup. In XML, it is relatively easy to introduce new elements or additional element attributes. The XHTML family is designed to accommodate these extensions through XHTML modules and techniques for developing new XHTML-conforming modules (described in the XHTML Modularization specification). These modules will permit the combination of existing and new feature sets when developing content and when designing new user agents.
- Alternate ways of accessing the Internet are constantly being introduced. The XHTML family is designed with general user agent interoperability in mind. Through a new user agent and document profiling mechanism, servers, proxies, and user agents will be able to perform best effort content transformation. Ultimately, it will be possible to develop XHTML-conforming content that is usable by any XHTML-conforming user agent.

2. Definitions

This section is normative.

2.1. Terminology

The following terms are used in this specification. These terms extend the definitions in [RFC2119 [p.27]] in ways based upon similar definitions in ISO/IEC 9945-1:1990 [POSIX.1 [p.27]]:

May

With respect to implementations, the word "may" is to be interpreted as an optional feature that is not required in this specification but can be provided. With respect to Document Conformance [p.9] , the word "may" means that the optional feature must not be used. The term "optional" has the same definition as "may".

Must

In this specification, the word "must" is to be interpreted as a mandatory requirement on the implementation or on Strictly Conforming XHTML Documents, depending upon the context. The term "shall" has the same definition as "must".

Optional

See "May".

Reserved

A value or behavior is unspecified, but it is not allowed to be used by Conforming Documents nor to be supported by Conforming User Agents.

Shall

See "Must".

Should

With respect to implementations, the word "should" is to be interpreted as an implementation recommendation, but not a requirement. With respect to documents, the word "should" is to be interpreted as recommended programming practice for documents and a requirement for Strictly Conforming XHTML Documents.

Supported

Certain facilities in this specification are optional. If a facility is supported, it behaves as specified by this specification.

Unspecified

When a value or behavior is unspecified, the specification defines no portability requirements for a facility on an implementation even when faced with a document that uses the facility. A document that requires specific behavior in such an instance, rather than tolerating any behavior when using that facility, is not a Strictly Conforming XHTML Document.

2.2. General Terms

Attribute

An attribute is a parameter to an element declared in the DTD. An attribute's type and value range, including a possible default value, are defined in the DTD.

DTD

A DTD, or document type definition, is a collection of XML markup declarations that, as a collection, defines the legal structure, elements, and attributes that are available for use in a document that complies to the DTD.

Document

A document is a stream of data that, after being combined with any other streams it references, is structured such that it holds information contained within elements that are organized as defined in the associated DTD. See Document Conformance [p.9] for more information.

Element

An element is a document structuring unit declared in the DTD. The element's content model is defined in the DTD, and additional semantics may be defined in the prose description of the element.

Facilities

Facilities are elements, attributes, and the semantics associated with those elements and attributes.

Implementation

See User Agent.

Parsing

Parsing is the act whereby a document is scanned, and the information contained within the document is filtered into the context of the elements in which the information is structured.

Rendering

Rendering is the act whereby the information in a document is presented. This presentation is done in the form most appropriate to the environment (e.g. aurally, visually, in print).

User Agent

A user agent is a system that processes XHTML documents in accordance with this specification. See User Agent Conformance [p.11] for more information.

Validation

Validation is a process whereby documents are verified against the associated DTD, ensuring that the structure, use of elements, and use of attributes are consistent with the definitions in the DTD.

Well-formed

A document is well-formed when it is structured according to the rules defined in Section 2.1 of the XML 1.0 Recommendation [XML [p.27]].

3. Normative Definition of XHTML 1.0

This section is normative.

3.1. Document Conformance

This version of XHTML provides a definition of strictly conforming XHTML 1.0 documents, which are restricted to elements and attributes from the XML and XHTML 1.0 namespaces. See Section 3.1.2 [p.10] for information on using XHTML with other namespaces, for instance, to include metadata expressed in RDF within XHTML documents.

3.1.1. Strictly Conforming Documents

A Strictly Conforming XHTML Document is an XML document that requires only the facilities described as mandatory in this specification. Such a document must meet all of the following criteria:

1. It must conform to the constraints expressed in one of the three DTDs found in DTDs [p.19] and in Appendix B [p.21] .
2. The root element of the document must be `html`.
3. The root element of the document must contain an `xmlns` declaration for the XHTML namespace [XMLNS [p.27]]. The namespace for XHTML is defined to be `http://www.w3.org/1999/xhtml`. An example root element might look like:

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
```

4. There must be a DOCTYPE declaration in the document prior to the root element. The public identifier included in the DOCTYPE declaration must reference one of the three DTDs found in DTDs [p.19] using the respective Formal Public Identifier. The system identifier may be changed to reflect local system conventions.

```
<!DOCTYPE html  
PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"  
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
```

```
<!DOCTYPE html  
PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"  
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<!DOCTYPE html  
PUBLIC "-//W3C//DTD XHTML 1.0 Frameset//EN"  
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-frameset.dtd">
```

5. The DTD subset must not be used to override any parameter entities in the DTD.

An XML declaration is not required in all XML documents; however XHTML document authors are strongly encouraged to use XML declarations in all their documents. Such a declaration is required when the character encoding of the document is other than the default UTF-8 or UTF-16 and no encoding was determined by a higher-level protocol. Here is an example of an XHTML document. In this example, the XML declaration is included.

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html
  PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
  "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
  <head>
    <title>Virtual Library</title>
  </head>
  <body>
    <p>Moved to <a href="http://example.org/">example.org</a>.</p>
  </body>
</html>
```

3.1.2. Using XHTML with other namespaces

The XHTML namespace may be used with other XML namespaces as per [XMLNS [p.27]], although such documents are not strictly conforming XHTML 1.0 documents as defined above. Work by W3C is addressing ways to specify conformance for documents involving multiple namespaces. For an example, see [XHTML+MathML [p.28]].

The following example shows the way in which XHTML 1.0 could be used in conjunction with the MathML Recommendation:

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
  <head>
    <title>A Math Example</title>
  </head>
  <body>
    <p>The following is MathML markup:</p>
    <math xmlns="http://www.w3.org/1998/Math/MathML">
      <apply> <log/>
        <logbase>
          <cn> 3 </cn>
        </logbase>
        <ci> x </ci>
      </apply>
    </math>
  </body>
</html>
```

The following example shows the way in which XHTML 1.0 markup could be incorporated into another XML namespace:

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- initially, the default namespace is "books" -->
<book xmlns='urn:loc.gov:books'
  xmlns:isbn='urn:ISBN:0-395-36341-6' xml:lang="en" lang="en">
```

```
<title>Cheaper by the Dozen</title>
<isbn:number>1568491379</isbn:number>
<notes>
  <!-- make HTML the default namespace for a hypertext commentary -->
  <p xmlns='http://www.w3.org/1999/xhtml'>
    This is also available <a href="http://www.w3.org/">online</a>.
  </p>
</notes>
</book>
```

3.2. User Agent Conformance

A conforming user agent must meet all of the following criteria:

1. In order to be consistent with the XML 1.0 Recommendation [XML [p.27]], the user agent must parse and evaluate an XHTML document for well-formedness. If the user agent claims to be a validating user agent, it must also validate documents against their referenced DTDs according to [XML [p.27]].
2. When the user agent claims to support facilities [p.8] defined within this specification or required by this specification through normative reference, it must do so in ways consistent with the facilities' definition.
3. When a user agent processes an XHTML document as generic XML, it shall only recognize attributes of type ID (i.e. the id attribute on most XHTML elements) as fragment identifiers.
4. If a user agent encounters an element it does not recognize, it must process the element's content.
5. If a user agent encounters an attribute it does not recognize, it must ignore the entire attribute specification (i.e., the attribute and its value).
6. If a user agent encounters an attribute value it does not recognize, it must use the default attribute value.
7. If it encounters an entity reference (other than one of the entities defined in this recommendation or in the XML recommendation) for which the user agent has processed no declaration (which could happen if the declaration is in the external subset which the user agent hasn't read), the entity reference should be processed as the characters (starting with the ampersand and ending with the semi-colon) that make up the entity reference.
8. When processing content, user agents that encounter characters or character entity references that are recognized but not renderable may substitute another rendering that gives the same meaning, or must display the document in such a way that it is obvious to the user that normal rendering has not taken place.
9. White space is handled according to the following rules. The following characters are defined in [XML [p.27]] white space characters:
 - SPACE ()
 - HORIZONTAL TABULATION ()
 - CARRIAGE RETURN ()
 - LINE FEED (
)

The XML processor normalizes different systems' line end codes into one single LINE FEED character, that is passed up to the application.

The user agent must use the definition from CSS for processing whitespace characters [CSS2 [p.27]]. *Note that the CSS2 recommendation does not explicitly address the issue of whitespace handling in non-Latin character sets. This will be addressed in a future version of CSS, at which time this reference will be updated.*

Note that in order to produce a Canonical XHTML document, the rules above must be applied and the rules in [XMLC14N [p.27]] must also be applied to the document.

4. Differences with HTML 4

This section is informative.

Due to the fact that XHTML is an XML application, certain practices that were perfectly legal in SGML-based HTML 4 [HTML4 [p.27]] must be changed.

4.1. Documents must be well-formed

Well-formedness [p.8] is a new concept introduced by [XML [p.27]]. Essentially this means that all elements must either have closing tags or be written in a special form (as described below), and that all the elements must nest properly.

Although overlapping is illegal in SGML, it is widely tolerated in existing browsers.

CORRECT: nested elements.

```
<p>here is an emphasized <em>paragraph</em>.</p>
```

INCORRECT: overlapping elements

```
<p>here is an emphasized <em>paragraph.</p></em>
```

4.2. Element and attribute names must be in lower case

XHTML documents must use lower case for all HTML element and attribute names. This difference is necessary because XML is case-sensitive e.g. and are different tags.

4.3. For non-empty elements, end tags are required

In SGML-based HTML 4 certain elements were permitted to omit the end tag; with the elements that followed implying closure. XML does not allow end tags to be omitted. All elements other than those declared in the DTD as `EMPTY` must have an end tag. Elements that are declared in the DTD as `EMPTY` can have an end tag *or* can use empty element shorthand (see Empty Elements [p.14]).

CORRECT: terminated elements

```
<p>here is a paragraph.</p><p>here is another paragraph.</p>
```

INCORRECT: unterminated elements

```
<p>here is a paragraph.<p>here is another paragraph.
```

4.4. Attribute values must always be quoted

All attribute values must be quoted, even those which appear to be numeric.

CORRECT: quoted attribute values

```
<td rowspan="3">
```

INCORRECT: unquoted attribute values

```
<td rowspan=3>
```

4.5. Attribute Minimization

XML does not support attribute minimization. Attribute-value pairs must be written in full. Attribute names such as `compact` and `checked` cannot occur in elements without their value being specified.

CORRECT: unminimized attributes

```
<dl compact="compact">
```

INCORRECT: minimized attributes

```
<dl compact>
```

4.6. Empty Elements

Empty elements must either have an end tag or the start tag must end with `/>`. For instance, `
` or `<hr></hr>`. See HTML Compatibility Guidelines [p.23] for information on ways to ensure this is backward compatible with HTML 4 user agents.

CORRECT: terminated empty elements

```
<br/><hr/>
```

INCORRECT: unterminated empty elements

```
<br><hr>
```

4.7. White Space handling in attribute values

When user agents process attributes, they do so according to Section 3.3.3 of [XML [p.27]].

4.8. Script and Style elements

In XHTML, the script and style elements are declared as having #PCDATA content. As a result, `<` and `&` will be treated as the start of markup, and entities such as `<` and `&` will be recognized as entity references by the XML processor to `<` and `&` respectively. Wrapping the content of the script or style element within a CDATA marked section avoids the expansion of these entities.

```
<script type="text/javascript">
<![CDATA[
... unescaped script content ...
]]>
</script>
```

CDATA sections are recognized by the XML processor and appear as nodes in the Document Object Model, see Section 1.3 of the DOM Level 1 Recommendation [DOM [p.27]].

An alternative is to use external script and style documents.

4.9. SGML exclusions

SGML gives the writer of a DTD the ability to exclude specific elements from being contained within an element. Such prohibitions (called "exclusions") are not possible in XML.

For example, the HTML 4 Strict DTD forbids the nesting of an 'a' element within another 'a' element to any descendant depth. It is not possible to spell out such prohibitions in XML. Even though these prohibitions cannot be defined in the DTD, certain elements should not be nested. A summary of such elements and the elements that should not be nested in them is found in the normative Element Prohibitions [p.21] .

4.10. The elements with 'id' and 'name' attributes

HTML 4 defined the `name` attribute for the elements `a`, `applet`, `form`, `frame`, `iframe`, `img`, and `map`. HTML 4 also introduced the `id` attribute. Both of these attributes are designed to be used as fragment identifiers.

In XML, fragment identifiers are of type `ID`, and there can only be a single attribute of type `ID` per element. Therefore, in XHTML 1.0 the `id` attribute is defined to be of type `ID`. In order to ensure that XHTML 1.0 documents are well-structured XML documents, XHTML 1.0 documents **MUST** use the `id` attribute when defining fragment identifiers on the elements listed above. See the HTML Compatibility Guidelines [p.23] for information on ensuring such anchors are backward compatible when serving XHTML documents as media type `text/html`.

Note that in XHTML 1.0, the `name` attribute of these elements is formally deprecated, and will be removed in a subsequent version of XHTML.

4.11. Attributes with pre-defined value sets

HTML 4 and XHTML both have some attributes that have pre-defined and limited sets of values (e.g. the `type` attribute of the `input` element). In SGML and XML, these are called *enumerated attributes*. Under HTML 4, the interpretation of these values was *case-insensitive*, so a value of `TEXT` was equivalent to a value of `text`. Under XML, the interpretation of these values is *case-sensitive*, and in XHTML 1 all of these values are defined in lower-case.

4.12. Entity references as hex values

SGML and XML both permit references to characters by using hexadecimal values. In SGML these references could be made using either `&#Xnn;` or `&#xnn;`. In XML documents, you must use the lower-case version (i.e. `&#xnn;`)

5. Compatibility Issues

This section is informative.

Although there is no requirement for XHTML 1.0 documents to be compatible with existing user agents, in practice this is easy to accomplish. Guidelines for creating compatible documents can be found in [XHTMLMIME [p.28]].

5.1. Internet Media Type

XHTML 1.0 documents SHOULD be labeled with the Internet Media Type "application/xhtml+xml" as defined in [RFC3236 [p.27]]. For information on delivering XHTML 1.0 Documents to user agents that do not natively handle this media type, see the informative note [XHTMLMIME [p.28]].

A. DTDs

This appendix is normative.

These DTDs and entity sets form a normative part of this specification. The complete set of DTD files together with an XML declaration and SGML Open Catalog is included in the zip file and the gzip'd tar file for this specification. Users looking for local copies of the DTDs to work with should download and use those archives rather than using the specific DTDs referenced below.

A.1. Document Type Definitions

These DTDs approximate the HTML 4 DTDs. The W3C recommends that you use the authoritative versions of these DTDs at their defined SYSTEM identifiers when validating content. If you need to use these DTDs locally you should download one of the archives of this version [p.1] . For completeness, the normative versions of the DTDs are included here:

A.1.1. XHTML-1.0-Strict

The file DTD/xhtml1-strict.dtd is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

A.1.2. XHTML-1.0-Transitional

The file DTD/xhtml1-transitional.dtd is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

A.1.3. XHTML-1.0-Frameset

The file DTD/xhtml1-frameset.dtd is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

A.2. Entity Sets

The XHTML entity sets are the same as for HTML 4, but have been modified to be valid XML 1.0 entity declarations. Note the entity for the Euro currency sign (`€` or `€` or `€`) is defined as part of the special characters.

A.2.1. Latin-1 characters

The file DTD/xhtml-lat1.ent is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

A.2.2. Special characters

The file DTD/xhtml-special.ent is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

A.2.3. Symbols

The file DTD/xhtml-symbol.ent is a normative part of this specification. The annotated contents of this file are available in this separate section for completeness.

B. Element Prohibitions

This appendix is normative.

The following elements have prohibitions on which elements they can contain (see SGML Exclusions [p.15]). This prohibition applies to all depths of nesting, i.e. it contains all the descendant elements.

a

must not contain other a elements.

pre

must not contain the `img`, `object`, `big`, `small`, `sub`, or `sup` elements.

button

must not contain the `input`, `select`, `textarea`, `label`, `button`, `form`, `fieldset`, `iframe` or `isindex` elements.

label

must not contain other label elements.

form

must not contain other form elements.

C. HTML Compatibility Guidelines

This appendix is informative.

The contents of this appendix have been moved into a separate Note - see [XHTMLMIME [p.28]].

D. Acknowledgements

This appendix is informative.

This specification was written with the participation of the members of the W3C XHTML 2 Working Group (formerly the HTML Working Group).

At publication of the third edition, the membership was:

- Roland Merrick, IBM (XHTML 2 Working Group Co-Chair)
- Steven Pemberton, CWI (XHTML 2 Working Group Co-Chair)
- Mark Birbeck, webBackplane (Invited Expert)
- Susan Borgrink, Progeny Systems
- Christina Bottomley, Society for Technical Communication (STC)
- Alessio Cartocci, International Webmasters Association / HTML Writers Guild (IWA-HWG)
- Alexander Graf, University of Innsbruck
- Markus Gylling, DAISY Consortium
- Tina Holmboe, Greytower Technologies (Invited Expert)
- John Kugelman, Progeny Systems
- Luca Mascaro, International Webmasters Association / HTML Writers Guild (IWA-HWG)
- Shane McCarron, Applied Testing and Technology, Inc. (Invited Expert)
- Michael Rawling, IVIS Group Limited
- Gregory Rosmaita, Invited Expert
- Sebastian Schnitzenbaumer, Dreamlab Technologies AG
- Richard Schwerdtfeger, IBM
- Elias Torres, IBM
- Masataka Yakura, Mitsue-Links Co., Ltd.
- Toshihiko Yamakami, ACCESS Co., Ltd.

At publication of the second edition, the membership was:

Steven Pemberton, CWI/W3C (HTML Working Group Chair)
 Daniel Austin, Grainger
 Jonny Axelsson, Opera Software
 Tantek Çelik, Microsoft
 Doug Dominiak, Openwave Systems
 Herman Elenbaas, Philips Electronics
 Beth Epperson, Netscape/AOL
 Masayasu Ishikawa, W3C (HTML Activity Lead)
 Shin'ichi Matsui, Panasonic
 Shane McCarron, Applied Testing and Technology
 Ann Navarro, WebGeek, Inc.
 Subramanian Peruvemba, Oracle
 Rob Relyea, Microsoft
 Sebastian Schnitzenbaumer, SAP

Peter Stark, Sony Ericsson

At publication of the first edition, the membership was:

Steven Pemberton, CWI (HTML Working Group Chair)

Murray Altheim, Sun Microsystems

Daniel Austin, AskJeeves (CNET: The Computer Network through July 1999)

Frank Boumphrey, HTML Writers Guild

John Burger, Mitre

Andrew W. Donoho, IBM

Sam Dooley, IBM

Klaus Hofrichter, GMD

Philipp Hoschka, W3C

Masayasu Ishikawa, W3C

Warner ten Kate, Philips Electronics

Peter King, Phone.com

Paula Klante, JetForm

Shin'ichi Matsui, Panasonic (W3C visiting engineer through September 1999)

Shane McCarron, Applied Testing and Technology (The Open Group through August 1999)

Ann Navarro, HTML Writers Guild

Zach Nies, Quark

Dave Raggett, W3C/HP (HTML Activity Lead)

Patrick Schmitz, Microsoft

Sebastian Schnitzenbaumer, Stack Overflow

Peter Stark, Phone.com

Chris Wilson, Microsoft

Ted Wugofski, Gateway 2000

Dan Zigmund, WebTV Networks

E. References

E.1. Normative References

This section is normative.

[CSS2]

"*Cascading Style Sheets, level 2 (CSS2) Specification*", B. Bos, H. W. Lie, C. Lilley, I. Jacobs, 12 May 1998.

Latest version available at: <http://www.w3.org/TR/CSS2>

[DOM]

"*Document Object Model (DOM) Level 1 Specification*", Lauren Wood *et al.*, 1 October 1998.

Latest version available at: <http://www.w3.org/TR/REC-DOM-Level-1>

[HTML]

"*HTML 4.01 Specification*", D. Raggett, A. Le Hors, I. Jacobs, 24 December 1999.

Latest version available at: <http://www.w3.org/TR/html401>

[POSIX.1]

"*ISO/IEC 9945-1:1990 Information Technology - Portable Operating System Interface (POSIX) - Part 1: System Application Program Interface (API) [C Language]*", Institute of Electrical and Electronics Engineers, Inc, 1990.

[RFC2119]

"*RFC2119: Key words for use in RFCs to Indicate Requirement Levels*", S. Bradner, March 1997.

Available at: <http://www.ietf.org/rfc/rfc2119.txt>

[RFC2854]

"*RFC2854: The text/html Media Type*", D. Conolly, L. Masinter, June 2000.

Available at: <http://www.ietf.org/rfc/rfc2854.txt>

[RFC3236]

"The 'application/xhtml+xml' Media Type", M. Baker, P. Stark, January 2002.

Available at: <http://www.ietf.org/rfc/rfc3236.txt>

[XML]

"*Extensible Markup Language (XML) 1.0 (Fourth Edition)*", W3C Recommendation, T. Bray, J. Paoli, C. M. Sperberg-McQueen, E. Maler, F. Yergeau, eds., 16 August 2006. Available at: <http://www.w3.org/TR/2006/REC-xml-20060816>

[XMLNS]

"*Namespaces in XML (Second Edition)*", W3C Recommendation, T. Bray, D. Hollander, A. Layman, eds., 17 August 2006.

Available at: <http://www.w3.org/TR/2006/REC-xml-names-20060816>

[XMLC14N]

"Canonical XML Version 1.0", J. Boyer, 15 March 2001.

This document describes a method for generating a physical representation, the canonical form, of an XML document.

Latest version available at: <http://www.w3.org/TR/xml-c14n>

E.2. Informative References

This section is informative.

[XHTML+MathML]

"*XHTML plus Math 1.1 DTD*", "A.2 MathML as a DTD Module", Mathematical Markup Language (MathML) Version 2.0. Available at:

<http://www.w3.org/TR/MathML2/dtd/xhtml-math11-f.dtd>

[XHTMLMIME]

"*XHTML Media Types*", Shane McCarron, 16 January 2009, or its successors.

Latest version available at: <http://www.w3.org/TR/xhtml-media-types>

[XHTMLMOD]

"*Modularization of XHTML*", M. Altheim et al., 8 October 2008.

Latest version available at: <http://www.w3.org/TR/xhtml-modularization>

