

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="1"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="I"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="I"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="I"`
- `force-page-count="end-on-odd"`

Page V: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="i"`
- `force-page-count="end-on-even"`

Page x: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="a"`
- `force-page-count="even"`

Page q: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="A"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="A"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="A"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="A"`
- `force-page-count="odd"`

Page U: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="[1]"`
- `force-page-count="no-force"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="888"`
- `format="[I]"`
- `force-page-count="auto"`

Page [DCCCXCIV]: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="[i]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="[i]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="[i]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="[i]"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="[i]"`
- `force-page-count="auto"`

Page [dcccxcvii]: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="[a]"`
- `force-page-count="auto"`

Page [aho]: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="[A]"`
- `force-page-count="even"`

Page [AHQ]: this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="(1)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="(1)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="(1)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="1"`
- `format="(1)"`
- `force-page-count="auto"`

Page (3): this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I)"`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="48"`
- `format="(I) "`
- `force-page-count="odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="(i) "`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto"`
- `format="(i) "`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-odd"`
- `format="(A)"`
- `force-page-count="end-on-odd"`

Page (BE): this page is intentionally left blank.

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`

This test contains several lengthy page sequences. All page sequences use the same page sequence master. Pages should be formatted as follows:

- the first page in each sequence should have a footer;
- the last page in each sequence should have a header;
- blank pages should have neither header nor footer;
- other pages should have both a header and a footer.

This particular page sequence instance is formatted using the following attributes:

- `initial-page-number="auto-even"`
- `format="(a)"`
- `force-page-count="auto"`