



# Authoring Tool Accessibility Guidelines 1.0

## W3C Proposed Recommendation 26 October 1999

This version:

<http://www.w3.org/TR/1999/PR-WAI-AUTOOLS-19991026>

(plain text, HTML gzip tar archive, HTML zip archive, PostScript, PDF)

Latest version:

<http://www.w3.org/TR/WAI-AUTOOLS>

Previous version:

<http://www.w3.org/WAI/AU/WAI-AUTOOLS-19991022>

Editors:

Jutta Treviranus - ATRC, University of Toronto

Jan Richards - University of Toronto

Ian Jacobs - W3C

Charles McCathieNevile - W3C

Copyright © 1999 W3C® (MIT, INRIA, Keio), All Rights Reserved. W3C liability, trademark, document use and software licensing rules apply.

---

## Abstract

This specification provides guidelines for Web authoring tool developers. Its purpose is two-fold: to assist developers in designing authoring tools that generate accessible Web content and to assist developers in creating an accessible authoring interface.

Authoring tool users ("authors") can be enabled, encouraged and assisted to create accessible Web content through prompts, alerts, checking and repair functions, help files and automated tools. It is equally important that all people can be the authors of Web content, rather than merely recipients. The tools used to create this information must therefore be accessible themselves. Adoption of these guidelines will contribute to the proliferation of Web content that can be read by a broader range of readers and in authoring tools that can be used by a broader range of authors.

This document is part of a series of accessibility documents published by the W3C Web Accessibility Initiative.

## Status of this document

*This section describes the status of this document at the time of its publication. Other documents may supersede this document. The latest status of this document series is maintained at the W3C.*

This is a W3C Proposed Recommendation for review by W3C Members and other interested parties. W3C Advisory Committee Members may send formal review comments to [wai-au-review@w3.org](mailto:wai-au-review@w3.org), visible only to W3C staff, until 23 November 1999. This draft follows the Working Group meeting on 20 October 1999 and reflects resolutions of that meeting. A log of changes between successive Working Drafts is available. For further information consult the minutes of Working Group Meetings.

This specification is a revision of the last call working draft dated 3 September 1999. The Working Group anticipates no further substantial changes to this specification and encourages active implementation to test the specification during the Proposed Recommendation review period.

Publication as a Proposed Recommendation does not imply endorsement by the W3C Membership. This is still a draft document and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to cite W3C Proposed Recommendations as other than "work in progress."

The goals of the WAI AU Working Group are discussed in the WAI AU charter.

Please send general comments about this document to the public mailing list: [w3c-wai-au@w3.org](mailto:w3c-wai-au@w3.org), archived at <http://lists.w3.org/Archives/Public/w3c-wai-au>

A list of the current AU Working Group participants is available.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

## Table of Contents

Abstract . . . . .	.1
Status of this document . . . . .	.2
1. Introduction . . . . .	.4
1.1 How the Guidelines are organized. . . . .	.5
1.2 Checkpoint Priorities . . . . .	.5
1.3 Conformance to these Guidelines . . . . .	.6
2. Guidelines . . . . .	.8
1. Support accessible authoring practices . . . . .	.8
2. Generate standard markup . . . . .	.8
3. Support the creation of accessible content . . . . .	.9
4. Provide ways of checking and correcting inaccessible content . . . . .	10
5. Integrate accessibility solutions into the overall "look and feel" . . . . .	10
6. Promote accessibility in help and documentation . . . . .	11
7. Ensure that the authoring tool is accessible to authors with disabilities . . . . .	11
3. Glossary of Terms and Definitions . . . . .	13
4. Acknowledgments . . . . .	16
5. References . . . . .	17

An appendix to this document [WAI-AUTOOLS-CHECKLIST] lists all checkpoints for convenient reference.

## 1. Introduction

The guidelines in this specification are designed to help authoring tool developers design authoring tools that can be used by people regardless of disability, and that produce accessible Web content. In these guidelines, the term authoring tool refers to the wide range of software used for creating Web content, including:

- Editing tools specifically designed to produce Web content (e.g., WYSIWYG HTML and XML editors);
- Tools that offer the option of saving material in a Web format (e.g., word processors or desktop publishing packages);
- Tools that translate documents into Web formats (e.g., filters to translate desktop publishing formats to HTML);
- Tools that produce multimedia, especially where it is intended for use on the Web (e.g., video production and editing suites, SMIL authoring packages);
- Tools for site management or site publication, including tools that generate Web sites dynamically from a database, on-the-fly conversion and Web site publishing tools;
- Tools for management of layout (e.g., CSS formatting tools).

The goals of this document can be stated as follows: that the authoring tool be accessible to authors regardless of disability, that it generate accessible content by default, and that it support and encourage the author in creating accessible content. Because most of the content of the Web is created using authoring tools, they play a critical role in ensuring the accessibility of the Web. Since the Web is both a means of receiving information and communicating information, it is important that both the Web content produced and the authoring tool itself be accessible.

This document provides guidelines for designing authoring tools that generate Web content which is accessible and that support and encourage authors to create such content. This is achieved by taking steps such as ensuring conformance to accessible standards (e.g., HTML 4.0), accessibility checking and correcting, prompting, appropriate documentation and help. For detailed information about what constitutes accessible content this specification relies on the Web Content Accessibility Guidelines [WAI-WEBCONTENT] . Similarly, rather than directly reproduce existing specifications that address general accessible software design the present specification relies on other sources. It does address accessible design considerations specific to Web authoring tools such as providing flexible editing views, navigation aids and access to display properties for authors.

In addition, accessible design will benefit many people who do not have a physical disability but with similar needs. For example they may be working in a noisy environment and unable to hear, or need to use their eyes for another task, and be unable to view a screen. They may be using a small mobile device, with a small screen, no keyboard and no mouse.

A separate document, entitled "Techniques for Authoring Tool Accessibility" [WAI-AUTOOLS-TECHS] , provides suggestions and examples of how each checkpoint might be satisfied. It also includes references to other accessibility resources (such as platform-specific software accessibility guidelines) that provide additional information on how a tool may satisfy each checkpoint. Readers are strongly encouraged to become familiar with the techniques document. The Techniques provided in [WAI-AUTOOLS-TECHS] are suggestions for how to satisfy the checkpoints, or where further information can be found. They are informative only, and other strategies may be used to meet the checkpoint as well as, or in place of, those discussed.

## 1.1 How the Guidelines are organized.

This document includes guidelines, which are general principles of accessible design. Each guideline includes:

- The guideline number;
- The statement of the guideline;
- The rationale behind the guideline;
- A list of checkpoint definitions.

The checkpoint definitions in each guideline specify requirements for authoring tools to follow the guideline. Each checkpoint definition includes:

- The checkpoint number;
- The statement of the checkpoint;
- The priority of the checkpoint;
- In some cases informative notes, clarifying examples, or cross references to related guidelines or checkpoints;
- A link to a section of [WAI-AUTOOLS-TECHS] where implementations and examples of the checkpoint are discussed;

Each checkpoint is intended to be specific enough that it can be verified, while being sufficiently general to allow developers the freedom to use the most appropriate strategies to meet the checkpoint.

An appendix to this specification [WAI-AUTOOLS-CHECKLIST] lists all checkpoints for convenient reference.

## 1.2 Checkpoint Priorities

Each checkpoint has a priority level. The priority level reflects the impact of the checkpoint in meeting the goals of this specification. These goals are:

- That the authoring tool be accessible
- That the authoring tool generate accessible content by default
- That the authoring tool encourage the creation of accessible content

The three priority levels are assigned as follows:

[Priority 1]

If the checkpoint is essential to meeting the goals

[Priority 2]

If the checkpoint is important to meeting the goals

[Priority 3]

If the checkpoint is beneficial to meeting the goals

[Relative Priority]

Some checkpoints that refer to generating, authoring, or checking Web content have multiple priorities. The priority is dependent on the priority in the Web Content Accessibility Guidelines [WAI-WEBCONTENT] .

For example providing text equivalents for images and audio is a priority 1 requirement in [WAI-WEBCONTENT] since without it one or more groups will find it impossible to access the information. Therefore, it is a priority 1 requirement for the authoring tool to check for (4.1) or ask the author for (3.1) equivalent alternatives for these types of content. Expansion of abbreviations and acronyms with `ABBR` and `ACRONYM` elements by using the "title" attribute is a priority 3 in [WAI-WEBCONTENT] . Therefore, it is only priority 3 for the authoring tool to check for (4.1) or ask the author for (3.2) this information.

- It is priority 1 to implement the checkpoint for content features that are a priority 1 requirement in [WAI-WEBCONTENT] .
- It is priority 2 to implement the checkpoint for content features that are a priority 2 requirement in [WAI-WEBCONTENT] .
- It is priority 3 to implement the checkpoint for content features that are a priority 3 requirement in [WAI-WEBCONTENT] .

## 1.3 Conformance to these Guidelines

This section defines three levels of conformance to this document:

- Conformance Level "A": all Priority 1 checkpoints are satisfied;
- Conformance Level "Double-A": all Priority 1 and 2 checkpoints are satisfied;
- Conformance Level "Triple-A": all Priority 1, 2, and 3 checkpoints are satisfied;

**Note.** Conformance levels are spelled out in text (e.g., "Double-A" rather than "AA") so they may be understood when rendered to speech.

Claims of conformance to this document must use one of the following two forms.

Form 1: Specify:

- The guidelines' title: "Authoring Tool Accessibility Guidelines 1.0"
- The guidelines' URI: <http://www.w3.org/TR/1999/PR-WAI-AUTOOLS-19991026>
- The conformance level satisfied: "A", "Double-A", or "Triple-A".
- The product covered by the claim (e.g., tool name and version number, upgrades or plug-ins required).

- The date of the claim.
- The checkpoints that are satisfied, and those that are considered not applicable

Example of Form 1: "MyAuthoringTool version 2.3 conforms to W3C's "Authoring Tool Accessibility Guidelines 1.0", available at <http://www.w3.org/TR/1999/PR-WAI-AUTOOLS-19991026>, level Double-A."

Form 2: Include, on each statement of conformance, one of three icons provided by W3C and link the icon to the appropriate W3C explanation of the claim.

[Editors' note: In the event this document becomes a Recommendation, by that date WAI will provide a set of three icons, for "A", "Double-A", or "Triple-A" conformance levels of "Authoring Tool Accessibility Guidelines 1.0", together with a stable URI to the W3C Web site for linking the icons to the W3C explanation of conformance claims.]

## 2. Guidelines

### Guideline 1. Support accessible authoring practices

If the tool automatically generates markup, many authors will be unaware of the accessibility status of the final content unless they expend extra effort to make appropriate corrections by hand. Since many authors are unfamiliar with accessibility, the onus is on the authoring tool to generate accessible markup, and where appropriate, to guide the author in producing accessible content.

Many applications feature the ability to convert documents from other formats (e.g., Rich Text Format) into a markup format specifically intended for the Web such as HTML. Markup changes may also be made to facilitate efficient editing and manipulation. It is essential that these processes do not introduce inaccessible markup, or remove accessibility content, particularly since the markup changes are hidden from the author's view in many tools.

#### *Checkpoints:*

- 1.1 Ensure that the author can produce accessible content in the markup language(s) supported by the tool. [Priority 1]
- 1.2 Ensure that the tool preserves all accessibility information during authoring, transformations and conversions. [Priority 1]
- 1.3 Ensure that the tool generates markup that conforms to the W3C's Web Content Accessibility Guidelines [WAI-WEBCONTENT]. [Relative Priority]
- 1.4 Ensure that templates provided by the tool conform to the Web Content Accessibility Guidelines [WAI-WEBCONTENT]. [Relative Priority]

### Guideline 2. Generate standard markup

Conformance with standards promotes interoperability and accessibility, by making it easier to create specialized user agents that address the needs of users with disabilities. In particular many assistive technologies used with browsers and multimedia players are only able to provide access to Web documents that use valid markup. Therefore, valid markup is an essential aspect of authoring tool accessibility.

Where applicable use W3C Recommendations, which have been reviewed to ensure accessibility and interoperability. If there are no applicable W3C Recommendations, use a published standard that enables accessibility.

#### *Checkpoints:*

- 2.1 Use the latest versions of W3C Recommendations when they are available and appropriate for a task. [Priority 2]
  - W3C specifications have undergone review specifically to ensure that they do not compromise accessibility, and where possible they enhance it.

2.2 Ensure that the tool generates valid markup. [Priority 1]

This is necessary for user agents to be able to render Web content in a manner appropriate to a particular user's needs.

2.3 If markup generated by the tool does not conform to W3C specifications, inform the author. [Priority 3]

### Guideline 3. Support the creation of accessible content

Well structured information, and equivalent alternative information are cornerstones of accessible design, allowing information to be presented in a way most appropriate for the needs of the user without constraining the creativity of the author. Yet generating equivalent information, such as textual alternatives for images and audio descriptions of video, can be one of the most challenging aspects of Web design, and authoring tool developers should attempt to facilitate and automate the mechanics of this process. For example, prompting authors to include equivalent alternative information such as text equivalents, captions, and auditory descriptions at appropriate times can greatly ease the burden for authors. Where such information can be mechanically determined and offered as a choice for the author (e.g., the function of icons in an automatically-generated navigation bar, or expansion of acronyms from a dictionary) the tool can assist the author. At the same time it can reinforce the need for such information and the author's role in ensuring that it is used appropriately in each instance.

#### *Checkpoints:*

3.1 Prompt the author to provide equivalent alternative information (e.g., captions, auditory descriptions and collated text transcripts for video). [Relative Priority]

3.2 Help the author create structured content and separate information from its presentation. [Relative Priority]

3.3 Ensure that prepackaged content conforms to [WAI-WEBCONTENT]. [Relative Priority]

For example include synchronized text and audio equivalents (such as video captions) with movies. Refer also to checkpoint 3.4.

3.4 Do not insert automatically generated or place-holder equivalent alternatives. [Priority 1]

For example, "search" may be appropriate alternative text for a graphic button linked to a search function, but the filename of an image should not be inserted as a default.

**Note.** Human-authored equivalent alternatives may be available for an object (for example through checkpoint 3.5 and/or checkpoint 3.3). It is appropriate for the tool to offer these to the author as defaults.

3.5 Provide a mechanism to manage alternative information for multimedia objects, that retains and offers for editing pre-written or previously linked equivalent alternative information. [Priority 3]

## Guideline 4. Provide ways of checking and correcting inaccessible content

Many authoring tools allow authors to create documents with little or no knowledge about the underlying markup. To ensure accessibility, authoring tools must be designed so that they can automatically identify inaccessible markup, and enable its correction even when the markup itself is hidden from the author.

In supporting the creation of accessible Web content, authoring tools should take into account differing authoring styles. In general, authors will prefer to be able to configure their tools to support their working style. Tools that allow such configuration can help authors to feel that accessible authoring is a natural practice (refer to guideline 5) rather than an intrusion on their normal work pattern. For example some users may prefer to be alerted to accessibility problems when they occur, whereas others may prefer to perform a check at the end of an editing session. This is analogous to programming environments that allow users to decide whether to check for correct code during editing or at compile time.

**Note.** Validation of markup is an essential aspect of checking the accessibility of content.

### *Checkpoints:*

- 4.1 Check for and alert the author to accessibility problems . [Relative Priority]
  - Note:** Some accessibility problems cannot be detected automatically, and will require the user to make decisions.
- 4.2 Assist authors in correcting accessibility problems . [Relative Priority]
  - At a minimum, provide context-sensitive help with the accessibility checking required by 4.1
- 4.3 Allow the author to preserve markup not recognized by the tool. [Priority 2]
  - Note.** The author may have included or imported markup that enhances accessibility but is not recognized by the tool.
- 4.4 Provide the author with a summary of the document's accessibility status. [Priority 3]
- 4.5 Allow the author to transform presentation markup that is misused to convey structure into structural markup, and to transform presentation markup that is stylistic into style sheets. [Priority 3]

## Guideline 5. Integrate accessibility solutions into the overall "look and feel"

When a new feature is added to an existing software tool without proper integration, the result is often an obvious discontinuity. Differing color schemes, fonts, interaction styles and even application stability can be factors affecting user acceptance of the new feature. In addition, the relative prominence of different ways to achieve the same thing can be an important factor in which method an author chooses. Therefore, it is important that creating accessible content is a natural process when

using an authoring tool.

### *Checkpoints:*

5.1 Ensure that functions related to accessible authoring practices are naturally integrated into the tool. [Priority 2]

5.2 Ensure that [WAI-WEBCONTENT] Priority 1 accessible authoring practices are among the most obvious and easily initiated by the author. [Priority 2]

## Guideline 6. Promote accessibility in help and documentation

The issues surrounding the creation of accessible Web content are often unknown to Web authors. Help and documentation include explanations of accessibility problems, and should demonstrate solutions with examples.

### *Checkpoints:*

6.1 Document all features that promote the production of accessible content. [Priority 1]

6.2 Ensure that creating accessible content is a naturally integrated part of the documentation, including examples. [Priority 2]

6.3 In a dedicated section, document all features of the tool that promote the production of accessible content. [Priority 3]

## Guideline 7. Ensure that the authoring tool is accessible to authors with disabilities

The authoring tool is a software program with standard user interface elements and as such must be designed according to relevant user interface accessibility guidelines.

Some additional user interface design considerations apply specifically to Web authoring tools. For instance, authoring tools must ensure that the author can edit (in the editing view) using one set of stylistic preferences and publish using different styles. For instance, authors with low vision may need large text when editing but want to publish with a smaller default text size. The style preferences of the editing view must not affect the markup of the published document.

Authoring tools must also ensure that the author can navigate a document efficiently while editing, regardless of disability. Authors who use screen readers, refreshable braille displays, or screen magnifiers can make limited use (if at all) of graphical artifacts that communicate the structure of the document and act as signposts when traversing it. For authors with blindness or motor impairments, fatigue and other problems that arise when serial access is the only navigation technique are major usability issues. Authoring tools should therefore provide an editing view that conveys a sense of the overall structure and allows structured navigation.

**Note.** Documentation, help files, and installation are part of the software and need to be available in an accessible form.

*Checkpoints:*

7.1 Use all applicable operating system and accessibility standards and conventions (Priority 1 for standards and conventions that are essential to accessibility, Priority 2 for those that are important to accessibility, Priority 3 for those that are beneficial to accessibility). [Priority 1]

The techniques for this checkpoint include references to checklists and guidelines for a number of platforms and to general guidelines for accessible applications.

7.2 Allow the author to change the presentation within editing views without affecting the document markup. [Priority 1]

This allows the author to edit the document according to personal requirements, without changing the way the document is rendered when published.

7.3 Allow the author to edit all properties of each element and object in an accessible fashion. [Priority 1]

7.4 Ensure the editing view allows navigation via the structure of the document in an accessible fashion. [Priority 1]

7.5 Enable editing of the structure of the document in an accessible fashion. [Priority 2]

7.6 Allow the author to search within editing views. [Priority 2]

## 3. Glossary of Terms and Definitions

### **Accessibility** (Also: **Accessible**)

Within these guidelines, "accessible Web content" and "accessible authoring tool" mean that the content and tool can be used by people regardless of disability.

To understand the accessibility issues relevant to authoring tool design, consider that many users may be creating content in contexts very different from your own:

- They may not be able to see, hear, move, or may not be able to process some types of information easily or at all;
- They may have difficulty reading or comprehending text;
- They may not have or be able to use a keyboard or mouse;
- They may have a text-only display, or a small screen.

Accessible design will benefit people in these different authoring scenarios and also many people who do not have a physical disability but who have similar needs. For example, someone may be working in a noisy environment and thus require an alternative representation of audio information. Similarly, someone may be working in an eyes-busy environment and thus require an audio equivalent to information they cannot view. Users of small mobile devices (with small screens, no keyboard, and no mouse) have similar functional needs as some users with disabilities.

### **Accessibility Information**

Accessibility information is content, including information and markup, that is used to improve the accessibility of a document. Accessibility information includes, but is not limited to, equivalent alternative information .

### **Accessibility Problem** (Also: **Inaccessible Markup**)

Inaccessible Web content or authoring tools cannot be used by some people with disabilities. The Web Content Accessibility Guidelines [WAI-WEBCONTENT] describes how to create accessible Web content.

### **Accessible Authoring Practice**

Practices that improve the accessibility of Web content. Both authors and tools engage in accessible authoring practices. For example, authors write clearly, structure their content, provide navigation aids, etc. Tools generate valid markup and assist authors in providing and managing appropriate equivalent alternatives.

### **Alert**

An alert draws the author's attention to an event or situation. It may require a response from the author.

### **Alternative Information** (Also: **Equivalent Alternative**)

Content is "equivalent" to other content when both fulfill essentially the same function or purpose upon presentation to the user. Equivalent alternatives play an important role in accessible authoring practices since certain types of content may not be accessible to all users (e.g., video, images, audio, etc.). Authors are encouraged to provide text equivalents for non-text content since text may be rendered as synthesized speech for individuals who have visual or learning

disabilities, as braille for individuals who are blind, or as graphical text for individuals who are deaf or do not have a disability. For more information about equivalent alternatives, please refer to [WAI-WEBCONTENT] .

### **Attribute**

This document uses the term "attribute" as used in SGML and XML ([XML] ): Element types may be defined as having any number of attributes. In the following example, the attributes of the `beverage` element type are "flavour", which has the value "lots", and "colour", which has the value "red":

```
<beverage flavour="lots" colour="red">my favourite</beverage>
```

Some attributes are integral to document accessibility (e.g., the "alt", "title", and "longdesc" attributes in HTML).

### **Auditory Description**

An auditory description provides information about actions, body language, graphics, and scene changes in a video. They are commonly used by people who are blind or have low vision, although they may also be used as a low-bandwidth equivalent on the Web. An auditory description is either a pre-recorded human voice or a synthesized voice (recorded or generated on the fly). The auditory description must be synchronized with the audio track of a video presentation, usually during natural pauses in the audio track.

### **Authoring Tool**

An authoring tool is any software that is used to generate content for publishing on the Web. Authoring tools include:

- Editing tools specifically designed to produce Web content (e.g., WYSIWYG HTML and XML editors);
- Tools that offer the option of saving material in a Web format (e.g., word processors or desktop publishing packages);
- Tools that translate documents into Web formats (e.g., filters to translate desktop publishing formats to HTML);
- Tools that produce multimedia, especially where it is intended for use on the Web (e.g., video production and editing suites, SMIL authoring packages);
- Tools for site management or site publication, including tools that generate Web sites dynamically from a database, on-the-fly conversion and Web site publishing tools;
- Tools for management of layout (e.g., CSS formatting tools).

### **Captions**

Captions are essential text equivalents for movie audio. Captions consist of a text transcript of the audio track of the movie (or other video presentation) that is synchronized with the video and audio tracks. Captions are generally rendered graphically and benefit people who can see but are deaf, hard-of-hearing, or cannot hear the audio.

### **Conversion Tool**

A conversion tool is any application or application feature that allows content in some other format (proprietary or not) to be converted automatically into a

particular markup language. This includes software whose primary function is to convert documents to a particular markup language as well as "save as HTML" (or other markup language ) features in non-markup applications.

**Document**

A document is a series of elements that are defined by a markup language (e.g., HTML 4.0 or an XML application).

**Editing View**

A view provided by the authoring tool that allows editing. Some authoring tools will have several different types of view, and some allow views of several documents at once.

**Element**

An element is any identifiable object within a document, for example a character, word, image, paragraph or spreadsheet cell. In [HTML40] and [XML], an element refers to a pair of tags and their content, or an "empty" tag - one that requires no closing tag or content.

**Markup Language**

Authors encode information using a markup language such as HTML ([HTML40]), SVG ([SVG]), or MathML ([MATHML]).

**Prompt**

A prompt is a request for user input, either information or a decision. A prompt requires author response. For example, an "alt-text" entry field prominently displayed in an image insertion dialog would constitute a prompt. Prompts can be used to encourage authors to provide information needed to make content accessible (such as alternative text equivalents).

**Property**

A property is a piece of information about an element, for example structural information (e.g., it is item number 7 in a list, or plain text) or presentation information (e.g., that it is marked as bold, its font size is 14). In XML and HTML, properties of an element include the name of the element (e.g., `IMG` or `DL`), the values of its attributes, and information associated by means of a style sheet. In a database, properties of a particular element may include values of the entry, and acceptable data types for that element.

The rendered content is that which an element actually causes to be rendered by the user agent. This may differ from the element's structural content. For example, some elements cause external data to be rendered (e.g., the `IMG` element in [HTML40]), and in some cases, browsers may render the value of an attribute (e.g., "alt", "title") in place of the element's content.

**Transcript**

A transcript is a line by line record of sounds within an audio clip, or an audio track from a video clip. A collated text transcript for a video combines (collates) caption text with text descriptions of video information (descriptions of the actions, body language, graphics, and scene changes of the video track). Collated text transcripts are essential for individuals who are deaf-blind and rely on braille for access to movies and other content.

**Transformation**

A process that changes a document or object into another, equivalent, object

according to a discrete set of rules. This includes any application or application feature that allows content which is marked up in a particular markup language to be transformed into another markup language, such as a conversion tool, software that allows the author to change the DTD defined for the original document to another DTD, and the ability to change the markup of lists and convert them into tables.

**User Agent**

An application that retrieves and renders Web content. User agents include browsers, plug-ins for a particular media type, and some assistive technologies. A user-configurable schedule allows the user to determine the type of prompts and alerts that are used, including when they are presented.

**View**

Authoring tools may render the same content in a variety of ways; each rendering is called a view. For instance, one view may show raw markup, a second may show a structured tree, a third may show markup with rendered objects while a final view shows an example of how the document may appear if it were to be rendered by a particular browser. A typical way to distinguish views in a graphic environment is to place each in a separate window.

## 4. Acknowledgments

Many thanks to the following people who have contributed through review and comment: Jim Allan, Denis Anson, Kitch Barnicle, Kynn Bartlett, Harvey Bingham, Judy Brewer, Carl Brown, Dick Brown, Wendy Chisholm, Rob Cumming, Daniel Dardailler, Mark Day, BK DeLong, Martin Dürst, Kelly Ford, Jamie Fox, Edna French, Sylvain Galineau, Al Gilman, Eric Hansen, Phill Jenkins, Len Kasday, Brian Kelly, Marja-Riitta Koivunen, Sho Kuwamoto, Jaap van Lelieveld, William Loughborough, Karen McCall, Charles Oppermann, Dave Pawson, Dave Poehlman, Bruce Roberts, Chris Ridpath, Gregory Rosmaita, Janina Sajka, John Slatin, Jim Thatcher, Irène Vatton, Gregg Vanderheiden, Pawan Vora, Jason White, and Lauren Wood.

## 5. References

For the latest version of any W3C specification please consult the list of W3C Technical Reports.

### **[HTML40]**

"HTML 4.0 Recommendation," D. Raggett, A. Le Hors, and I. Jacobs, eds., 17 December 1997, revised 24 April 1998. This HTML 4.0 Recommendation is <http://www.w3.org/TR/1998/REC-html40-19980424>. The latest version of HTML 4.0 is available at <http://www.w3.org/TR/REC-html40>.

### **[MATHML]**

"Mathematical Markup Language," P. Ion and R. Miner, eds., 7 April 1998, revised 7 July 1999. This MathML 1.0 Recommendation is <http://www.w3.org/TR/1998/REC-MathML-19990707>. The latest version of MathML 1.0 is available at <http://www.w3.org/TR/REC-MathML>.

### **[SVG]**

"Scalable Vector Graphics (SVG) 1.0 Specification" (Working Draft), J. Ferraiolo, ed. The latest version of the SVG specification is available at <http://www.w3.org/TR/SVG>

### **[WAI-AUTOOLS-CHECKLIST]**

An appendix to this document lists all of the checkpoints, sorted by priority. The checklist is available in either tabular form (at <http://www.w3.org/TR/1999/PR-WAI-AUTOOLS-19991026/checkpoint-table>) or list form (at <http://www.w3.org/TR/1999/PR-WAI-AUTOOLS-19991026/checkpoint-list>).

### **[WAI-AUTOOLS-TECHS]**

"Techniques for Authoring Tool Accessibility," J. Treviranus, J. Richards, I. Jacobs, and C. McCathieNevile eds. The latest version is available at <http://www.w3.org/TR/WAI-AUTOOLS-TECHS>.

### **[WAI-WEBCONTENT]**

"Web Content Accessibility Guidelines 1.0," W. Chisholm, G. Vanderheiden, and I. Jacobs, eds., 5 May 1999. This Recommendation is <http://www.w3.org/TR/1999/WAI-WEBCONTENT-19990505>. The latest version of the Web Content Accessibility Guidelines 1.0" is available at <http://www.w3.org/TR/WAI-WEBCONTENT/>.

### **[XML]**

"The Extensible Markup Language (XML) 1.0," T. Bray, J. Paoli, C. M. Sperberg-McQueen eds. The latest version of the The XML Specification ia available at <http://www.w3.org/TR/REC-xml>.