



## XHTML™ 2.0

### W3C Working Draft 11 December 2002

This version:

<http://www.w3.org/TR/2002/WD-xhtml2-20021211>

Latest version:

<http://www.w3.org/TR/xhtml2>

Previous version:

<http://www.w3.org/TR/2002/WD-xhtml2-20020805>

Diff-marked version:

[xhtml2-diff.html](#)

Editors:

Shane McCarron, Applied Testing and Technology

Jonny Axelsson, Opera Software

Beth Epperson, Netscape/AOL

Ann Navarro, WebGeek, Inc.

Steven Pemberton, CWI (HTML Working Group Chair)

This document is also available in these non-normative formats: Single XHTML file [p.1] , PostScript version, PDF version, ZIP archive, and Gzip'd TAR archive.

Copyright ©2002 W3C® (MIT, INRIA, Keio), All Rights Reserved. W3C liability, trademark, document use and software licensing rules apply.

---

## Abstract

This Working Draft specifies the XHTML 2.0 markup language and a variety of XHTML-conforming modules that support that language.

## Status of This Document

*This section describes the status of this document at the time of its publication. Other documents may supersede this document. The latest status of this document series is maintained at the W3C.*

This document is the second public Working Draft of this specification. It should in no way be considered stable, and should not be referenced for any purposes whatsoever. This version *does not* include the implementations of XHTML 2.0 in either DTD or XML Schema form. Those will be included in subsequent versions, once the contents of this language stabilizes. This

version also *does not* address the issues revolving around the use of [XLINK [p.131] ] by XHTML 2. Those issues are being worked independent of the evolution of this specification. Those issues should, of course, be resolved as quickly as possible, and the resolution will be reflected in a future draft.

This document has been produced by the W3C HTML Working Group (*members only*) as part of the W3C HTML Activity. The goals of the HTML Working Group are discussed in the HTML Working Group charter.

Public discussion of XHTML takes place on [www-html@w3.org](mailto:www-html@w3.org) (archive). To subscribe send an email to [www-html-request@w3.org](mailto:www-html-request@w3.org) with the word *subscribe* in the subject line.

Please report errors in this document to [www-html-editor@w3.org](mailto:www-html-editor@w3.org) (archive).

At the time of publication, the Working Group believed there were no patent disclosures relevant to this specification. A current list of patent disclosures relevant to this specification may be found on the Working Group's patent disclosure page.

A list of current W3C Recommendations and other technical documents can be found at <http://www.w3.org/TR>.

## Quick Table of Contents

1. Introduction	
2. Terms and Definitions	11
3. Conformance Definition	
4. The XHTML 2.0 Document Type	17
5. Module Definition Conventions	19
6. XHTML Attribute Collections	25
7. XHTML Structure Module	37
8. XHTML Text Module	41
9. XHTML Hypertext Module	53
10. XHTML List Module	55
11. XHTML Linking Module	61
12. XHTML Metainformation Module	65
13. XHTML Object Module	69
14. XHTML Presentation Module	81
15. XHTML Scripting Module	83
17. XHTML Style Sheet Module	87
18. XHTML Tables Module	91
A. Changes from XHTML 1.1	115
B. XHTML 2.0 Schema	117
C. XHTML Schema Module Implementations	119
D. XHTML 2.0 Document Type Definition	121
E. XHTML DTD Module Implementations	123

F. References . . . . .	129
G. Acknowledgements . . . . .	133

## List of Issues

- DTD Bias
- Need XHTML 2.0 Definition Table [p.17]
- Linktype 'required' [p.22]
- Linktype 'prefetch' [p.22]
- 'root' [p.26]
- improve bidi example [p.27]
- Accesskey [p.30]
- Allow any element to be an image map? [p.34]
- ismap [p.34]
- Require UA to give feedback on regions [p.34]
- List of XHTML 2 Events Needed [p.35]
- footer [p.37]
- security tag [p.37]
- duplication of title [p.39]
- split text module [p.42]
- l element content model [p.43]
- nr element [p.43]
- address [p.44]
- Deprecate h1-6? [p.46]
- strong [p.51]
- XML linking support [p.61]
- meta properties [p.65]
- Remove or rename hr [p.81]
- Change summary needed [p.115]
- XHTML 2.0 Schema Needed [p.117]
- XHTML 2.0 DTD Needed [p.121]
- DTD Module XHTML Base Architecture needed [p.123]
- DTD Module XHTML Notations needed [p.123]
- DTD Module XHTML Datatypes needed [p.123]
- DTD Module XHTML Common Attribute Definitions needed [p.124]
- DTD Module XHTML Qualified Names needed [p.124]
- DTD Module XHTML Character Entities needed [p.124]
- DTD Module Structure needed [p.124]
- DTD Module Text needed [p.124]
- DTD Module Hypertext needed [p.125]
- DTD Module Lists needed [p.125]
- DTD Module Bi-directional Text needed [p.125]
- DTD Module Client-side Image Map needed [p.125]

- DTD Module Edit needed [p.125]
- DTD Module Link needed [p.125]
- DTD Module Metainformation needed [p.126]
- DTD Module Object needed [p.126]
- DTD Module Presentation needed [p.126]
- DTD Module Scripting needed [p.126]
- DTD Module Server-side Image Map needed [p.126]
- DTD Module Style Sheet needed [p.126]
- DTD Module Tables needed [p.127]
- DTD Module Target needed [p.127]
- DTD Module Block Phrasal needed [p.127]
- DTD Module Block Presentational needed [p.127]
- DTD Module Block Structural needed [p.127]
- DTD Module Inline Phrasal needed [p.128]
- DTD Module Inline Presentational needed [p.128]
- DTD Module Inline Structural needed [p.128]
- DTD Module Param needed [p.128]
- DTD Module Legacy Redeclarations needed [p.128]

## Full Table of Contents

1. Introduction	
1.1. What is XHTML 2?	
1.2. What are the XHTML 2 Modules?	
2. Terms and Definitions	11
3. Conformance Definition	
3.1. Document Conformance	
3.1.1. Strictly Conforming Documents	
3.2. User Agent Conformance	
4. The XHTML 2.0 Document Type	17
5. Module Definition Conventions	19
5.1. Module Structure	19
5.2. Abstract Module Definitions	19
5.3. Syntactic Conventions	19
5.4. Content Types	20
5.5. Attribute Types	21
6. XHTML Attribute Collections	25
6.1. Core Attribute Collection	25
6.2. I18N Attribute Collection	26
6.3. Bi-directional Text Collection	27
6.4. Edit Collection	28
6.5. Hypertext Attribute Collection	28
6.6. Embedding Attribute Collection	31

6.7. Image Map Attribute Collection . . . . .	32
6.8. Events . . . . .	35
6.9. Common Attribute Collection . . . . .	36
7. XHTML Structure Module . . . . .	37
7.1. The html element . . . . .	38
7.2. The head element . . . . .	38
7.3. The title element . . . . .	38
7.4. The body element . . . . .	39
8. XHTML Text Module . . . . .	41
8.1. The abbr element . . . . .	43
8.2. The address element . . . . .	44
8.3. The blockquote element . . . . .	44
8.4. The code element . . . . .	45
8.5. The dfn element . . . . .	45
8.6. The div element . . . . .	45
8.7. The em element . . . . .	46
8.8. The heading elements . . . . .	46
8.9. The kbd element . . . . .	47
8.10. The p element . . . . .	48
8.11. The pre element . . . . .	48
8.12. The quote element . . . . .	49
8.13. The samp element . . . . .	50
8.14. The section element . . . . .	50
8.15. The span element . . . . .	51
8.16. The strong element . . . . .	51
8.17. The var element . . . . .	51
9. XHTML Hypertext Module . . . . .	53
9.1. The a element . . . . .	53
10. XHTML List Module . . . . .	55
10.1. Definition lists: the dl, dt, and dd elements . . . . .	57
10.2. The nl element . . . . .	58
10.3. The ol, and ul elements . . . . .	58
10.4. The li element . . . . .	59
10.5. The name element . . . . .	59
11. XHTML Linking Module . . . . .	61
11.1. The link element . . . . .	61
11.1.1. Forward and reverse links . . . . .	62
11.1.2. Links and external style sheets . . . . .	62
11.1.3. Links and search engines . . . . .	62
12. XHTML Metainformation Module . . . . .	65
12.1. The meta element . . . . .	65
12.1.1. meta and search engines . . . . .	66
12.1.2. meta and PICS . . . . .	66

12.1.3. meta data profiles . . . . .	67
13. XHTML Object Module . . . . .	69
13.1. The object element . . . . .	69
13.1.1. Defining terminology . . . . .	70
13.1.2. Basic Information for Object Handlers . . . . .	70
13.1.3. Rules for processing objects . . . . .	71
13.2. The param element. . . . .	76
13.2.1. Referencing object data . . . . .	77
13.2.2. Object element declarations and instantiations . . . . .	78
14. XHTML Presentation Module . . . . .	81
14.1. The hr element . . . . .	81
14.2. The sub element . . . . .	81
14.3. The sup element . . . . .	82
15. XHTML Scripting Module . . . . .	83
15.1. The noscript element . . . . .	83
15.2. The script element . . . . .	84
15.2.1. Rules for processing scripts . . . . .	84
15.2.2. Specifying the scripting language . . . . .	85
15.2.3. Declaration of a scripting language . . . . .	85
15.2.4. Dynamic modification of documents . . . . .	85
17. XHTML Style Sheet Module . . . . .	87
17.1. The style element . . . . .	87
17.1.1. External style sheets . . . . .	89
17.1.2. Preferred and alternate style sheets . . . . .	89
17.1.3. Specifying external style sheets . . . . .	90
18. XHTML Tables Module . . . . .	91
18.1. The caption element . . . . .	92
18.1.1. Caption Clipping . . . . .	92
18.2. The col and colgroup elements . . . . .	92
18.2.1. Calculating the number of columns in a table . . . . .	94
18.3. The table element . . . . .	95
18.3.1. Visual Rendering . . . . .	95
18.3.2. Table directionality . . . . .	96
18.3.3. Table rendering by non-visual user agents . . . . .	97
18.3.4. Sample table . . . . .	104
18.4. The tbody element . . . . .	106
18.5. The td and th elements . . . . .	106
18.5.1. Cells that span several rows or columns . . . . .	109
18.6. The thead and tfoot elements . . . . .	112
18.7. The tr element . . . . .	113
A. Changes from XHTML 1.1 . . . . .	115
B. XHTML 2.0 Schema . . . . .	117
C. XHTML Schema Module Implementations . . . . .	119

D. XHTML 2.0 Document Type Definition . . . . .	121
E. XHTML DTD Module Implementations . . . . .	123
E.1. XHTML Modular Framework . . . . .	123
E.1.1. XHTML Base Architecture . . . . .	123
E.1.2. XHTML Notations . . . . .	123
E.1.3. XHTML Datatypes . . . . .	123
E.1.4. XHTML Common Attribute Definitions . . . . .	124
E.1.5. XHTML Qualified Names . . . . .	124
E.1.6. XHTML Character Entities . . . . .	124
E.2. XHTML Module Implementations . . . . .	124
E.2.1. Structure . . . . .	124
E.2.2. Text . . . . .	124
E.2.3. Hypertext . . . . .	125
E.2.4. Lists . . . . .	125
E.2.5. Bi-directional Text . . . . .	125
E.2.6. Client-side Image Map . . . . .	125
E.2.7. Edit . . . . .	125
E.2.8. Link . . . . .	125
E.2.9. Metainformation . . . . .	126
E.2.10. Object . . . . .	126
E.2.11. Presentation . . . . .	126
E.2.12. Scripting . . . . .	126
E.2.13. Server-side Image Map . . . . .	126
E.2.14. Style Sheet . . . . .	126
E.2.15. Tables . . . . .	127
E.2.16. Target . . . . .	127
E.3. XHTML DTD Support Modules . . . . .	127
E.3.1. Block Phrasal . . . . .	127
E.3.2. Block Presentational . . . . .	127
E.3.3. Block Structural . . . . .	127
E.3.4. Inline Phrasal . . . . .	128
E.3.5. Inline Presentational . . . . .	128
E.3.6. Inline Structural . . . . .	128
E.3.7. Param . . . . .	128
E.3.8. Legacy Redeclarations . . . . .	128
F. References . . . . .	129
F.1. Normative References . . . . .	129
F.2. Informative References . . . . .	131
G. Acknowledgements . . . . .	133





# 1. Introduction

This section is *informative*.

## 1.1. What is XHTML 2?

XHTML 2 is a markup language intended for rich, portable web-based applications. While the ancestry of XHTML 2 comes from HTML 4, XHTML 1.0, and XHTML 1.1, it is *not* intended to be backward compatible with its earlier versions. Application developers familiar with its earlier ancestors will be comfortable working with XHTML 2. Appendix A describes the ways in which XHTML 2 differs from previous versions and what application developers need to know to convert existing applications to XHTML 2.

## 1.2. What are the XHTML 2 Modules?

XHTML 2 is a member of the XHTML Family of markup languages. It is an XHTML Host Language as defined in XHTML Modularization. As such, it is made up of a set of XHTML Modules that together describe the elements and attributes of the language, and their content model. XHTML 2 updates many of the modules defined in XHTML Modularization 1.0 [XHTMLMOD [p.130] ], and includes the updated versions of all those modules and their semantics. XHTML 2 also uses modules from Ruby [RUBY [p.129] ], XML Events [XMLEVENTS [p.130] ], and XForms [XFORMS [p.130] ].

The modules defined in this specification are largely extensions of the modules defined in XHTML Modularization 1.0. This specification also defines the semantics of the modules it includes. So, that means that unlike earlier versions of XHTML that relied upon the semantics defined in HTML 4, all of the semantics for XHTML 2 are defined either in this specification or in the specifications that it normatively references.

Even though the XHTML 2 modules are defined in this specification, they are available for use in other XHTML family markup languages. Over time, it is possible that the modules defined in this specification will migrate into the XHTML Modularization specification.



## 2. Terms and Definitions

This section is *informative*.

While some terms are defined in place, the following definitions are used throughout this document. Familiarity with the W3C XML 1.0 Recommendation [XML [p.130] ] is highly recommended.

abstract module

a unit of document type specification corresponding to a distinct type of content, corresponding to a markup construct reflecting this distinct type.

content model

the declared markup structure allowed within instances of an element type. XML 1.0 differentiates two types: elements containing only element content (no character data) and mixed content (elements that may contain character data optionally interspersed with child elements). The latter are characterized by a content specification beginning with the "#PCDATA" string (denoting character data).

deprecated

a feature marked as deprecated is in the process of being removed from this recommendation. Portable applications should not use features marked as deprecated.

document model

the effective structure and constraints of a given document type. The document model constitutes the abstract representation of the physical or semantic structures of a class of documents.

document type

a class of documents sharing a common abstract structure. The ISO 8879 [SGML [p.130] ] definition is as follows: "a class of documents having similar characteristics; for example, journal, article, technical manual, or memo. (4.102)"

document type definition (DTD)

a formal, machine-readable expression of the XML structure and syntax rules to which a document instance of a specific document type must conform; the schema type used in XML 1.0 to validate conformance of a document instance to its declared document type. The same markup model may be expressed by a variety of DTDs.

driver

a generally short file used to declare and instantiate the modules of a DTD. A good rule of thumb is that a DTD driver contains no markup declarations that comprise any part of the document model itself.

element

an instance of an element type.

element type

the definition of an element, that is, a container for a distinct semantic class of document content.

entity

an entity is a logical or physical storage unit containing document content. Entities may be composed of parseable XML markup or character data, or unparsed (i.e., non-XML, possibly non-textual) content. Entity content may be either defined entirely within the

document entity ("internal entities") or external to the document entity ("external entities"). In parsed entities, the replacement text may include references to other entities.

entity reference

a mnemonic string used as a reference to the content of a declared entity (eg., "&" for "&", "<" for "<", "©" for "©".)

generic identifier

the name identifying the element type of an element. Also, element type name.

hybrid document

A hybrid document is a document that uses more than one XML namespace. Hybrid documents may be defined as documents that contain elements or attributes from hybrid document types.

instantiate

to replace an entity reference with an instance of its declared content.

markup declaration

a syntactical construct within a DTD declaring an entity or defining a markup structure. Within XML DTDs, there are four specific types: entity declaration defines the binding between a mnemonic symbol and its replacement content; element declaration constrains which element types may occur as descendants within an element (see also content model); attribute definition list declaration defines the set of attributes for a given element type, and may also establish type constraints and default values; notation declaration defines the binding between a notation name and an external identifier referencing the format of an unparsed entity.

markup model

the markup vocabulary (i.e., the gamut of element and attribute names, notations, etc.) and grammar (i.e., the prescribed use of that vocabulary) as defined by a document type definition (i.e., a schema) The markup model is the concrete representation in markup syntax of the document model, and may be defined with varying levels of strict conformity. The same document model may be expressed by a variety of markup models.

module

an abstract unit within a document model expressed as a DTD fragment, used to consolidate markup declarations to increase the flexibility, modifiability, reuse and understanding of specific logical or semantic structures.

modularization

an implementation of a modularization model; the process of composing or de-composing a DTD by dividing its markup declarations into units or groups to support specific goals. Modules may or may not exist as separate file entities (i.e., the physical and logical structures of a DTD may mirror each other, but there is no such requirement).

modularization model

the abstract design of the document type definition (DTD) in support of the modularization goals, such as reuse, extensibility, expressiveness, ease of documentation, code size, consistency and intuitiveness of use. It is important to note that a modularization model is only orthogonally related to the document model it describes, so that two very different modularization models may describe the same document type.

parameter entity

an entity whose scope of use is within the document prolog (i.e., the external subset/DTD or internal subset). Parameter entities are disallowed within the document instance.

parent document type

A parent document type of a hybrid document is the document type of the root element.

tag

descriptive markup delimiting the start and end (including its generic identifier and any attributes) of an element.



## 3. Conformance Definition

This section is *normative*.

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119 [p.129] ].

### 3.1. Document Conformance

#### 3.1.1. Strictly Conforming Documents

##### DTD Bias

This section has a distinct DTD bias. We need to make it clear that either the DTD or the Schema can be used to validate XHTML 2.0 documents.

A strictly conforming XHTML 2.0 document is a document that requires only the facilities described as mandatory in this specification. Such a document must meet all the following criteria:

1. The document must conform to the constraints expressed in Appendix B - XHTML 2.0 Schema [p.117] or Appendix D - XHTML 2.0 Document Type Definition [p.121] .
2. The root element of the document must be `html`.
3. The root element of the document must contain an `xmlns` declaration for the XHTML 2.0 namespace [XMLNAMES [p.130] ]. The namespace for XHTML is defined to be `http://www.w3.org/2002/06/xhtml12`. An example root element might look like:

```
<html xmlns="http://www.w3.org/2002/06/xhtml12" xml:lang="en">
```

4. There must be a DOCTYPE declaration in the document prior to the root element. If present, the public identifier included in the DOCTYPE declaration must reference the DTD found in Appendix E [p.123] using its Formal Public Identifier. The system identifier may be modified appropriately.

```
<!DOCTYPE  
html PUBLIC "-//W3C//DTD XHTML 2.0//EN"  
"TBD">
```

Here is an example of an XHTML 2.0 document.

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 2.0//EN"
  "TBD">
<html xmlns="http://www.w3.org/2002/06/xhtml12" xml:lang="en">
  <head>
    <title>Virtual Library</title>
  </head>
  <body>
    <p>Moved to <a href="http://vlib.org/">vlib.org</a>.</p>
  </body>
</html>
```

Note that in this example, the XML declaration is included. An XML declaration like the one above is not required in all XML documents. XHTML document authors are strongly encouraged to use XML declarations in all their documents. Such a declaration is required when the character encoding of the document is other than the default UTF-8 or UTF-16 and no encoding was determined by a higher-level protocol.

## 3.2. User Agent Conformance

A conforming user agent must meet all user agent conformance requirements defined in [XHTMLMOD [p.130] ].



## 4. The XHTML 2.0 Document Type

This section is *normative*.

The XHTML 2.0 document type is a fully functional document type with rich semantics. It is a collection of XHTML-conforming modules (most of which are defined in this specification). The Modules and their elements are listed here for information purposes, but the definitions in their base documents should be considered authoritative. In the on-line version of this document, the module names in the list below link into the definitions of the modules within the relevant version of the authoritative specification.

### Need XHTML 2.0 Definition Table

We need a table that defines the modules that are in XHTML 2.0 and links them into this document. Currently, that will be a bunch of modules that are in this document, and modules from XML Events, Ruby, and XForms. The table below is largely correct, but is still just a place holder.

#### Structure Module [p.37] \*

`body, head, html, title`

#### Text Module [p.41] \*

`abbr, address, blockquote, code, dfn, div, em, h, h1, h2, h3, h4, h5, h6, kbd, l, p, pre, quote, samp, section, span, strong, var`

#### Hypertext Module [p.53] \*

`a`

#### List Module [p.55] \*

`dl, dt, dd, name, nl, ol, ul, li`

#### Link Module [p.61]

`link`

#### Metainformation Module [p.65]

`meta`

#### Object Module [p.69]

`object, param`

#### Presentation Module [p.81]

`hr, sub, sup`

#### Scripting Module [p.83]

`noscript, script`

#### Server-side Image Map Module

Attribute `ismap` on `img`

#### Stylesheet Module [p.87]

`style` element

#### Target Module

`target` attribute

#### Table Module [p.91]

`caption, col, colgroup, table, tbody, td, tfoot, th, thead, tr`

XHTML 2.0 also uses the following externally defined modules:

Ruby Annotation Module [RUBY [p.129] ]

*ruby, rbc, rtc, rb, rt, rp*

XML Events Module [XMLEVENTS [p.130] ]

*listener*

XForms Module [XFORMS [p.130] ]

*LOTS OF ELEMENTS*

There are no additional definitions required by this document type. An implementation of this document type as an XML Schema is defined in Appendix B [p.117] , and as a DTD in Appendix D [p.121] .

## 5. Module Definition Conventions

This section is *normative*.

This document defines a variety of XHTML modules and the semantics of those modules. This section describes the conventions used in those module definitions.

### 5.1. Module Structure

Each module in this document is structured in the following way:

- An abstract definition [p.19] of the module's elements, attributes, and content models, as appropriate.
- A sub-section for each element in the module; These sub-sections contain the following components:
  - A brief description of the element,
  - A definition of each attribute or attribute collection [p.25] usable with the element, and
  - A detailed description of the behavior of the element, if appropriate.

*Note that attributes are fully defined only the first time they are used in each module. After that, only a brief description of the attribute is provided, along with a link back to the primary definition.*

### 5.2. Abstract Module Definitions

An abstract module is a definition of an XHTML module using prose text and some informal markup conventions. While such a definition is not generally useful in the machine processing of document types, it is critical in helping people understand what is contained in a module. This section defines the way in which XHTML abstract modules are defined. An XHTML-conforming module is *not required* to provide an abstract module definition. However, anyone developing an XHTML module is encouraged to provide an abstraction to ease in the use of that module.

### 5.3. Syntactic Conventions

The abstract modules are not defined in a formal grammar. However, the definitions do adhere to the following syntactic conventions. These conventions are similar to those of XML DTDs, and should be familiar to XML DTD authors. Each discrete syntactic element can be combined with others to make more complex expressions that conform to the algebra defined here.

element name

When an element is included in a content model, its explicit name will be listed.

content set

Some modules define lists of explicit element names called *content sets*. When a content set is included in a content model, its name will be listed.

`expr ?`

Zero or one instances of `expr` are permitted.

`expr +`

One or more instances of `expr` are required.

`expr *`

Zero or more instances of `expr` are permitted.

`a , b`

Expression `a` is required, followed by expression `b`.

`a | b`

Either expression `a` or expression `b` is required.

`a - b`

Expression `a` is permitted, omitting elements in expression `b`.

parentheses

When an expression is contained within parentheses, evaluation of any subexpressions within the parentheses take place before evaluation of expressions outside of the parentheses (starting at the deepest level of nesting first).

extending pre-defined elements

In some instances, a module adds attributes to an element. In these instances, the element name is followed by an ampersand (&).

defining required attributes

When an element requires the definition of an attribute, that attribute name is followed by an asterisk (\*).

defining the type of attribute values

When a module defines the type of an attribute value, it does so by listing the type in parentheses after the attribute name.

defining the legal values of attributes

When a module defines the legal values for an attribute, it does so by listing the explicit legal values (enclosed in quotation marks), separated by vertical bars (|), inside of parentheses following the attribute name. If the attribute has a default value, that value is followed by an asterisk (\*). If the attribute has a fixed value, the attribute name is followed by an equals sign (=) and the fixed value enclosed in quotation marks.

## 5.4. Content Types

Abstract module definitions define minimal, atomic content models for each module. These minimal content models reference the elements in the module itself. They may also reference elements in other modules upon which the abstract module depends. Finally, the content model in many cases requires that text be permitted as content to one or more elements. In these cases, the symbol used for text is `PCDATA`. This is a term, defined in the XML 1.0 Recommendation, that refers to processed character data. A content type can also be defined as `EMPTY`, meaning the element has no content in its minimal content model.

## 5.5. Attribute Types

In some instances, it is necessary to define the types of attribute values or the explicit set of permitted values for attributes. The following attribute types (defined in the XML 1.0 Recommendation) are used in the definitions of the abstract modules:

Attribute Type	Definition
CDATA	Character data
ID	A document-unique identifier
IDREF	A reference to a document-unique identifier
IDREFS	A space-separated list of references to document-unique identifiers
NAME	A name with the same character constraints as ID above
NMTOKEN	A name composed of only name tokens as defined in XML 1.0 [XML [p.130] ].
NMTOKENS	One or more white space separated NMTOKEN values
PCDATA	Processed character data

In addition to these pre-defined data types, XHTML Modularization defines the following data types and their semantics (as appropriate):

Data type	Description
Character	A single character, as per section 2.2 of [XML [p.130] ].
Charset	A character encoding, as per [RFC2045 [p.129] ].
Charsets	A space-separated list of character encodings, as per [RFC2045 [p.129] ].
ClassName	Used by the class [p.25] attribute, ClassNames are tokens that identify an element as being a member of the set named by the value of the class attribute. ClassName attribute tokens must begin with a letter ([A-Za-z]) and may be followed by any number of letters, digits ([0-9]), hyphens ("-"), underscores ("_"), colons (":"), and periods (".").
ContentType	A list of media ranges with optional accept parameters, as defined in section 14.1 of [RFC2616 [p.129] ] as the field value of the accept request header.
Coordinates	Comma separated list of Length [p.21] s used in defining areas.
Datetime	Date and time information.
FPI	A character string representing an SGML Formal Public Identifier.
HrefTarget	Window name used as destination for results of certain actions.
LanguageCode	A language code, as per [RFC3066 [p.129] ].
Length	The value may be either in pixels or a percentage of the available horizontal or vertical space. Thus, the value "50%" means half of the available space.

LinkTypes	<p>Authors may use the following recognized link types, listed here with their conventional interpretations. A LinkTypes value refers to a space-separated list of link types. White space characters are not permitted within link types.</p> <p>These link types are case-insensitive, i.e., "Alternate" has the same meaning as "alternate".</p> <p>User agents, search engines, etc. may interpret these link types in a variety of ways. For example, user agents may provide access to linked documents through a navigation bar.</p> <p><b>Alternate</b> Designates substitute versions for the document in which the link occurs. When used together with the <code>hreflang</code> attribute, it implies a translated version of the document. When used together with the <code>media</code> attribute, it implies a version designed for a different medium (or media).</p> <p><b>Stylesheet</b> Refers to an external style sheet. See the Style Sheet Module [p.87] for details. This is used together with the link type "Alternate" for user-selectable alternate style sheets.</p> <p><b>Start</b> Refers to the first document in a collection of documents. This link type tells search engines which document is considered by the author to be the starting point of the collection.</p> <p><b>Next</b> Refers to the next document in an ordered sequence of documents. User agents may choose to pre-load the "next" document, to reduce the perceived load time.</p> <p><b>Prev</b> Refers to the previous document in an ordered series of documents. Some user agents also support the synonym "Previous".</p> <p><b>Parent</b> Refers to the parent document in a structured set of documents.</p> <p><b>Contents</b> Refers to a document serving as a table of contents. Some user agents also support the synonym <i>ToC</i> (from "Table of Contents").</p> <p><b>Index</b> Refers to a document providing an index for the current document.</p> <p><b>Glossary</b> Refers to a document providing a glossary of terms that pertain to the current document.</p> <p><b>Copyright</b> Refers to a copyright statement for the current document.</p> <p><b>Chapter</b> Refers to a document serving as a chapter in a collection of documents.</p> <p><b>Section</b> Refers to a document serving as a section in a collection of documents.</p> <p><b>Subsection</b> Refers to a document serving as a subsection in a collection of documents.</p> <p><b>Appendix</b> Refers to a document serving as an appendix in a collection of documents.</p> <p><b>Help</b> Refers to a document offering help (more information, links to other sources information, etc.)</p> <p><b>Bookmark</b> Refers to a bookmark. A bookmark is a link to a key entry point within an extended document. The title attribute may be used, for example, to label the bookmark. Note that several bookmarks may be defined in each document.</p> <p><b>Meta</b> Refers to a document that provides metadata, for instance in RDF, about the current document.</p> <p><b>P3Pv1</b> Refers to a P3P Policy Reference File. See [P3P [p.129] ]</p> <p>Linktype 'required'</p> <p>Linktype 'required'</p> <p>Linktype 'prefetch'</p> <p>Linktype 'prefetch'</p>
-----------	--

MediaDesc	A comma-separated list of media descriptors as described by [CSS2 [p.129] ]. The default is <code>all</code> .
Number	One or more digits
Shape	The shape of a region.
Text	Arbitrary textual data, likely meant to be human-readable.
URI	A Uniform Resource Identifier Reference, as defined by the type <code>anyURI</code> in [XMLSCHEMA [p.130] ] (called IRI in some other specifications).
URIs	A space-separated list of URIs as defined above.
URI List	A comma-separated list of URIs as defined above.





## 6. XHTML Attribute Collections

This section is *normative*.

Many of the abstract modules in this document define the required attributes for their elements. The table below defines some collections of attributes that are referenced throughout the modules. These expressions should in no way be considered normative or mandatory. They are an editorial convenience for this document. When used in the remainder of this section, it is the expansion of the term that is normative, not the term itself.

The following basic attribute sets are used on many elements. In each case where they are used, their use is identified via their collection name.

### 6.1. Core Attribute Collection

`class = ClassName` [p.21]

This attribute assigns one or more class names to an element; the element may be said to belong to these classes. A class name may be shared by several element instances.

The `class` [p.25] attribute can be used for different purposes in XHTML, for instance as a style sheet [p.87] selector (when an author wishes to assign style information to a set of elements), and for general purpose processing by user agents.

For instance in the following example, the `p` [p.48] element is used in conjunction with the `class` [p.25] attribute to identify a particular type of paragraph.

```
<p class="note">
  These programs are only available if you have purchased
  the advanced professional suite.
</p>
```

Style sheet rules can then be used to render the paragraph appropriately, for instance by putting a border around it, giving it a different background colour, or where necessary by not displaying it at all.

`id = ID` [p.21]

The `id` [p.25] attribute assigns an identifier to an element. The `id` of an element must be unique within a document.

The `id` [p.25] attribute has several roles in XHTML:

- As a style sheet [p.87] selector.
- As a target anchor [p.53] for hypertext links.
- As a means to reference a particular element from a script [p.84] .
- As the name of a declared object [p.69] element.
- For general purpose processing by user agents (e.g. for identifying fields when extracting data from XHTML pages into a database, translating XHTML documents into

other formats, etc.).

As an example, the following headings are distinguished by their id [p.25] values:

```
<h id="introduction">Introduction</h>
<p>...</p>
<h id="events">The Events Module</h>
<p>...</p>
```

title = Text [p.23]

This attribute offers advisory information about the element for which it is set.

Values of the title [p.26] attribute may be rendered by user agents in a variety of ways. For instance, visual browsers should display the title as a "tool tip" (a short message that appears when the pointing device pauses over an object). Audio user agents may speak the title information in a similar context.

Example of the use of title [p.26] :

```
<a href="/Jakob/" title="Author biography">Jakob Nielsen</a>'s
Alertbox for January 11, 1998
```

The title [p.26] attribute has an additional role when used with the link [p.61] element to designate an external style sheet. [p.89] See the section on links and style sheets [p.62] for details.

'root'

A 'root of word' attribute for common

## 6.2. I18N Attribute Collection

xml:lang = LanguageCode [p.21]

This attribute specifies the base language of an element's attribute values and text content. It is defined normatively in [XML [p.130] ] section 2.12. The default value of this attribute is unspecified.

An element inherits language code information according to the following order of precedence (highest to lowest):

- The xml:lang [p.26] attribute set for the element itself.
- The closest parent element that has the xml:lang [p.26] attribute set (i.e., the xml:lang [p.26] attribute is inherited).
- The HTTP "Content-Language" header (which may be configured in a server).

In this example, the primary language of the document is French ("fr"). One paragraph is declared to be in US English ("en-us"), after which the primary language returns to French. The following paragraph includes an embedded Japanese ("ja") phrase, after which the primary language returns to French.

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 2.0//EN"
  "TBD">
<html xmlns="http://www.w3.org/2002/06/xhtml12" xml:lang="fr">
<head>
  <title>Un document multilingue</title>
</head>
<body>
<p>...Interpreted as French...</p>
<p xml:lang="en-us">...Interpreted as US English...</p>
<p>...Interpreted as French again...</p>
<p>...French text interrupted by<em xml:lang="ja">some
  Japanese</em>French begins here again...</p>
</body>
</html>

```

## 6.3. Bi-directional Text Collection

`dir = "ltr|rtl|lro|rlo"`

This attribute specifies the base direction of the element's text content. This direction overrides the inherent directionality of characters as defined in [UNICODE [p.130] ], and defines directional properties of text as defined by CSS2 [CSS2 [p.129] ]. Possible values:

- `ltr`: Left-to-right text. The effect of this attribute is defined by the CSS2 rule:

```
*[dir="ltr"] { unicode-bidi: normal; direction: ltr }
```

- `rtl`: Right-to-left text. The effect of this attribute is defined by the CSS2 rule:

```
*[dir="rtl"] { unicode-bidi: normal; direction: rtl }
```

- `lro`: Left-to-right override. The effect of this attribute is defined by the CSS2 rule:

```
*[dir="lro"] { unicode-bidi: bidi-override; direction: ltr }
```

- `rlo`: Right-to-left override. The effect of this attribute is defined by the CSS2 rule:

```
*[dir="rlo"] { unicode-bidi: bidi-override; direction: rtl }
```

Example:

improve bidi example

```

<p dir="ltr">
I received the following email:
<l dir="lro">english werbeh english</l>
<l dir="lro">werbeh english werbeh</l>
</p>

```

## 6.4. Edit Collection

This collection allows elements to carry information indicating how, when and why content has changed.

`edit = "inserted|deleted|changed|moved"`

This attribute allows elements to carry information indicating how content has changed.

Possible values:

- `inserted`: the content has been inserted
- `deleted`: the content has been deleted
- `changed`: the content has changed considerably, therefore making it not worth being marked up with values of `inserted` and `deleted`
- `moved`: the content has been moved from some other part of the document.

The default presentation for an element with `edit="deleted"` is `display: none` (in other words, it is not displayed) although an alternate style might display it as crossed through. The other three values cause no special presentation by default, though an alternate style might use background colors or other text decoration to indicate the changed text.

Example:

I will do it next weekmonth.

`datetime = Datetime [p.21]`

The value of this attribute specifies the date and time when a change was made.

Example:

```
datetime="2003-01-13T13:15:30Z"
```

`cite = URI [p.23]`

The value of this attribute is a URI that designates a source document or message. This attribute is intended to give further information about the element's contents (e.g., the source from which a quotation was borrowed, or the reason text was inserted or deleted). User Agents should provide a means for the user to access the further information.

Example:

```
cite="comments.html"
```

## 6.5. Hypertext Attribute Collection

This collection allows an element to be the start point of a hypertext link to a remote resource.

**Examples:**

```
<abbr href="http://www.w3.org/" title="World Wide Web">WWW</abbr>
<li href="contents.xhtml">contents</li>
<span href="http://www.cwi.nl/~steven/amsterdam.html">Amsterdam</span>
<quote href="hamlet.xhtml#p2435">To be or not to be</quote>
<var href="#index_ninc">ninc</var>
```

**href = URI [p.23]**

This attribute specifies a URL that is actuated when the element is activated.

**Example:**

```
<abbr title="World Wide Web" href="http://www.w3.org/">WWW</abbr>
```

**target = HrefTarget [p.21]**

This attribute identifies an environment that will act as the destination for a resource identified by a hyperlink when it is activated.

This specification does not define how this attribute gets used, since that is defined by the environment that the hyperlink is actuated in. See for instance XFrames [XFRAMES [p.131]].

**Example:**

```
<a href="home.html" target="main">Home</a>
```

**rel = LinkTypes [p.22]**

This attribute describes the relationship from the current document to the URI referred to by the element. The value of this attribute is a space-separated list of link types.

**rev = LinkTypes [p.22]**

This attribute is used to describe a reverse link from the anchor specified by the href [p.29] attribute to the current document. The value of this attribute is a space-separated list of link types.

**accesskey = Character [p.21]**

This attribute assigns an access key to an element. An access key is a single character from the document character set. **Note.** Authors should consider the input method of the expected reader when specifying an accesskey.

Pressing an access key assigned to an element gives focus to the element. The action that occurs when an element receives focus depends on the element. For example, when a user activates a link defined by the a [p.53] element, the user agent generally follows the link. When a user activates a radio button, the user agent changes the value of the radio button. When the user activates a text field, it allows input, etc.

In this example, we assign the access key "C" to a link. Typing this access key takes the user to another document, in this case, a table of contents.

```
<p accesskey="C"  
  rel="contents"  
  href="http://example.com/specification/contents.html">  
  Table of Contents  
</p>
```

The invocation of access keys depends on the underlying system. For instance, on machines running MS Windows, one generally has to press the "alt" key in addition to the access key. On Apple systems, one generally has to press the "cmd" key in addition to the access key.

The rendering of access keys depends on the user agent. We recommend that authors include the access key in label text or wherever the access key is to apply. User agents should render the value of an access key in such a way as to emphasize its role and to distinguish it from other characters (e.g., by underlining it).

### Accesskey

#### Actuation of elements with accesskey

#### navindex = Number [p.23]

This attribute specifies the position of the current element in the navigation order for the current document. This value must be a number between 0 and 32767. User agents must ignore leading zeros.

The navigation order defines the order in which elements will receive focus when navigated by the user via the keyboard. The navigation order may include elements nested within other elements.

Elements that may receive focus should be navigated by user agents according to the following rules:

1. Those elements that support the navindex [p.30] attribute and assign a positive value to it are navigated first. Navigation proceeds from the element with the lowest navindex [p.30] value to the element with the highest value. Values need not be sequential nor need they begin with any particular value. Elements that have identical navindex [p.30] values should be navigated in the order they appear in the character stream.
2. Those elements that do not support the navindex [p.30] attribute or support it and assign it a value of "0" are navigated next. These elements are navigated in the order they appear in the character stream.

When a document is loaded using a URL that includes a fragment reference (such as `book.html#chapter5`) navigation begins at the point the fragment begins. If the user has moved away from that point (for instance using page up or page down), the navigation starting point is undefined.

The following example would allow the links to be navigated in column order (without the use of `navindex` they would be navigated in document, i.e. row, order):

```

<table>
<tr><td href="a" navindex="1">NW</td>
  <td href="c" navindex="3">NE</td></tr>
<tr><td href="b" navindex="2">SW</td>
  <td href="d" navindex="4">SE</td></tr>
</table>

```

**Navigation keys.** *The actual key sequence that causes navigation or element activation depends on the configuration of the user agent (e.g., the "tab" key might be used for navigation and the "enter" key or "space" key used to activate a selected element).*

*User agents may also define key sequences to navigate the navigation order in reverse. When the end (or beginning) of the navigation order is reached, user agents may circle back to the beginning (or end).*

#### xml:base = URI [p.23]

This attribute specifies the base URI from which to resolve relative URIs. It is normatively defined in [XMLBASE [p.130] ]. Any relative URI used on an element that uses this attribute, or on an element contained within an element that uses this attribute, shall be resolved relative to the base URI defined by this attribute.

An element inherits URI base information according to the following order of precedence (highest to lowest):

- The xml:base [p.31] attribute set for the element itself.
- The closest parent element that has the xml:base [p.31] attribute set (i.e., the xml:base [p.31] attribute is inherited).
- The HTTP "Content-Location" header (which may be configured in a server).
- The location of the document itself.

Example:

```

See:
<ul xml:base="http://www.w3.org">
<li href="/">The W3C home page</li>
<li href="/TR">The W3C Technical Reports page</li>
<li href="/Markup">The HTML home page</li>
<li href="/Markup/XForms">The XForms home page</li>
</ul>

```

## 6.6. Embedding Attribute Collection

This collection causes the contents of a remote resource to be embedded in the document in place of the element's content. If accessing the remote resource fails, for whatever reason (network unavailable, no resource available at the URI given, inability of the user agent to process the type of resource) the content of the element must be processed instead.

**Examples:**

```
<p src="holiday.png" type="image/png">
  <span src="holiday.gif" type="image.gif">
    An image of us on holiday.
  </span>
</p>
```

**src = URI [p.23]**

This attribute specifies the location of an external source for the contents of the element.

**type = ContentType [p.21]**

This attribute specifies the allowable content types of the relevant src [p.32] URI. At its most general, it is a comma-separated list of media ranges with optional accept parameters, as defined in section 14.1 of [RFC2616 [p.129] ] as the field value of the accept request header.

In its simplest case, this is just a media type, such as "image/png" or "application/xml", but it may also contain asterisks, such as "image/\*" or "\*/\*", or lists of acceptable media types, such as "image/png, image/gif, image/jpeg".

The user agent must take this list, and combine it with its own list of acceptable media types by taking the intersection, and then use the resulting list as the field value of the accept request header when requesting the resource.

For instance, if the attribute specifies the value "image/png, image/gif, image/jpeg", but the user agent does not accept images of type "image/gif" then the resultant accept header would contain "image/png, image/jpeg".

If this attribute is not present, "\*/\*" is used for its value.

For the current list of registered content types, please consult [MIMETYPES [p.129] ].

**Examples:**

```
<script src="pop" type="application/x-javascript, text/x-newspeak"/>
<style src="midnight" type="text/css, text/x-mystyle"/>
<p src="w3c-logo" type="image/png, image/jpeg;q=0.2">W3C logo</p>
<span src="logo.png">Our logo</span>
```

## 6.7. Image Map Attribute Collection

This collection adds attributes that specify that an embedded image may be used as an image map, so that clicking on different parts of the image causes different hyperlinks to be activated.



**usemap = URI [p.23]**

This attribute associates an image map with an element. The image map is defined by a map element. The value of `usemap` must match the value of the `id` [p.25] attribute of the associated map element.

**ismap = "ismap"**

This attribute indicates that the associated image is to be treated as a "server-side image map". When selected, the coordinates within the element that the user selected are sent to the server where the document resides. Screen coordinates are expressed as screen pixel values relative to the image, and start at (0,0) at the top left corner.

In the following example, the active region defines a server-side link. Thus, a click anywhere on the image will cause the click's coordinates to be sent to the server.

```
<p href="http://www.example.com/cgi-bin/map"
  src="map.png" ismap="ismap">
  Our location.
</p>
```

The location clicked is passed to the server as follows. The user agent derives a new URI from the URI specified by the `href` [p.29] attribute of the `a` [p.53] element, by appending '?' followed by the `x` and `y` coordinates, separated by a comma. The link is then followed using the new URI. For instance, in the given example, if the user clicks at the location `x=10, y=27` then the derived URI is "http://www.example.com/cgi-bin/competition?10,27".

User agents that do not offer the user a means to select specific coordinates (e.g., non-graphical user agents that rely on keyboard input, speech-based user agents, etc.) should send the coordinates "0,0" to the server when the link is activated.

**shape = "default|rect|circle|poly"**

This attribute specifies the shape of a region. Possible values:

- `default`: Specifies the entire region.
- `rect`: Define a rectangular region.
- `circle`: Define a circular region.
- `poly`: Define a polygonal region.

**coords = Coordinates [p.21]**

This attribute specifies the position and shape of the area. The number and order of values depends on the shape being defined. Possible combinations:

- `rect`: left-x, top-y, right-x, bottom-y.
- `circle`: center-x, center-y, radius. **Note.** When the radius value is a percentage value, user agents should calculate the final radius value based on the associated object's width and height. The radius should be the smaller value of the two.
- `poly`: x1, y1, x2, y2, ..., xN, yN. The first `x` and `y` coordinate pair and the last should be the same to close the polygon. When these coordinate values are not the same, user agents should infer an additional coordinate pair to close the polygon.

Coordinates are relative to the top, left corner of the object. All values are of type Length [p.21] . All values are separated by commas.

Note that in the following example, if the image is unavailable for any reason, the fallback properties of the href [p.29] attribute mean that the <nl> will be displayed instead of the image, thus making the page still useful:

```
<html xmlns="http://www.w3.org/2002/06/xhtml12">
  <head>
    <title>The cool site!</title>
  </head>
  <body>
    <p src="navbar1.png" type="image/png" usemap="#map1">
      <map id="map1">
        <nl>
          <label>Navigate the site:</label>
          <li href="guide.html" shape="rect" coords="0,0,118,28">
            Access Guide</li>
          <li href="shortcut.html" shape="rect" coords="118,0,184,28">
            Go</li>
          <li href="search.html" shape="circle" coords="184,200,60">
            Search</li>
          <li href="top10.html" shape="poly" coords="276,0,276,28,100,200,50,276,0">
            Top Ten</li>
        </nl>
      </map>
    </p>
  </body>
</html>
```

Note that an li [p.59] in an nl [p.58] is not required to have an href [p.29] attribute. In that case, the relevant region of the image is inactive:

```
<p href="image.png" type="image/png" usemap="#map1">
  <nl id="map1">
    <li shape="circle" coords="100,200,50">I'm inactive.</li>
    <li href="outer-ring-link.html" shape="circle" coords="100,200,250">I'm active.</li>
  </nl>
</p>
```

Allow any element to be an image map?

Should we allow any element (such as <p>) that contains a number of hyperlinks to be an image map?

ismap

Can we define ismap better?

Require UA to give feedback on regions

Should a UA be required to give feedback on the regions when hovering?

## 6.8. Events

The global attributes from [XMLEVENTS [p.130] ] are included in the Events attribute collection. The normative definition of those attributes and their semantics is included in that specification. They are described briefly below:

`defaultAction = cancel | perform`

This attribute defines whether or not the default action associated with the event should be processed. The default value is `perform`

`event = CDATA [p.21]`

This attribute defines the event type that is being listened for. The set of legal names for XHTML 2 is to be defined.

List of XHTML 2 Events Needed

We need to define the list of XHTML 2 events and map them into the XHTML DOM.  
activate, load, focusIn, focusOut, ...

`handler = IDREF [p.21]`

This attribute specifies the ID of a handler element that defines the action that should be performed if the event reaches the observer.

`observer = IDREF [p.21]`

This attribute specifies an ID for an observer element for which the listener is to be registered.

`phase = capture | default`

This attribute specifies the phase of event propagation in which to process the event. If not specified, the default value of this attribute is `default`.

`propagate = stop | continue`

This attribute specifies whether an event should stop propagating after this observer processes it, or continue for possible further processing. The default value of this attribute is `continue`.

`target = IDREF [p.21]`

This attribute specifies the id of the target element of the event (i.e., the node that caused the event). If not specified, the default value of this attribute is the element on which the event attribute is specified.

Note that these attributes are **not** in the XHTML namespace. Instead, they are in the XML Events namespace. The XHTML namespace is the default namespace for XHTML documents, so XHTML elements and attributes do not require namespace prefixes (although they are permitted). XML Events attributes **MUST** use a prefix, since they are not in the default namespace of the document.

## 6.9. Common Attribute Collection

This collection assembles the Core [p.25] , l18N [p.26] , Events [p.35] , Edit [p.28] , Embedding [p.31] , Bi-directional [p.27] , and Hypertext [p.28] attribute collections defined above.

## 7. XHTML Structure Module

This section is *normative*.

The Structure Module defines the major structural elements for XHTML. These elements effectively act as the basis for the content model of many XHTML family document types. The elements and attributes included in this module are:

Elements	Attributes	Minimal Content Model
html [p.38]	Common [p.36] , profile (URI [p.23] ), xmlns (URI [p.23] = "http://www.w3.org/2002/06/xhtml12")	head [p.38] , body [p.39]
head [p.38]	Common [p.36]	title [p.38]
title [p.38]	Common [p.36]	PCDATA
body [p.39]	Common [p.36]	(Heading   Block   List)*

This module is the basic structural definition for XHTML content. The `html` element acts as the root element for all XHTML Family Document Types.

Note that the value of the `xmlns` attribute is defined to be "http://www.w3.org/2002/06/xhtml12". Also note that because the `xmlns` attribute is treated specially by XML namespace-aware parsers [XMLNAMES [p.130] ], it is legal to have it present as an attribute of each element. However, any time the `xmlns` attribute is used in the context of an XHTML module, whether with a prefix or not, the value of the attribute shall be the XHTML namespace defined here.

Implementation: DTD [p.124]

footer PR #744

There was a suggestion for a footer element to contain data that should be presented at the bottom of content. The working group has not yet addressed this suggestion.

security tag

There was a suggestion that we define a security tag, within which elements that have security ramifications would be rendered harmless. The working group has not yet addressed this suggestion.

## 7.1. The html element

After the document type declaration, the remainder of an XHTML document is contained by the `html` [p.38] element.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

`profile = URIs` [p.23]

This attribute specifies the location of one or more meta data profiles, separated by white space. For future extensions, user agents should consider the value to be a list even though this specification only considers the first URI to be significant. Profiles are discussed in the section on meta data [p.65] .

Example:

```
<html class="slideshow">
```

## 7.2. The head element

The `head` [p.38] element contains information about the current document, such as its title, keywords that may be useful to search engines, and other data that is not considered document content. The default presentation of the head is not to display it; however that can be overridden with a stylesheet for special purpose use. User agents may however make information in the `head` [p.38] available to users through other mechanisms.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

```
<head>
  <title>My Life</title>
</head>
```

## 7.3. The title element

Every XHTML document **must** have a `title` [p.38] element in the `head` [p.38] section.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The title [p.38] element is used to identify the document. Since documents are often consulted out of context, authors should provide context-rich titles. Thus, instead of a title such as "Introduction", which doesn't provide much contextual background, authors should supply a title such as "Introduction to Medieval Bee-Keeping" instead.

For reasons of accessibility, user agents must always make the content of the title [p.38] element available to users. The mechanism for doing so depends on the user agent (e.g., as a caption, spoken).

Titles may contain entity references [p.12] (for accented characters, special characters, etc.), but may not contain other markup (including comments). Example:

```
<title>A study of population dynamics</title>
```

duplication of title

Duplicating title and headings

## 7.4. The body element

The body of a document contains the document's content. The content may be presented by a user agent in a variety of ways. For example, for visual browsers, you can think of the body as a canvas where the content appears: text, images, colors, graphics, etc. For audio user agents, the same content may be spoken.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]





## 8. XHTML Text Module

This section is *normative*.

This module defines all of the basic text container elements, attributes, and their content model:

Element	Attributes	Minimal Content Model
abbr	Common [p.36]	(PCDATA   Inline)*
address	Common [p.36]	(PCDATA   Inline)*
blockquote	Common [p.36]	(PCDATA   Inline   Heading   Block   List)*
code	Common [p.36]	(PCDATA   Inline)*
dfn	Common [p.36]	(PCDATA   Inline)*
div	Common [p.36]	(PCDATA   Flow)*
em	Common [p.36]	(PCDATA   Inline)*
h	Common [p.36]	(PCDATA   Inline)*
h1	Common [p.36]	(PCDATA   Inline)*
h2	Common [p.36]	(PCDATA   Inline)*
h3	Common [p.36]	(PCDATA   Inline)*
h4	Common [p.36]	(PCDATA   Inline)*
h5	Common [p.36]	(PCDATA   Inline)*
h6	Common [p.36]	(PCDATA   Inline)*
kbd	Common [p.36]	(PCDATA   Inline)*
l	Common [p.36]	(PCDATA   Inline)*
p	Common [p.36]	(PCDATA   Inline   List   blockquote   pre   table)*
pre	Common [p.36]	(PCDATA   Inline)*
quote	Common [p.36]	(PCDATA   Inline)*
samp	Common [p.36]	(PCDATA   Inline)*
section	Common [p.36]	(PCDATA   Flow)*
span	Common [p.36]	(PCDATA   Inline)*
strong	Common [p.36]	(PCDATA   Inline)*
var	Common [p.36]	(PCDATA   Inline)*

split text module

Text module should be split into inline and block submodules

I element content model

Content model of the I element (no nested lines)

The minimal content model for this module defines some content sets:

Heading

h | h1 | h2 | h3 | h4 | h5 | h6

Block

address | blockquote | div | p | pre | section

Inline

abbr | code | dfn | em | kbd | i | quote | samp | span | strong | var

Flow

Heading | Block | Inline

Note that the use of the words *Block* and *Inline* here are meant to be suggestive of the role the content sets play. They are not normative with regards to presentation since a style sheet might give any element within the Block content a `display` property of `inline`.

Implementation: DTD [p.124]

nr element

There was a suggestion to introduce an `nr` element to help annotate content as being a number. This suggestion has not yet been addressed by the working group.

## 8.1. The abbr element

The `abbr` [p.43] element indicates that a text fragment is an abbreviation; this includes acronyms (e.g., W3C, XML, Inc., Ltd., Mass., etc.).

*Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The content of the `abbr` [p.43] element specifies the abbreviated expression itself, as it would normally appear in running text. The `title` [p.26] attribute of these elements may be used to provide the full or expanded form of the expression.

Note that abbreviations often have idiosyncratic pronunciations. For example, while "IRS" and "BBC" are typically pronounced letter by letter, "NATO" and "UNESCO" are pronounced phonetically. Still other abbreviated forms (e.g., "URI" and "SQL") are spelled out by some people and pronounced as words by other people. When necessary, authors should use style sheets to specify the pronunciation of an abbreviated form.

**Examples:**

```
<abbr title="Limited">Ltd.</abbr>
<abbr title="Abbreviation">abbr.</abbr>
```

## 8.2. The address element

The address [p.44] element may be used by authors to supply contact information for a document or a major part of a document such as a form. This element often appears at the beginning or end of a document.

address

Content model of address element

*Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

For example:

```
<address href="mailto:webmaster@example.net">Webmaster
</address>
```

## 8.3. The blockquote element

This element designates a block of quoted text.

*Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

This example formats an excerpt from "The Two Towers", by J.R.R. Tolkien, as a blockquote.

```
<blockquote cite="http://www.example.com/tolkien/twotowers.html">
<p>They went in single file, running like hounds on a strong scent,
and an eager light was in their eyes. Nearly due west the broad
swath of the marching Orcs tramped its ugly slot; the sweet grass
of Rohan had been bruised and blackened as they passed.</p>
</blockquote>
```

## 8.4. The code element

The `<code>` element contains a fragment of computer code.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

```
The <code>code</code> element contains a fragment of computer code.
```

## 8.5. The dfn element

The `<dfn>` element contains the defining instance of the enclosed term.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

```
An <dfn id="def-acronym">acronym</dfn> is a word formed  
from the initial letters or groups of letters of words in a set phrase  
or series of words.
```

## 8.6. The div element

The `<div>` element, in conjunction with the `id` [p.25] and `class` [p.25] attributes, offers a generic mechanism for adding extra structure to documents. This element defines no presentational idioms on the content. Thus, authors may use this element in conjunction with style sheets [p.87] , the `xml:lang` [p.26] attribute, etc., to tailor XHTML to their own needs and tastes.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

For example, suppose you wish to make a presentation in XHTML, where each slide is enclosed in a separate element. You could use a `<div>` element, with a `class` [p.25] of `slide`:

```

<body>
  <h>The meaning of life</h>
  <p>By Huntington B. Snark</p>
  <div class="slide">
    <h>What do I mean by "life"</h>
    <p>....</p>
  </div>
  <div class="slide">
    <h>What do I mean by "mean"?</h>
    ...
  </div>
  ...
</body>

```

## 8.7. The em element

The em [p.46] element indicates emphasis for its contents.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

```
Do <em>not</em> phone before 9 a.m.
```

## 8.8. The heading elements

A heading element briefly describes the topic of the section it introduces. Heading information may be used by user agents, for example, to construct a table of contents for a document automatically.

Deprecate h1-6?

There was a suggestion that h1 - h6 be deprecated. The working group has not yet addressed this suggestion.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

There are two styles of headings in XHTML: the numbered versions h1 [p.46] , h2 [p.46] etc., and the structured version h [p.47] , which is used in combination with the section [p.50] element.

There are six levels of numbered headings in XHTML with h1 [p.46] as the most important and h6 [p.46] as the least. The visual presentation of headers can render more important headings in larger fonts than less important ones.

Structured headings use the single h element, in combination with the section [p.50] element to indicate the structure of the document, and the nesting of the sections indicates the importance of the heading. The heading for the section is the one that is a child of the section element.

For example:

```
<body>
<h>This is a top level heading</h>
<p>...</p>
<section>
  <p>...</p>
  <h>This is a second-level heading</h>
  <p>...</p>
  <h>This is another second-level heading</h>
  <p>...</p>
</section>
<section>
  <p>...</p>
  <h>This is another second-level heading</h>
  <p>...</p>
  <section>
    <h>This is a third-level heading</h>
    <p>...</p>
  </section>
</section>
```

These visual representation of these levels can be distinguished in a style sheet:

```
h {font-family: sans-serif; font-weight: bold; font-size: 200%}
section h {font-size: 150%} /* A second-level heading */
section section h {font-size: 120%} /* A third-level heading */
```

etc.

### **Numbered sections and references**

*XHTML does not itself cause section numbers to be generated from headings. Style sheet languages such as CSS however allow authors to control the generation of section numbers.*

*The practice of skipping heading levels is considered to be bad practice. The series h1 h2 h1 is acceptable, while h1 h3 h1 is not, since the heading level h2 has been skipped.*

## 8.9. The kbd element

The kbd [p.47] element indicates text to be entered by the user.

*Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

To exit, type `<kbd>QUIT</kbd>`.

## 8.10. The p element

The p [p.48] element represents a paragraph.

In comparison with earlier versions of HTML, where a paragraph could only contain inline text, XHTML2's paragraphs represent the conceptual idea of a paragraph, and so may contain lists, blockquotes, pre's and tables as well as inline text. They may not, however, contain directly nested p [p.48] elements.

*Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

```
<p>Payment options include:
<ul>
<li>cash</li>
<li>credit card</li>
<li>luncheon vouchers.</li>
</ul>
</p>
```

## 8.11. The pre element

The pre [p.48] element indicates that whitespace in the enclosed text has semantic relevance, and will normally be included in renderings of the content

Note that all elements in the XHTML family preserve their whitespace in the document, which is only removed on rendering, via a stylesheet, according to the rules of CSS [CSS]. This means that in principle *all* elements may preserve or collapse whitespace on rendering, under control of a stylesheet. Also note that there is no requirement that the `<pre>` element be rendered in a monospace font (although this is the default rendering), nor that text wrapping be disabled.

*Attributes*



The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Non-visual user agents are not required to respect extra white space in the content of a pre [p.48] element.

The following example shows a preformatted verse from Shelly's poem *To a Skylark*:

```
<pre>
    Higher still and higher
      From the earth thou springest
    Like a cloud of fire;
      The blue deep thou wingest,
    And singing still dost soar, and soaring ever singest.
</pre>
```

Here is how this might be rendered:

```
Higher still and higher
  From the earth thou springest
Like a cloud of fire;
  The blue deep thou wingest,
And singing still dost soar, and soaring ever singest.
```

## 8.12. The quote element

This element designates an inline text fragment of quoted text.

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Visual user agents must not add delimiting quotation marks (as was the case for the `q` element in earlier versions of XHTML). It is the responsibility of the document author to add any required quotation marks.

The following example illustrates nested quotations with the quote [p.49] element.

```
<p>John said, <quote>"I saw Lucy at lunch, she told me
<quote>'Mary wants you
to get some ice cream on your way home.'</quote> I think I will get
some at Jen and Berry's, on Gloucester Road."</quote></p>
```

Here is an example using the cite [p.28] attribute:

```
Steven replied:
<quote cite="http://lists.example.org/Public/www-html/June2002/0001.html">We quite agree</quote>
```

## 8.13. The samp element

The samp [p.50] element designates sample output from programs, scripts, etc.

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Example:

On starting, you will see the prompt `<samp>$ </samp>`.

## 8.14. The section element

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The section [p.50] element, in conjunction with the h [p.47] element, offers a mechanism for structuring documents into sections. This element defines content to be block-level but imposes no other presentational idioms on the content, which may otherwise be controlled from a style sheet.

*By representing the structure of documents explicitly using the section [p.50] and h [p.47] elements gives the author greater control over presentation possibilities than the traditional implicit structuring using numbered levels of headings. For instance, it is then possible to indicate the nesting of sections by causing a border to be displayed to the left of sections.*

Here is an example

```
<body>
<h>Events</h>
<section>
  <h>Introduction</h>
  <p>....</p>
  <h>Specifying events</h>
  <p>...</p>
  <section>
    <h>Attaching events to the handler</h>
    <p>...</p>
  </section>
  <section>
    <h>Attaching events to the listener</h>
    <p>...</p>
  </section>
</section>
```

```

        <h>Specifying the binding elsewhere</h>
        <p>...</p>
    </section>
</section>

```

## 8.15. The span element

The span [p.51] element, in conjunction with the id [p.25] and class [p.25] attributes, offer a generic mechanism for adding structure to documents. This element imposes no presentational idioms on the content. Thus, authors may use this element in conjunction with style sheets [p.87] , the xml:lang [p.26] attribute, etc., to tailor XHTML to their own needs and tastes.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

For example, suppose you wish to mark all words in a document that need to be collected into an index. You could use a span [p.51] element, with a class [p.25] of `xref`:

```

<p>This operation is called
the <span class="xref">transpose</span>
or <span class="xref">inverse</span>.</p>

```

## 8.16. The strong element

The strong [p.51] element indicates higher importance for its contents.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

```

On <strong>Monday</strong> please put the rubbish out,
but <em>not</em> before nightfall!

```

strong

Leave in, deprecate or remove? No consensus.

## 8.17. The var element

The var [p.51] element indicates an instance of a variable or program argument.

*Attributes*

## The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

## Example:

The parameter `<var>ncols</var>` represents the number of colors to use.

## 9. XHTML Hypertext Module

This section is *normative*.

The Hypertext Module provides an element that traditionally has been used in HTML to define hypertext links to other resources. Although all elements may now play the role of a hyperlink (using the href [p.29] attribute) or hyperlink anchor (using the id [p.25] attribute), this element remains for explicit markup of links, though is otherwise identical in semantics to the span [p.51] element.

This module supports the following element:

Element	Attributes	Minimal Content Model
a [p.53]	Common [p.36]	(PCDATA   Inline)*

This module adds the a [p.53] element to the Inline content set of the Text Module.

Implementation: DTD [p.125]

### 9.1. The a element

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Each a [p.53] element defines an anchor.

1. The a [p.53] element's content defines the position of the anchor.
2. The href [p.29] attribute makes this anchor the source anchor of exactly one link.

Authors may also create an a [p.53] element that specifies no anchors, i.e., that doesn't specify href [p.29] , or id [p.25] . Values for these attributes may be set at a later time through scripts as defined in the Scripting [p.83] module.

In the example that follows, the a [p.53] element defines a link. The source anchor is the text "W3C Web site" and the destination anchor is "http://www.w3.org/":

```
For more information about W3C, please consult the
<a href="http://www.w3.org/">W3C Web site</a>.
```

This link designates the home page of the World Wide Web Consortium. When a user activates this link in a user agent, the user agent will retrieve the resource, in this case, an XHTML document.

User agents generally render links in such a way as to make them obvious to users (underlining, reverse video, etc.). The exact rendering depends on the user agent. Rendering may vary according to whether the user has already visited the link or not. A possible visual rendering of the previous link might be:

```
For more information about W3C, please consult the W3C Web site.
~~~~~
```

Suppose we define an anchor named "anchor-one" in the file "one.html".

```
...text before the anchor...
<a name="anchor-one">This is the location of anchor one.</a>
...text after the anchor...
```

This creates an anchor around the text "This is the location of anchor one.". Usually, the contents of a [p.53] are not rendered in any special way when a [p.53] defines an anchor only.

Having defined the anchor, we may link to it from the same or another document. URIs that designate anchors contain a "#" character followed by the anchor name (the fragment identifier). Here are some examples of such URIs:

- An absolute URI: `http://www.mycompany.com/one.html#anchor-one`
- A relative URI: `./one.html#anchor-one` or `one.html#anchor-one`
- When the link is defined in the same document: `#anchor-one`

Thus, a link defined in the file "two.html" in the same directory as "one.html" would refer to the anchor as follows:

```
...text before the link...
For more information, please consult <a href="./one.html#anchor-one"> anchor one</a>.
...text after the link...
```

The a [p.53] element in the following example specifies a link (with href [p.29] ) and creates a named anchor (with id [p.25] ) simultaneously:

```
I just returned from vacation! Here's a
<a id="anchor-two"
  href="http://www.somecompany.com/People/Ian/vacation/family.png">
photo of my family at the lake.</a>.
```

This example contains a link to a different type of Web resource (a PNG image). Activating the link should cause the image resource to be retrieved from the Web (and possibly displayed if the system has been configured to do so).

**Note.** User agents are required to find anchors created by empty a [p.53] elements.

## 10. XHTML List Module

This section is *normative*.

As its name suggests, the List Module provides list-oriented elements. Specifically, the List Module supports the following elements and attributes:

Elements	Attributes	Minimal Content Model
dl [p.57]	Common [p.36]	(dt   dd)+
dt [p.57]	Common [p.36]	(PCDATA   Inline)*
dd [p.57]	Common [p.36]	(PCDATA   Flow)*
nl [p.58]	Common [p.36]	name [p.59] , li [p.59] +
ol [p.58]	Common [p.36]	li [p.59] +
ul [p.58]	Common [p.36]	li [p.59] +
li [p.59]	Common [p.36]	(PCDATA   Flow)*

This module also defines the content set List with the minimal content model (dl | nl | ol | ul)+ and adds this set to the Flow content set of the Text Module.

Implementation: DTD [p.125]

XHTML offers authors several mechanisms for specifying lists of information. All lists must contain one or more list elements. Lists may contain:

- Unordered information.
- Ordered information.
- Navigation information.
- Definitions.

The previous list, for example, is an unordered list, created with the ul [p.58] element:

```
<ul>
<li>Unordered information. </li>
<li>Ordered information. </li>
<li>Navigation information. </li>
<li>Definitions. </li>
</ul>
```

An ordered list, created using the ol [p.58] element, should contain information where order should be emphasized, as in a recipe:

1. Mix dry ingredients thoroughly.
2. Pour in wet ingredients.
3. Mix for 10 minutes.
4. Bake for one hour at 300 degrees.

Definition lists, created using the dl [p.57] element, generally consist of a series of term/definition pairs (although definition lists may have other applications). Thus, when advertising a product, one might use a definition list:

**Lower cost**

The new version of this product costs significantly less than the previous one!

**Easier to use**

We've changed the product so that it's much easier to use!

**Safe for kids**

You can leave your kids alone in a room with this product and they won't get hurt (not a guarantee).

defined in XHTML as:

```
<dl>
<dt><strong>Lower cost</strong></dt>
<dd>The new version of this product costs significantly less than the
previous one!</dd>
<dt><strong>Easier to use</strong></dt>
<dd>We've changed the product so that it's much easier to
use!</dd>
<dt><strong>Safe for kids</strong></dt>
<dd>You can leave your kids alone in a room with this product and
they won't get hurt (not a guarantee).</dd>
</dl>
```

Lists may also be nested and different list types may be used together, as in the following example, which is a definition list that contains an unordered list (the ingredients) and an ordered list (the procedure):

**The ingredients:**

- 100 g. flour
- 10 g. sugar
- 1 cup water
- 2 eggs
- salt, pepper

**The procedure:**

1. Mix dry ingredients thoroughly.
2. Pour in wet ingredients.
3. Mix for 10 minutes.
4. Bake for one hour at 300 degrees.

**Notes:**

The recipe may be improved by adding raisins.



The exact presentation of the three list types depends on the user agent. We discourage authors from using lists purely as a means of indenting text. This is a stylistic issue and is properly handled by style sheets.

## 10.1. Definition lists: the dl, dt, and dd elements

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Definition lists vary only slightly from other types of lists in that list items consist of two parts: a term and a description. The term is given by the dt element and is restricted to inline content. The description is given with a dd element that contains block-level content.

Here is an example:

```
<dl>
  <dt>Dweeb</dt>
  <dd>young excitable person who may mature
    into a <em>Nerd</em> or <em>Geek</em></dd>

  <dt>Hacker</dt>
  <dd>a clever programmer</dd>

  <dt>Nerd</dt>
  <dd>technically bright but socially inept person</dd>
</dl>
```

Here is an example with multiple terms and descriptions:

```
<dl>
  <dt>Center</dt>
  <dt>Centre</dt>
  <dd> A point equidistant from all points
    on the surface of a sphere.</dd>
  <dd> In some field sports, the player who
    holds the middle position on the field, court,
    or forward line.</dd>
</dl>
```

Another application of dl [p.57] , for example, is for marking up dialogues, with each dt naming a speaker, and each dd containing his or her words.

## 10.2. The nl element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Navigation lists are intended to be used to define collections of selectable items for presentation in a "navigation" menu. A navigation list is required to start with a name [p.59] element that defines the name for the list.

On visual user agents, the default presentation behavior is as follows:

1. The contents of the name [p.59] element are presented.
2. When the name [p.59] element's content is selected, the navigation list's li [p.59] element contents are displayed.
3. If an li [p.59] element contains another navigation list [p.58] , that list's name's contents are displayed.
4. If an li [p.59] element has an href [p.29] attribute, and that element's contents are selected, the link defined by the href [p.29] attribute is followed.
5. If the nl [p.58] element is de-selected, it's contents are removed from the display.

It is possible to change this default behavior through the use of style sheets. The behavior of navigation lists [p.58] in non-visual user agents is unspecified.

This example illustrates the basic structure of a nested navigation list:

```
<nl>
  <name>Contents </name>
  <li href="#introduction">Introduction</li>
  <li>
    <nl>
      <name>Terms</name>
      <li href="#may">May</li>
      <li href="#must">Must</li>
      <li href="#should">Should</li>
    </nl>
  </li>
  <li href="#conformance">Conformance</li>
  <li href="#references">References</li>
  ...
</nl>
```

## 10.3. The ol, and ul elements

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Ordered and unordered lists are rendered in an identical manner except that visual user agents number ordered list items. User agents may present those numbers in a variety of ways. Unordered list items are not numbered.

Both types of lists are made up of sequences of list items defined by the li [p.59] element.

This example illustrates the basic structure of a list.

```
<ul>
  <li> ... first list item...</li>
  <li> ... second list item...</li>
  ...
</ul>
```

## 10.4. The li element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The li [p.59] element defines a list item within an ordered, unordered, or navigation list. When the href [p.29] attribute is defined, the contents of the list item become a selectable link, just as an a [p.53] element with an href [p.29] attribute would be.

## 10.5. The name element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The name [p.59] element is used to define a name for an nl [p.58] navigation list. The contents of the name element are displayed as the title of a list (or sublist). See nl [p.58] for more information.



## 11. XHTML Linking Module

This section is *normative*.

The Link Module defines an element that can be used to define links to external resources. These resources are often used to augment the user agent's ability to process the associated XHTML document. The element and attributes included in this module are:

Elements	Attributes	Minimal Content Model
link [p.61]	Common [p.36] , media [p.61] (MediaDesc [p.23] ) ,	EMPTY

When this module is used, it adds the link [p.61] element to the content model of the head [p.38] element as defined in the Structure Module [p.37] .

Implementation: DTD [p.125]

### 11.1. The link element

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

media = MediaDesc [p.23]

The value of this attribute specifies the type of media for which the element is intended.

This element defines a link. Unlike a [p.53] , it may only appear in the head [p.38] section of a document, although it may appear any number of times. Although link [p.61] has no content, it conveys relationship information that may be rendered by user agents in a variety of ways (e.g., a tool-bar with a drop-down menu of links).

#### XML linking support

The HTML Working Group is aware that there are issues surrounding various linking models that would permit generic XML user agents to support generic linking semantics and presentation. The Working Group is coordinating closely with other groups both inside and outside of the W3C to resolve these issues. In the interim, the underlying semantics of linking in XHTML 2.0 remain unspecified.

This example illustrates how several link [p.61] definitions may appear in the head [p.38] section of a document. The current document is "Chapter2.html". The rel [p.29] attribute specifies the relationship of the linked document with the current document. The values "Index", "Next", and "Prev" are explained in the section on link types [p.22] .

```
<head>
  <title>Chapter 2</title>
  <link rel="Index" href="../index.html"/>
  <link rel="Next" href="Chapter3.html"/>
  <link rel="Prev" href="Chapter1.html"/>
</head>
```

### 11.1.1. Forward and reverse links

While the `rel` [p.29] attribute specifies a relationship *from* this document *to* another resource, the `rev` [p.29] attribute specifies the reverse relationship.

Consider two documents A and B.

```
Document A:      <link href="docB" rel="foo"/>
```

Has exactly the same meaning as:

```
Document B:      <link href="docA" rev="foo"/>
```

Both the `rel` [p.29] and `rev` [p.29] attributes may be specified simultaneously.

### 11.1.2. Links and external style sheets

When the `link` [p.61] element links an external style sheet to a document, the `type` [p.32] attribute specifies the style sheet language and the `media` [p.61] attribute specifies the intended rendering medium or media. User agents may save time by retrieving from the network only those style sheets that apply to the current device.

Media descriptors [p.23] are further discussed under Attribute Types.

### 11.1.3. Links and search engines

Authors may use the `link` [p.61] element to provide a variety of information to search engines, including:

- Links to alternate versions of a document, written in another human language.
- Links to alternate versions of a document, designed for different media, for instance a version especially suited for printing.
- Links to the starting page of a collection of documents.

The examples below illustrate how language information, media types, and link types may be combined to improve document handling by search engines.

The following example shows how to use the `xml:lang` [p.26] attribute to indicate to a search engine where to find Dutch, Portuguese, and Arabic versions of a document. Note that this also indicates that the value of the `title` [p.26] attribute for the `link` [p.61] element designating the French manual is in French.

```
<head>
<title>The manual in English</title>
<link title="The manual in Dutch"
      rel="alternate"
      xml:lang="nl"
      href="http://example.com/manual/dutch.html"/>
<link title="The manual in Portuguese"
      rel="alternate"
      xml:lang="pt"
      href="http://example.com/manual/portuguese.html"/>
<link title="The manual in Arabic"
      rel="alternate"
      xml:lang="ar"
      href="http://example.com/manual/arabic.html"/>
<link lang="fr" title="La documentation en Fran&ccedil;ais"
      rel="alternate"
      xml:lang="fr"
      href="http://example.com/manual/french.html"/>
</head>
```

In the following example, we tell search engines where to find the printed version of a manual.

```
<head>
<title>Reference manual</title>
<link media="print"
      title="The manual in PostScript"
      type="application/postscript"
      rel="alternate"
      href="http://example.com/manual/postscript.ps"/>
</head>
```

In the following example, we tell search engines where to find the front page of a collection of documents.

```
<head>
<title>Reference manual -- Page 5</title>
<link rel="Start" title="The first page of the manual"
      type="text/html"
      href="http://example.com/manual/start.html"/>
</head>
```





## 12. XHTML Metainformation Module

This section is *normative*.

The Metainformation Module defines an element that describes information within the declarative portion of a document (in XHTML within the head element). This module includes the following element:

Elements	Attributes	Minimal Content Model
meta	Common [p.36] , http-equiv (NMTOKEN [p.21] ), name (NMTOKEN [p.21] )	PCDATA

When this module is selected, the meta [p.65] element is added to the content model of the head [p.38] element as defined in the Structure Module.

Implementation: DTD [p.126]

### 12.1. The meta element

For the following attributes, the permitted values and their interpretation are profile [p.38] dependent:

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

name = CDATA [p.21]

This attribute identifies the property name. This recommendation does not specify legal values for this attribute.

http-equiv = CDATA [p.21]

This attribute may be used in place of the name [p.65] attribute. HTTP servers use this attribute to gather information for HTTP response message headers.

The meta [p.65] element can be used to identify properties of a document (e.g., author, expiration date, a list of key words, etc.) and assign values to those properties. This specification does not define a normative set of properties.

meta properties

We should specify a minimal set of useful meta properties

Each meta [p.65] element specifies a property/value pair. The name [p.65] attribute identifies the property and the content of the element specifies the property's value.

For example, the following declaration sets a value for the `Author` property:

```
<meta name="Author">Steven Pemberton</meta>
```

**Note.** The meta [p.65] element is a generic mechanism for specifying meta data. However, some XHTML elements and attributes already handle certain pieces of meta data and may be used by authors instead of meta [p.65] to specify those pieces: the title [p.38] element, the address [p.44] element, the edit [p.28] and related attributes, the title [p.26] attribute, and the cite [p.28] attribute.

**Note.** When a property specified by a meta [p.65] element takes a value that is a URI [p.23], some authors prefer to specify the meta data via the link [p.61] element. Thus, the following meta data declaration:

```
<meta name="DC.identifier">http://www.rfc-editor.org/rfc/rfc3236.txt</meta>
```

might also be written:

```
<link rel="DC.identifier"
      type="text/plain"
      href="http://www.rfc-editor.org/rfc/rfc3236.txt"/>
```

## 12.1.1. meta and search engines

A common use for meta [p.65] is to specify keywords that a search engine may use to improve the quality of search results. When several meta [p.65] elements provide language-dependent information about a document, search engines may filter on the `xml:lang` [p.26] attribute to display search results using the language preferences of the user. For example,

```
<!-- For speakers of US English -->
<meta name="keywords" xml:lang="en-us">vacation, Greece, sunshine</meta>
<!-- For speakers of British English -->
<meta name="keywords" xml:lang="en">holiday, Greece, sunshine</meta>
<!-- For speakers of French -->
<meta name="keywords" lang="fr">vacances, Gr&egrave;ce, soleil</meta>
```

The effectiveness of search engines can also be increased by using the link [p.61] element to specify links to translations of the document in other languages, links to versions of the document in other media (e.g., PDF), and, when the document is part of a collection, links to an appropriate starting point for browsing the collection.

## 12.1.2. meta and PICS

The Platform for Internet Content Selection (PICS, specified in [PICS [p.129] ]) is an infrastructure for associating labels (meta data) with Internet content. Originally designed to help parents and teachers control what children can access on the Internet, it also facilitates other uses for labels, including code signing, privacy, and intellectual property rights management.

This example illustrates how one can use a meta [p.65] declaration to include a PICS 1.1 label:

```
<head>
  <meta http-equiv="PICS-Label">
    (PICS-1.1 "http://www.gcf.org/v2.5"
      labels on "1994.11.05T08:15-0500"
      until "1995.12.31T23:59-0000"
      for "http://w3.org/PICS/Overview.html"
      ratings (suds 0.5 density 0 color/hue 1))
  </meta>
  <title>... document title ...</title>
</head>
```

### 12.1.3. meta data profiles

The profile [p.38] attribute of the html [p.38] element specifies the location of a meta data profile. The value of the profile [p.38] attribute is a URI. User agents may use this URI in two ways:

- As a globally unique name. User agents may be able to recognize the name (without actually retrieving the profile) and perform some activity based on known conventions for that profile. For instance, search engines could provide an interface for searching through catalogs of XHTML documents, where these documents all use the same profile for representing catalog entries.
- As a link. User agents may dereference the URI and perform some activity based on the actual definitions within the profile (e.g., authorize the usage of the profile within the current XHTML document). This specification does not define formats for profiles.

This example refers to a hypothetical profile that defines useful properties for document indexing. The properties defined by this profile -- including "author", "copyright", "keywords", and "date" -- have their values set by subsequent meta [p.65] declarations.

```
<html ... profile="http://www.acme.com/profiles/core">
  <head>
    <title>How to complete Memorandum cover sheets</title>
    <meta name="author">John Doe</meta>
    <meta name="copyright">&copy; 1997 Acme Corp.</meta>
    <meta name="keywords">corporate, guidelines, cataloging</meta>
    <meta name="date">1994-11-06T08:49:37+00:00</meta>
  </head>
  ...
```



## 13. XHTML Object Module

This section is *normative*.

The Object Module provides elements for general-purpose object inclusion; this includes images and other media, as well as executable content. Specifically, the Object Module supports:

Elements	Attributes	Minimal Content Model
object	Common [p.36] , archive [p.69] (URIs [p.23] ) , content-length [p.69] (Number [p.23] ) , data [p.69] (URI [p.23] ) , declare [p.70] ("declare") , standby [p.70] (Text [p.23] )	( caption [p.92] ?,(PCDATA   Flow   param [p.76] )*)
param	id [p.25] (ID [p.21] ) , name [p.76] * (CDATA [p.21] ) , value [p.76] (CDATA [p.21] ) , valuetype [p.76] ("data"*   "ref"   "object")	EMPTY

When this module is used, it adds the `object` element to the Inline content set of the Text module.

Implementation: DTD [p.126]

### 13.1. The object element

#### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

archive = URI List [p.23]

This attribute specifies a *comma-separated* list of URIs for archives containing classes and other resources that will be "preloaded". The classes are loaded using an instance of an `AppletClassLoader` with the given `xml:base` [p.31] . Relative URIs for archives are interpreted with respect to the applet's `xml:base`. Preloading resources can significantly improve the performance of applets.

content-length = Number [p.23]

This attribute is to be used as a hint by the object handler. The author may provide the object handler with the physical size of the object data that is to be processed.

data = URI [p.23]

This attribute is used to specify the location of the object's data. If given as a relative URI, the location is based from the URI defined in the `xml:base` [p.31] attribute .

`declare = "declare"`

When present, this boolean attribute makes the current object [p.69] element a declaration only - not one that is to be executed until after the document has completed loading and has been called through a user event such as selecting an anchor that references the object.

`standby = Text [p.23]`

This attribute specifies a message that a user agent may render while loading the object's implementation and data.

`type = ContentType [p.21]`

This attribute specifies the content type of the resource designated by the data [p.69] attribute. It is used to help the user agent decide whether it can process this element's contents.

### 13.1.1. Defining terminology

The following terms will be used throughout this section.

**object data**

The file that is to be processed, such as an mp3, or a .gif file. The actual content to be processed.

**object handler**

The mechanism that will be used to process the object data. The mechanism could be the user agent or an external application.

**object element**

This refers to the actual XHTML coding, including the allowable attributes.

**instantiation**

Refers to the plug-in handler, and the need to create a window, modify the user interface, allocate memory, etc.

### 13.1.2. Basic Information for Object Handlers

Most user agents have built-in mechanisms for processing common data types such as text, and various image types (gif, jpg and png for example) in some instances the user agent may pass the processing to an external application. Generally, a user agent will attempt to process the object declaration, otherwise it may invoke an external application, which are normally referred to as "plug-ins".

In the most general case, an author should specify three types of information:

- The location of the object data (the data attribute). The author must direct the object handler to the actual physical location of the object data, otherwise the object handler will not be able to process the request.
- The mime type associated with the object data (the type attribute). For instance, if the author prefers that a particular object handler be used to process the data, they may specify a mime type that is associated to a specific object handler.
- Additional values required for the appropriate processing of the object data by the object

handler at run-time (via the param element). Some instances may process more appropriately if the object handler is passed initial process instructions. For example, the author can specify whether a video should automatically start or wait until the entire data file has been downloaded.

The object [p.69] element allows authors to specify all three types of information, but authors may not have to specify all three at once. For example, some object element instances may not require data (e.g., a self-contained applet that performs a small animation). Others may not require mime type information, i.e., the user agent itself may already know how to process that type of data (e.g., GIF images). Still others may not require run-time initialization.

Authors specify an object's mime type and the location of the data to be processed via the object [p.69] element. To specify run-time values, however, authors use the param [p.76] element, which is discussed in the section on object initialization.

The object [p.69] element may also appear in the content of the head [p.38] element. Since user agents generally do not process elements in the head [p.38], authors should ensure that any object [p.69] element in the head [p.38] does not specify content that may be processed. Please consult the section on sharing frame data for an example of including the object [p.69] element in the head [p.38] element.

Please consult the section on form controls for information about object [p.69] elements in forms.

### 13.1.3. Rules for processing objects

A user agent must interpret an object [p.69] element according to the following precedence rules:

1. The user agent must first try to process the object element. It should not process the embedded contents, but it must examine them in case there are param [p.76] elements (see object initialization) or map elements (see client-side image maps) defined.
2. If the user agent is not able to process the object for whatever reason (configured not to, lack of resources, wrong architecture, etc.), it must try to process its contents.

Authors should not include content in object [p.69] elements that appear in the head [p.38] element.

When a user agent is able to successfully process an object element it **MUST** not attempt to process inner elements. For example, if the following code is encountered:

```
<object ... pointing to objectdataA>
<object ... pointing to objectdataB>
<p>alternate text</p>
</object>
</object>
```

When the user agent encounters `objectdataA` and is able to process that object [p.69] element, then all nested elements (except for applicable `param` [p.76] elements) **MUST** be ignored.

If a user agent cannot process an object element or a set of nested objects, and the author did not provide alternate text, the user agent **SHOULD NOT** supply any additional information. It is the responsibility of the author to supply additional or alternate information. It may be the intent of the author to not provide additional information if the object cannot be processed.

The user agent **SHOULD** attempt to process the outer object to its fullest extent before dropping to a nested object. For example, if the author provided information that could be used to download an external application to be used to process the object, then the user agent **SHOULD** attempt to download and install the application. If the user selects to not install the application, the user agent **SHOULD** continue to process the nested object or objects, if they exist.

The following example, shows a minimally coded object [p.69] element. The `data` [p.69] attribute specifies the location of the object data and the `type` [p.70] attribute specifies the mime type associated with the object data:

```
<object data="http://www.example.com/foo.mp3" type="audio/mpeg"><em>alternate text</em></object>
```

Note that the MP3 file will be processed as soon as the object handler interprets this object [p.69] element declaration. It is possible to delay processing of an object through the use of additional values defined within the `param` [p.76] element (described later). It may also be delayed by the use of the `declare` [p.70] attribute.

The following example shows an object [p.69] element coded to process an image. The `data` [p.69] attribute specifies the location of the object data, in this case the image to be processed, and the `type` [p.70] attribute specifies the mime type associated with the object data:

```
<object data="http://www.example.com/foo.jpg" type="image/jpeg"><em>alternate text</em></object>
```

The following example shows how an applet element can be converted to an object [p.69] element. The `codebase` attribute is replaced with the `xml:base` attribute. The `code` attribute is replaced with the `data` attribute. The `width` and the `height` of the applet are defined using CSS. The `param` [p.76] elements are not modified since the values within the `param` [p.76] elements are passed directly to the external application. If a particular version reference is required, that would be appended to the content of the `type` attribute. For example, `type="application/x-java-applet;version=1.4.1"`

If the `archive` attribute is used, the object handler should process the search order by interpreting the `archive` attribute value first and then the `xml:base` attribute value.

```
<object
  codebase="http://www.example.com/applets/classes"
  code="Clock.class"
  width="150"
  height="150" >
  <param name="bgcolor" value="ffffff">
  <param name="border" value="5">
  <param name="ccolor" value="dddddd">
```



```

    <param name="cfont" value="TimesRoman|BOLD|18">
    <param name="delay" value="100">
    <param name="hhcolor" value="0000ff">
    <param name="link" value="http://www.example.com/">
    <param name="mhcolor" value="00ff00">
    <param name="ncolor" value="000000">
    <param name="nradius" value="80">
    <param name="shcolor" value="ff0000">
</object>

<style type="text/css">
#obj1 {width:150; height:150;}
</style>
...

<object id="obj1"
xml:base="http://www.example.com/applets/classes"
type="application/x-java-applet"
data="Clock.class">
  <param name="delay" value="100">
  <param name="link" value="http://www.example.com/">
  <param name="border" value="5">
  <param name="nradius" value="80">
  <param name="cfont" value="TimesRoman|BOLD|18">
  <param name="bgcolor" value="ddddff">
  <param name="shcolor" value="ff0000">
  <param name="mhcolor" value="00ff00">
  <param name="hhcolor" value="0000ff">
  <param name="ccolor" value="dddddd">
  <param name="ncolor" value="000000">
  <em>alternate text</em>

</object>

```

Authors should always include alternate text as the content of the object [p.69] element declaration when an embedded object is not defined. If an author includes alternate text and an embedded object, the object handler may process both the text and the embedded object. The alternate text will provide the user a hint in cases where the object handler cannot process the object data. The author should also consider supplying a link to the location where the external application may be downloaded in case the user does not have the external application installed.

The following example demonstrates how alternate text may be used within an object [p.69] element.

```

<object data="http://www.example.com/foo.mp3" type="audio/mpeg">
A really cool audio file. If you want to download and install a plug-in to listen to this file,
please go to <a href="http://www.example.com">here</a>
</object>

```

One significant consequence of the object [p.69] element's design is that it offers a mechanism for specifying alternate object processing; each embedded object [p.69] element declaration may specify alternate content types. If the object handler cannot process the outermost object [p.69], it must then process the embedded contents, which may be another object [p.69] element, etc. In this case, the innermost object [p.69] element declaration should contain

alternative text, the outer object [p.69] element declarations should not contain alternative text since an embedded object [p.69] element declaration is present.

A user agent must attempt to process the outermost object [p.69] element. If the object [p.69] cannot be processed, then the next level object [p.69] declaration should be processed. If that object cannot be processed, then the user agent must continue to process each embedded object [p.69] declaration until the inner most object [p.69] declaration is reached. Once the inner most object [p.69] declaration is analyzed and if the user agent cannot process it, then the alternative text of the inner most object [p.69] declaration should be processed.

In the following example, we embed several object [p.69] element declarations to illustrate how alternate processing works. In the following order: (1) an Earth applet, (2) an MPEG animation of the Earth, (3) a GIF image of the Earth, (4) alternate text.

```
<!-- First, try the applet -->
<object
  data="http://www.example.com/TheEarth.class"
  type="application/x-java-applet">

  <!-- Else, try the MPEG video -->
  <object
    data="TheEarth.mpeg"
    type="video/mpeg"
    xml:base="http://www.example.com/">

    <!-- Else, try the GIF image -->
    <object
      data="TheEarth.gif"
      type="image/gif"
      xml:base="http://www.example.com/">

      <!-- Else process the alternate text -->
      The <strong>Earth</strong> as seen from space.
    </object>
  </object>
</object>
```

The outermost object [p.69] element declaration specifies an applet that requires no initial values, the data [p.69] attribute points to the applet class file, and the type [p.70] attribute defines the mime type. An xml:base [p.31] attribute could have been used to point to the base location to access the class file. In this example, however, the data [p.69] attribute value contains an absolute URL so the xml:base [p.31] attribute was not required. An archive [p.69] attribute could have been used if the author needed to include any associated jar files. The second object [p.69] element declaration specifies an MPEG animation, and the xml:base [p.31] attribute defines the location of the object data defined in the data [p.69] attribute. We also set the type [p.70] attribute so that a user agent can determine if it has the capability to process the object data or to invoke an external application to process the MPEG. The third object element declaration specifies a GIF file and furnishes alternate text in case all other mechanisms fail.

Another way to approach the usage of the object [p.69] element attributes is this way:

attribute	function
archive	For example, when defining an applet you could reference a space-separated list of jar files.
content-length	This is similar to meta data, in that this can be used by the object handler as a hint to the physical size of the object data that is to be processed.
data	This URI points to the object data to be processed. This can be an absolute URI ( <a href="http://www.example.com/datafiles/myinstance.mpg">http://www.example.com/datafiles/myinstance.mpg</a> ), or a relative URI ( <a href="#">myinstance.mpg</a> ). If you use a relative URI, then you will need to use the <code>xml:base</code> [p.31] attribute to define the base location of the object data. This attribute should only refer to the data to be processed.
declare	This is used to delay the processing of the object data until such time that it is referred to by another element that requires the object data to be processed. In other words, the object data should be downloaded but should not be processed. For example, if an <code>a</code> [p.53] element is coded to refer to the object element and the <code>a</code> [p.53] element is activated, then the object data would be processed.
standby	The author can provide a text string that should be displayed while the object data is being downloaded and processed.
type	Defining the mime type of the object data will assist the object handler in determining whether the object data can be processed by the user agent or if an external application needs to be launched to process the object data.
xml:base	Use this attribute to define the base location of the object data. For example: <a href="http://www.example.com/datafiles/">http://www.example.com/datafiles/</a> . This attribute should not be used for any other purpose.

***Inline vs. external data.*** Data to be processed may be supplied in two ways: inline and from an external resource. While the former method will generally lead to faster processing, it is not convenient when processing large quantities of data.

Here's an example that illustrates how inline data may be fed to an object [p.69] handler:

```
<object
  id="clock1"
  type="application/x-java-applet">
  A clock.
</object>
```

## 13.2. The param element.

### *Attributes*

`name` = CDATA [p.21]

This attribute defines the name of a run-time parameter, assumed to be known by the object handler. Whether the property name is case-sensitive depends on the specific object handler implementation.

`value` = CDATA [p.21]

This attribute specifies the value of a run-time parameter specified by name [p.76]. Property values have no meaning to XHTML; their meaning is determined by the object in question.

`valuetype` = `data` | `ref` | `object`

This attribute specifies the type of the `value` attribute.

Possible values:

- `data`: This is the default value for the attribute. It means that the value specified by `value` [p.76] will be evaluated and passed to the object's implementation as a string.
- `ref`: The value specified by `value` [p.76] is a URI that designates a resource where run-time values are stored. This allows support tools to identify URIs given as parameters. The URI must be passed to the object **as is**, i.e., unresolved.
- `object`: The value specified by `value` [p.76] is an identifier that refers to an object [p.69] declaration in the same document. The identifier must be the value of the `id` [p.25] attribute set for the declared object [p.69] element.

`param` [p.76] elements specify a set of values that may be required to process the object data by an object handler at run-time. Any number of `param` [p.76] elements may appear in the content of an object [p.69] element, in any order, but must be placed at the start of the content of the enclosing object [p.69] element.

The syntax of names and values is assumed to be understood by the user agent or the external application that will process the object data. This document does not specify how object handlers should retrieve name/value pairs nor how they should interpret parameter names that appear twice.

The user agent or the external application can utilize the `param` [p.76] element name/value pairs to pass unique datapoints to trigger specific functions or actions. For example, the user agent may wish to trigger an external application download if the user does not have an appropriate application installed on their system.

We return to the clock example to illustrate the use of the `param` [p.76] element. For example, suppose that the applet is able to handle two run-time parameters that define its initial height and width. We can set the initial dimensions to 40x40 pixels with two `param` [p.76] elements.

```

<object
  data="http://www.example.com/myclock.class"
  type="application/x-java-applet">
  <param name="height" value="40" valuetype="data" />
  <param name="width" value="40" valuetype="data" />
  This user agent cannot process a java applet.
</object>

```

In the following example, run-time data for the object's "Init\_values" parameter is specified as an external resource (a GIF file). The value of the valuetype [p.76] attribute is thus set to "ref" and the value [p.76] is a URI designating the resource.

```

<object
  data="http://www.example.com/gifappli"
  type="image/gif"
  standby="Loading Elvis...">
  <param name="Init_values"
    value="./images/elvis.gif"
    valuetype="ref" />
  Elvis lives!
</object>

```

Note that we have also set the standby [p.70] attribute so that the object handler may display a message while the object data is downloading.

When an object [p.69] element is processed, the user agent must search the content for only those param [p.76] elements that are direct children and "feed" them to the object handler.

Thus, in the following example, if "obj1" is processed, then the name/value content of "param1" applies to "obj1" (and not "obj2"). If "obj1" is not processed and "obj2" is, "param1" is ignored, and the name/value content of "param2" applies to "obj2". If neither object [p.69] element is processed, neither param [p.76] name/value content applies.

```

<object
  data="obj1"
  type="application/x-something">
  <param name="param1" value="value1" />
  <object
    data="obj2"
    type="application/x-something">
    <param name="param2" value="value2" />
    This user agent cannot process this application.
  </object>
</object>

```

### 13.2.1. Referencing object data

The location of an object's data is given by a URI. The URI may be either an absolute URI or a relative URI. If the URI is relative, it may be based from the referring document location or from the xml:base [p.31] attribute location. If the xml:base [p.31] attribute is missing, the relative reference will be from the referred document directory.

In the following example, we insert a video clip into an XHTML document.

```
<object
  data="mymovie.mpg"
  type="video/mpeg">
  This user agent cannot process this movie.
</object>
```

By setting the type [p.70] attribute, a user agent can determine whether to retrieve the external application based on its ability to do so. The location of the object data is relative to the referencing document, in this example the object data would need to exist within the same directory.

The following example specifies a base location via the `xml:base` [p.31] attribute. The data [p.69] attribute defines the data to process.

```
<object
  xml:base="http://www.example.com/"
  data="mymovie.mpg"
  type="video/mpeg">
  This user agent cannot process this movie.
</object>
```

## 13.2.2. Object element declarations and instantiations

The following example is for illustrative purposes only. When a document is designed to contain more than one instance of the same object data, it is possible to separate the declaration of the object from the references to the object data. Doing so has several advantages:

- The object data may be retrieved from the network by the object handler *one time* (during the declaration) and reused for each additional reference to that object data.
- It is possible to reference the object data from a location other than the object element in which it was defined, for example, from a link.
- It is possible to specify an object data as run-time data for other object element declarations.

To declare an object element so that it is not executed when read by the object handler, set the boolean `declare` [p.70] attribute in the object [p.69] element. At the same time, authors must identify the object declaration by setting the `id` [p.25] attribute in the object [p.69] element to a unique value. Later processing of the object data will refer to this identifier.

A declared object [p.69] element must appear in a document before the first time the object data is referenced. For example, the declaring object element must appear before a link referencing the object data.

When an object element is defined with the `declare` [p.70] attribute, the object handler is instantiated every time an element refers to that object data later in the document. The references will require the object data to be processed (e.g., a link that refers to it is activated, an object element that refers to it is activated, etc.).

In the following example, we declare an object [p.69] element and cause the object handler to be instantiated by referring to it from a link. Thus, the object data can be activated by clicking on some highlighted text, for example.

```
<object
  declare="declare"
  id="earth.declaration"
  data="TheEarth.mpg"
  type="video/mpeg">
  The <strong>Earth</strong> as seen from space.
</object>
...later in the document...
<p>A neat <a href="#earth.declaration">animation of The Earth!</a></p>
```

In the previous example, when the document is initially loaded the object data should not be processed. If this was to be processed within a visual user agent, the object data would not be displayed. When the user selects the anchor data, the object data would then be initialized and displayed. This would also be the case for an audio file, where the file would be instantiated but would not be processed. Selecting the anchor data would then trigger the audio file to be processed.

User agents that do not support the declare [p.70] attribute must process the contents of the object [p.69] element.





## 14. XHTML Presentation Module

This section is *normative*.

This module defines elements, attributes, and a minimal content model for simple presentation-related markup:

Element	Attributes	Minimal Content Model
hr	Common [p.36]	EMPTY
sub	Common [p.36]	(PCDATA   Inline)*
sup	Common [p.36]	(PCDATA   Inline)*

When this module is used, the hr [p.81] element is added to the Block content set of the Text Module. In addition, the sub [p.81] and sup [p.82] elements are added to the Inline content set of the Text Module.

Implementation: DTD [p.126]

### 14.1. The hr element

The hr [p.81] element places a horizontal line in the document.

Remove or rename hr

It has been suggested that `hr` be removed or renamed to, for instance, `<separator/>`. The working group has not yet addressed this suggestion.

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

### 14.2. The sub element

The sub [p.81] element indicates that its contents should be presented as a subscript of the text baseline.

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Many scripts (e.g., French) require superscripts or subscripts for proper rendering. The sub [p.81] and sup [p.82] elements should be used to markup text in these cases.

```
H<sub>2</sub>O
E = mc<sup>2</sup>
<span xml:lang="fr">M<sup>lle</sup> Dupont</span>
```

## 14.3. The sup element

The sup [p.82] element indicates that its contents should be presented as a super-script of the text baseline.

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Many scripts (e.g., French) require superscripts or subscripts for proper rendering. The sub [p.81] and sup [p.82] elements should be used to markup text in these cases.

```
H<sub>2</sub>O
E = mc<sup>2</sup>
<span xml:lang="fr">M<sup>lle</sup> Dupont</span>
```

## 15. XHTML Scripting Module

This section is *normative*.

The Scripting Module defines elements that are used to contain information pertaining to executable scripts or the lack of support for executable scripts. Elements and attributes included in this module are:

Elements	Attributes	Minimal Content Model
noscript	Common [p.36]	(Heading   List   Block)+
script	charset (Charset [p.21] ), declare ("declare"), src (URI [p.23] ), type* (ContentType [p.21] ), xml:space="preserve"	PCDATA   script   noscript

When this module is used, the script [p.84] and noscript [p.83] elements are added to the Block and Inline content sets of the Text Module. In addition, the script [p.84] element is added to the content model of the head [p.38] element defined in the Structure Module.

Implementation: DTD [p.126]

### 15.1. The noscript element

#### Attributes

The Core [p.25] collection

A collection of basic attributes used on all elements, including class [p.25] , id [p.25] , and title [p.26] .

The I18N [p.26] collection

A collection of attributes related to Internationalization, including the xml:lang [p.26] .

The noscript [p.83] element allows authors to provide alternate content when a script is not executed. The content of a noscript [p.83] element will be rendered if and only if the containing script [p.84] is not processed. noscript [p.83] elements that are not contained in a script [p.84] element will only be rendered in the following cases:

- The user agent is configured not to evaluate scripts.
- The user agent doesn't support a scripting language invoked by a script [p.84] element earlier in the document.
- The user agent can't access an external script.

User agents that do not support client-side scripts must render this element's contents.

In the following example, a user agent that executes the script [p.84] will include some dynamically created data in the document. If the user agent doesn't support scripts, the user may still retrieve the data through a link.

```
<script type="text/tcl" src="http://example.org/script">
<noscript>
  <p>Access the <a href="http://example.org/data">data.</a></p>
</noscript>
</script>
```

## 15.2. The script element

### Attributes

The Embedding [p.31] collection

A collection of attributes related to embedding content, including `src` [p.32] and `type` [p.32] .

`declare = "declare"`

When present, this boolean attribute makes the current object [p.69] element a declaration only - not one that is to be executed until after the document has completed loading and has been called through a user event such as selecting an anchor that references the object.

`charset = Charset` [p.21]

This attribute specifies the character encoding of the resource designated by the link. Please consult the section on character encodings for more details.

The `script` [p.84] element places a script within a document. This element may appear any number of times in the head [p.38] or body [p.39] of an XHTML document.

The script may be defined within the contents of the `script` [p.84] element or in an external file. If the `src` [p.32] attribute is not set, user agents must interpret the contents of the element as the script. If the `src` [p.32] has a URI value, user agents must ignore the element's contents and retrieve the script via the URI. Note that the `charset` [p.84] attribute refers to the character encoding [p.21] of the script designated by the `src` [p.32] attribute; it does not concern the content of the `script` [p.84] element.

### 15.2.1. Rules for processing scripts

Scripts are evaluated by *script engines* that must be known to a user agent.

A user agent must interpret a `script` [p.84] element according to the following precedence rules:

1. The user agent must first try to process the script element, but not the embedded content.
2. If the user agent is not able to process the script for any reason (configured not to, no support of the scripting language, no access to an external resource, etc.), it must try to process its contents.

3. If the content is inline text it must be evaluated as script data of the scripting language of the containing script element.
4. If the content is a noscript [p.83] element, its content should be rendered.
5. If the content is a script [p.84] element, its content should be processed according to these rules.

The syntax of script data depends on the scripting language.

## 15.2.2. Specifying the scripting language

As XHTML does not rely on a specific scripting language, document authors must explicitly tell user agents the language of each script. This may be done either through a default declaration or a local declaration.

## 15.2.3. Declaration of a scripting language

The type [p.32] attribute must be specified for each script [p.84] element instance in a document.

In this example, we include one script [p.84] in the header, whose script is located in an external file and is in the scripting language "text/vbscript". The JavaScript code contained in the inner script [p.84] will be evaluated if and only if the user agent isn't evaluating the outer script [p.84]. We also include one script [p.84] in the body, which contains its own script written in "text/x-perl".

```
<html xmlns="http://www.w3.org/2002/06/xhtml12">
  <head>
    <title>A document with script</title>
    <script type="text/x-vbscript" src="http://example.org/progs/vbcalc">
      <script type="text/javascript">
        ...some inline JavaScript...
      </script>
    </script>
  </head>
  <body>
    <script type="text/x-perl"/>
  </body>
</html>
```

## 15.2.4. Dynamic modification of documents

Scripts that are executed when a document is loaded may be able to modify the document's contents dynamically. The ability to do so depends on the scripting language itself (e.g., the "document.write" method in the HTML DOM [DOM [p.129]]).

The dynamic modification of a document may be modeled as follows:

1. All script [p.84] elements are evaluated in order as the document is loaded.
2. All script constructs within a given script [p.84] element that generate CDATA are evaluated. Their combined generated text is inserted in the document directly after the script [p.84] element.

### 3. The generated CDATA is re-evaluated.

XHTML documents are constrained to conform to the XHTML DTD both before and after processing any script [p.84] elements.

The following example illustrates how scripts may modify a document dynamically. The following script:

```
...
<title>Test Document</title>
...
<script type="text/javascript">
  <!CDATA[
    document.write("<p><b>Hello World!</b></p>")
  ]>
</script>
...
```

will produce the following document after evaluation:

```
...
<title>Test Document</title>
...
<script type="text/javascript">
  <!CDATA[
    document.write("<p><b>Hello World!</b></p>")
  ]>
</script>
<p><b>Hello World!</b></p>
...
```

## 17. XHTML Style Sheet Module

This section is *normative*.

The Style Sheet Module defines an element to be used when declaring internal style sheets. The element and attributes defined by this module are:

Elements	Attributes	Minimal Content Model
style	Common [p.36] , media (MediaDesc [p.23] )	PCDATA

When this module is used, it adds the style [p.87] element to the content model of the head [p.38] element of the Structure Module.

Implementation: DTD [p.126]

### 17.1. The style element

#### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

media = MediaDesc [p.23]

The value of this attribute specifies the type of media for which the element is intended.

rel = LinkTypes [p.22]

This attribute describes the relationship from the current document to the URI referred to by the element. The value of this attribute is a space-separated list of link types.

The style [p.87] element allows an author to put style sheet rules in the head of the document. XHTML permits any number of style [p.87] elements in the head [p.38] section of a document.

User agents that don't support style sheets, or don't support the specific style sheet language used by a style [p.87] element, must hide the contents of the style [p.87] element. It is an error to render the content as part of the document's text.

The syntax of style data depends on the style sheet language.

Rules for style rule precedences and inheritance depend on the style sheet language.

The following CSS style [p.87] declaration puts a border around every h1 [p.46] element in the document and centers it on the page.

```

<head>
  <style type="text/css">
    h1 {border-width: thin; border-style: solid; text-align: center}
  </style>
</head>

```

To specify that this style information should only apply to h1 [p.46] elements of a specific class, we modify it as follows:

```

<head>
  <style type="text/css">
    h1.myclass {border-width: thin; border-style: solid; text-align: center}
  </style>
</head>
<body>
  <h1 class="myclass"> This h1 is affected by our style </h1>
  <h1> This one is not affected by our style </h1>
</body>

```

Finally, to limit the scope of the style information to a single instance of h1 [p.46] , set the id [p.25] attribute:

```

<head>
  <style type="text/css">
    #myid {border-width: thin; border-style: solid; text-align: center}
  </style>
</head>
<body>
  <h1 class="myclass"> This h1 is not affected </h1>
  <h1 id="myid"> This h1 is affected by style </h1>
  <h1> This h1 is not affected </h1>
</body>

```

Although style information may be set for almost every XHTML element, two elements, div [p.45] and span [p.51] , are particularly useful in that they do not impose any presentation semantics (besides block-level vs. inline). When combined with style sheets, these elements allow users to extend XHTML indefinitely, particularly when used with the class [p.25] and id [p.25] attributes.

In the following example, we use the span [p.51] element to set the font style of the first few words of a paragraph to small caps.

```

<head>
  <style type="text/css">
    span.sc-ex { font-variant: small-caps }
  </style>
</head>
<body>
  <p><span class="sc-ex">The first</span> few words of
  this paragraph are in small-caps.</p>
</body>

```



In the following example, we use `div` [p.45] and the `class` [p.25] attribute to set the text justification for a series of paragraphs that make up the abstract section of a scientific article. This style information could be reused for other abstract sections by setting the `class` [p.25] attribute elsewhere in the document.

```
<head>
  <style type="text/css">
    div.Abstract { text-align: justify }
  </style>
</head>
<body>
  <div class="Abstract">
    <p>The Chieftain product range is our market winner for
      the coming year. This report sets out how to position
      Chieftain against competing products.</p>

    <p>Chieftain replaces the Commander range, which will
      remain on the price list until further notice.</p>
  </div>
</body>
```

### 17.1.1. External style sheets

Authors may separate style sheets from XHTML documents. This offers several benefits:

- Authors and web site managers may share style sheets across a number of documents (and sites).
- Authors may change the style sheet without requiring modifications to the document.
- User agents may load style sheets selectively (based on media descriptors).

### 17.1.2. Preferred and alternate style sheets

XHTML allows authors to associate any number of external style sheets with a document. The style sheet language defines how multiple external style sheets interact (for example, the CSS "cascade" rules).

Authors may specify a number of mutually exclusive style sheets called *alternate* style sheets. Users may select their favorite among these depending on their preferences. For instance, an author may specify one style sheet designed for small screens and another for users with weak vision (e.g., large fonts). User agents should allow users to select from alternate style sheets.

The author may specify that one of the alternates is a *preferred* style sheet. User agents should apply the author's preferred style sheet unless the user has selected a different alternate.

Authors may group several alternate style sheets (including the author's preferred style sheets) under a single *style name*. When a user selects a named style, the user agent must apply all style sheets with that name. User agents must not apply alternate style sheets with a different style name. The section on specifying external style sheets explains how to name a group of style sheets.

Authors may also specify *persistent* style sheets that user agents must apply in addition to any alternate style sheet.

User agents must respect media descriptors [p.23] when applying any style sheet.

User agents should also allow users to disable the author's style sheets entirely, in which case the user agent must not apply any persistent or alternate style sheets.

### 17.1.3. Specifying external style sheets

Authors specify external style sheets with the following attributes of the link [p.61] element:

- Set the value of href [p.29] to the location of the style sheet file. The value of href [p.29] is a URI [p.23] .
- Set the value of the type [p.32] attribute to indicate the language of the linked (style sheet) resource. This allows the user agent to avoid downloading a style sheet for an unsupported style sheet language.
- Specify that the style sheet is persistent, preferred, or alternate:
  - To make a style sheet persistent, set the rel [p.87] attribute to "stylesheet" and don't set the title [p.26] attribute.
  - To make a style sheet preferred, set the rel [p.87] attribute to "stylesheet" and name the style sheet with the title [p.26] attribute.
  - To specify an alternate style sheet, set the rel [p.87] attribute to "alternate stylesheet" and name the style sheet with the title [p.26] attribute.

User agents should provide a means for users to view and pick from the list of alternate styles. The value of the title [p.26] attribute is recommended as the name of each choice.

In this example, we first specify a persistent style sheet located in the file `mystyle.css`:

```
<link href="mystyle.css" rel="stylesheet" type="text/css"/>
```

Setting the title [p.26] attribute makes this the author's preferred style sheet:

```
<link href="mystyle.css" title="compact" rel="stylesheet" type="text/css"/>
```

Adding the keyword "alternate" to the rel [p.87] attribute makes it an alternate style sheet:

```
<link href="mystyle.css" title="Medium" rel="alternate stylesheet" type="text/css"/>
```

For more information on external style sheets, please consult the section on links and external style sheets.

If two or more link [p.61] elements specify a preferred style sheet, the first one takes precedence.

## 18. XHTML Tables Module

This section is *normative*.

As its name suggests, the Tables Module provides table-related elements that are updated to enable access by non-visual user agents. Specifically, the Tables Module supports the following elements, attributes, and content model:

Elements	Attributes	Minimal Content Model
table	Common [p.36] , summary [p.95] (Text [p.23] )	caption [p.92] ?, ( col [p.92] *   colgroup [p.92] * ), (( thead [p.112] ?, tfoot [p.112] ?, tbody [p.106] + )   ( tr [p.113] + ))
caption	Common [p.36]	(PCDATA   Inline)*
col	Common [p.36] , span [p.93] (Number [p.23] )	EMPTY
colgroup	Common [p.36] , span [p.93] (Number [p.23] )	col [p.92] *
thead	Common [p.36]	tr [p.113] +
tfoot	Common [p.36]	tr [p.113] +
tbody	Common [p.36]	tr [p.113] +
tr	Common [p.36]	( td [p.106]   th [p.106] )+
td	Common [p.36] , abbr [p.106] (Text [p.23] ), axis [p.107] (CDATA [p.21] ), colspan [p.107] (Number [p.23] ), headers [p.107] (IDREFS [p.21] ), rowspan [p.107] (Number [p.23] ), scope [p.107] ("row", "col", "rowgroup", "colgroup")	(PCDATA   Flow)*
th	Common [p.36] , abbr [p.106] (Text [p.23] ), axis [p.107] (CDATA [p.21] ), colspan [p.107] (Number [p.23] ), headers [p.107] (IDREFS [p.21] ), rowspan [p.107] (Number [p.23] ), scope [p.107] ("row", "col", "rowgroup", "colgroup")	(PCDATA   Flow)*

When this module is used, it adds the table [p.95] element to the Block content set of the Text Module.

Implementation: DTD [p.127]

## 18.1. The caption element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

When present, the caption [p.92] element's text should describe the nature of the table. The caption [p.92] element is only permitted immediately after the table [p.95] start tag. A table [p.95] element may only contain one caption [p.92] element.

Visual user agents allow sighted people to quickly grasp the structure of the table from the headings as well as the caption. A consequence of this is that captions will often be inadequate as a summary of the purpose and structure of the table from the perspective of people relying on non-visual user agents.

Authors should therefore take care to provide additional information summarizing the purpose and structure of the table using the summary [p.95] attribute of the table [p.95] element. This is especially important for tables without captions. The example below illustrates the use of the summary [p.95] attribute.

User agents must provide access to the content of the summary attribute. As an example, access could be provided through a menu option, a mouse-over function, or through a dialog.

The following example demonstrates the difference between a table caption and a table summary.

```
<table
  summary="The table defines the class roster. The columns contain the following data:
    students name, permanent address, permanent phone,
    local address, local phone,
    declared major, assigned academic advisor, student standing">
  <caption>Student Class Roster</caption>
  ...the rest of the table...
</table>
```

### 18.1.1. Caption Clipping

Visual user agents must avoid clipping any part of the table including the caption, unless a means is provided to access all parts, e.g., by horizontal or vertical scrolling. We recommend that the caption text be wrapped to the same width as the table.

## 18.2. The col and colgroup elements

### *Attributes*

### The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

### span = Number [p.23]

This attribute, which must be an integer > 0, and the default value for this attribute is 1. This specifies the number of columns in a colgroup [p.92] , or specifies the number of columns "spanned" by the col [p.92] element.

Values mean the following:

- In the absence of a span [p.93] attribute, each colgroup [p.92] defines a column group containing one column.
- If the span [p.93] attribute is used with the colgroup [p.92] element and the value is set to  $N > 0$ , that defines a column group containing  $N$  columns.
- If the span [p.93] attribute is used with the col [p.92] element and the value is set to  $N > 1$ , the current col [p.92] element shares its attributes with the next  $N-1$  columns.

User agents must ignore this attribute if the colgroup [p.92] element contains one or more col [p.92] elements.

The colgroup [p.92] element allows authors to create structural divisions within a table. Authors may highlight this structure through style sheets. For example, the author may wish to divide the columns into logical groups such as the student's permanent address, phone number and emergency contact information. And group the student's local address, phone and email address into another logical group.

A table [p.95] may either contain a single implicit column group (no colgroup [p.92] element delimits the columns) or any number of explicit column groups (each delimited by an instance of the colgroup [p.92] element).

The col [p.92] element allows authors to share attributes among several columns without implying any structural grouping. The "span" of the col [p.92] element is the number of columns that will share the element's attributes. For example, the author may wish to apply a specific style to the student's permanent data and apply a different style to the student's local data.

The colgroup [p.92] element creates an explicit column group. The number of columns in the column group may be specified in two, mutually exclusive ways:

1. The colgroup span [p.93] attribute (default value 1) specifies the number of columns in the group.
2. Each embedded col [p.92] element in the colgroup [p.92] represents one or more columns in the group.

The advantage of using the colgroup [p.92] element is that authors may logically group multiple columns. By grouping columns, the author can apply rules across the entire group. The author can also apply column width balancing across the group of columns. For example, if the author has a table with five columns and the author divides the table into two column groups, one with

three columns and the other with two columns. The author could define the first column group to consume 300 pixels and the second column group to consume 100 pixels. Each column within the first column group would be 100 pixels wide and the remaining two columns would be 50 pixels wide. If the author added embedded col [p.92] elements, she could force one or more columns to be a specific width and the remaining columns within the group would be evenly divided within the remaining allotted width.

For example, the following table defines a column group and embedded columns with differing widths.

```
<style type="text/css">
#colgrp1 {width: 300}
#col1 {width: 100}
#col2 {width: 50}
</style>

...

<table>
  <colgroup id="colgrp1">
    <col id="col1" span="3">
    <col id="col2" span="2">
  </colgroup>
  ...the rest of the table...
</table>
```

In this example, the defined width for the colgroup [p.92] constrains all of the columns to fit within that value regardless of the of the defined values within the col [p.92] elements. In this example, the width of the columns within the column group must be constrained to fit the defined width of the column group.

When it is necessary to single out a column (e.g., for style information, to specify width information, etc.) within a group, authors must identify that column with a col [p.92] element.

The col [p.92] element allows authors to group together attribute specifications for table columns. The col [p.92] does **not** group columns together structurally -- that is the role of the colgroup [p.92] element. col [p.92] elements are empty and serve only as a support for attributes. They may appear inside or outside an explicit column group (i.e., colgroup [p.92] element).

## 18.2.1. Calculating the number of columns in a table

There are two ways to determine the number of columns in a table (in order of precedence):

1. If the table [p.95] element contains any colgroup [p.92] or col [p.92] elements, user agents should calculate the number of columns by summing the following:
  - For each col [p.92] element, take the value of its span [p.93] attribute (default value 1).
  - For each colgroup [p.92] element containing at least one col [p.92] element, ignore the span [p.93] attribute for the colgroup [p.92] element. For each col [p.92] element, perform the calculation of step 1.

- For each empty `colgroup` [p.92] element, take the value of its `span` [p.93] attribute (default value 1).
2. Otherwise, if the table [p.95] element contains no `colgroup` [p.92] or `col` [p.92] elements, user agents should base the number of columns on what is required by the rows. The number of columns is equal to the number of columns required by the row with the most columns, including cells that span multiple columns. For any row that has fewer than this number of columns, the end of that row should be padded with empty cells. The "end" of a row depends on the directionality of a table.

It is an error if a table contains `colgroup` [p.92] or `col` [p.92] elements and the two calculations do not result in the same number of columns.

Once the user agent has calculated the number of columns in the table, it may group them into a `colgroup` [p.92] .

## 18.3. The table element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

`summary` = Text [p.23]

This attribute provides a summary of the table's purpose and structure for user agents rendering to non-visual media such as speech and Braille.

The table [p.95] element contains all other elements that specify the caption, column groups, columns, rows, and content for a table.

### 18.3.1. Visual Rendering

The following informative list describes what operations visual user agents may carry out when rendering a table:

- Provide access to the content of the `summary` [p.95] attribute. As an example, access could be provided through a menu option, a mouse-over function, or through a dialog. Authors should provide a summary of a table's content and structure so that people using non-visual user agents may better understand it.
- Render the caption, if one is defined. The caption may be rendered, for example, either on the top or the bottom of the table.
- Render the table header, if one is specified. Render the table footer, if one is specified. User agents must know where to render the header and footer. For instance, if the output medium is paged, user agents may put the header at the top of each page and the footer at the bottom. Similarly, if the user agent provides a mechanism to scroll the rows, the header may appear at the top of the scrolled area and the footer at the bottom.
- Calculate the number of columns [p.94] in the table. Note that the number of rows in a table

is equal to the number of `tr` [p.113] elements contained by the table [p.95] element.

- Group the columns according to any column groups [p.92] specifications.
- Render the cells, row by row and grouped in appropriate columns, between the header and footer. Visual user agents should format the table according to XHTML attributes and style sheet specification.

The XHTML table model has been designed so that, with author assistance, user agents may render tables *incrementally* (i.e., as table rows arrive) rather than having to wait for all the data before beginning to render.

In order for a user agent to format a table in one pass, authors must tell the user agent:

- The number of columns in the table.
- The widths of these columns.

More precisely, a user agent may render a table in a single pass when the column widths are specified using a combination of `colgroup` [p.92] and `col` [p.92] elements. If any of the columns are specified in relative or percentage terms, authors must also specify the width of the table itself.

## 18.3.2. Table directionality

The directionality of a table is either the inherited directionality (the default is left-to-right) or that specified by the `dir` attribute for the table [p.95] element.

For a left-to-right table, column zero is on the left side and row zero is at the top. For a right-to-left table, column zero is on the right side and row zero is at the top.

When a user agent allots extra cells to a row, extra row cells are added to the right of the table for left-to-right tables and to the left side for right-to-left tables.

Note that table [p.95] is the only element on which `dir` reverses the visual order of the columns; a single table row ( `tr` [p.113] ) or a group of columns ( `colgroup` [p.92] ) cannot be independently reversed.

When set for the table [p.95] element, the `dir` attribute also affects the direction of text within table cells (since the `dir` attribute is inherited by block-level elements).

To specify a right-to-left table, set the `dir` attribute as follows:

```
<table dir="rtl">
  ...the rest of the table...
</table>
```

The direction of text in individual cells can be changed by setting the `dir` attribute in an element that defines the cell. Please consult the section on bidirectional text for more information on text direction issues.



### 18.3.3. Table rendering by non-visual user agents

This section provides more detailed discussion on cell header data and how non-visual agents may utilize that information.

#### 18.3.3.1. Associating header information with data cells

Non-visual user agents such as speech synthesizers and Braille-based devices may use the following `td` [p.106] and `th` [p.106] element attributes to render table cells more intuitively:

- For a given data cell, the `headers` [p.107] attribute lists which cells provide pertinent header information. For this purpose, each header cell must be named using the `id` [p.25] attribute. Note that it's not always possible to make a clean division of cells into headers or data. You should use the `td` [p.106] element for such cells together with the `id` [p.25] or `scope` [p.107] attributes as appropriate.
- For a given header cell, the `scope` [p.107] attribute tells the user agent the data cells for which this header provides information. Authors may choose to use this attribute instead of `headers` [p.107] according to which is more convenient; the two attributes fulfill the same function. The `headers` [p.107] attribute is generally needed when headers are placed in irregular positions with respect to the data they apply to.
- The `abbr` [p.106] attribute specifies an abbreviated header for header cells so that user agents may render header information more rapidly.

In the following example, we assign header information to cells by setting the `headers` [p.107] attribute. Each cell in the same column refers to the same header cell (via the `id` [p.25] attribute).

```
<table
  summary="This table charts the number of cups
    of coffee consumed by each senator, the type
    of coffee (decaf or regular), and whether
    taken with sugar.">
<caption>Cups of coffee consumed by each senator</caption>
<tbody>
  <tr>
    <th id="t1">Name</th>
    <th id="t2">Cups</th>
    <th id="t3" abbr="Type">Type of Coffee</th>
    <th id="t4">Sugar?</th>
  </tr>
  <tr>
    <td headers="t1">T. Sexton</td>
    <td headers="t2">10</td>
    <td headers="t3">Espresso</td>
    <td headers="t4">No</td>
  </tr>
  <tr>
    <td headers="t1">J. Dinnen</td>
    <td headers="t2">5</td>
    <td headers="t3">Decaf</td>
```

```

        <td headers="t4">Yes</td>
    </tr>
</tbody>
</table>

```

A speech synthesizer might render this table as follows:

Caption: Cups of coffee consumed by each senator  
 Summary: This table charts the number of cups  
           of coffee consumed by each senator, the type  
           of coffee (decaf or regular), and whether  
           taken with sugar.  
 Name: T. Sexton,   Cups: 10,   Type: Espresso,   Sugar: No  
 Name: J. Dinnen,   Cups: 5,    Type: Decaf,     Sugar: Yes

Note how the header "Type of Coffee" is abbreviated to "Type" using the abbr [p.106] attribute.

Here is the same example substituting the scope [p.107] attribute for the headers [p.107] attribute. Note the value "col" for the scope [p.107] attribute, meaning "all cells in the current column":

```

<table
  summary="This table charts the number of cups
    of coffee consumed by each senator, the type
    of coffee (decaf or regular), and whether
    taken with sugar.">
<caption>Cups of coffee consumed by each senator</caption>
<tbody>
  <tr>
    <th scope="col">Name</th>
    <th scope="col">Cups</th>
    <th scope="col" abbr="Type">Type of Coffee</th>
    <th scope="col">Sugar?</th>
  </tr>
  <tr>
    <td>T. Sexton</td>
    <td>10</td>
    <td>Espresso</td>
    <td>No</td>
  </tr>
  <tr>
    <td>J. Dinnen</td>
    <td>5</td>
    <td>Decaf</td>
    <td>Yes</td>
  </tr>
</tbody>
</table>

```

Here's a somewhat more complex example illustrating other values for the scope [p.107] attribute:

```

<table
  summary="History courses offered in the community of
    Bath arranged by course name, tutor, summary,
    code, and fee">

```

```

<tbody>
  <tr>
    <th colspan="5" scope="colgroup">Community Courses -- Bath Autumn 1997</th>
  </tr>
  <tr>
    <th scope="col" abbr="Name">Course Name</th>
    <th scope="col" abbr="Tutor">Course Tutor</th>
    <th scope="col">Summary</th>
    <th scope="col">Code</th>
    <th scope="col">Fee</th>
  </tr>
  <tr>
    <td scope="row">After the Civil War</td>
    <td>Dr. John Wroughton</td>
    <td>
      The course will examine the turbulent years in England
      after 1646. <em>6 weekly meetings starting Monday 13th
      October.</em>
    </td>
    <td>H27</td>
    <td>&pound;32</td>
  </tr>
  <tr>
    <td scope="row">An Introduction to Anglo-Saxon England</td>
    <td>Mark Cottle</td>
    <td>
      One day course introducing the early medieval
      period reconstruction the Anglo-Saxons and
      their society. <em>Saturday 18th October.</em>
    </td>
    <td>H28</td>
    <td>&pound;18</td>
  </tr>
  <tr>
    <td scope="row">The Glory that was Greece</td>
    <td>Valerie Lorenz</td>
    <td>
      Birthplace of democracy, philosophy, heartland of theater, home of
      argument. The Romans may have done it but the Greeks did it
      first. <em>Saturday day school 25th October 1997</em>
    </td>
    <td>H30</td>
    <td>&pound;18</td>
  </tr>
</tbody>
</table>

```

A graphical user agent might render this as:

Community Courses -- Bath Autumn 1997				
Course Name	Course Tutor	Summary	Code	Fee
After the Civil War	Dr. John Wroughton	The course will examine the turbulent years in England after 1646. <i>6 weekly meetings starting Monday 13th October.</i>	H27	£32
An Introduction to Anglo-Saxon England	Mark Cottle	One day course introducing the early medieval period reconstruction the Anglo-Saxons and their society. <i>Saturday 18th October.</i>	H28	£18
The Glory that was Greece	Valerie Lorenz	Birthplace of democracy, philosophy, heartland of theater, home of argument. The Romans may have done it but the Greeks did it first. <i>Saturday day school 25th October 1997</i>	H30	£18

Note the use of the scope [p.107] attribute with the "row" value. Although the first cell in each row contains data, not header information, the scope [p.107] attribute makes the data cell behave like a row header cell. This allows speech synthesizers to provide the relevant course name upon request or to state it immediately before each cell's content.

### 18.3.3.2. Categorizing cells

Users browsing a table with a speech-based user agent may wish to hear an explanation of a cell's contents in addition to the contents themselves. One way the user might provide an explanation is by speaking associated header information before speaking the data cell's contents (see the section on associating header information with data cells [p.97] ).

Users may also want information about more than one cell, in which case header information provided at the cell level (by headers [p.107] , scope [p.107] , and abbr [p.106] ) may not provide adequate context. Consider the following table, which classifies expenses for meals, hotels, and transport in two locations (San Jose and Seattle) over several days:

### Travel Expense Report

	Meals	Hotels	Transport	subtotals
<b>San Jose</b>				
25-Aug-97	37.74	112.00	45.00	
26-Aug-97	27.28	112.00	45.00	
subtotals	65.02	224.00	90.00	379.02
<b>Seattle</b>				
27-Aug-97	96.25	109.00	36.00	
28-Aug-97	35.00	109.00	36.00	
subtotals	131.25	218.00	72.00	421.25
<b>Totals</b>	<b>196.27</b>	<b>442.00</b>	<b>162.00</b>	<b>800.27</b>

Users might want to extract information from the table in the form of queries:

- "What did I spend for all my meals?"
- "What did I spend for meals on 25 August?"
- "What did I spend for all expenses in San Jose?"

Each query involves a computation by the user agent that may involve zero or more cells. In order to determine, for example, the costs of meals on 25 August, the user agent must know which table cells refer to "Meals" (all of them) and which refer to "Dates" (specifically, 25 August), and find the intersection of the two sets.

To accommodate this type of query, the table model allows authors to place cell headers and data into categories. For example, for the travel expense table, an author could group the header cells "San Jose" and "Seattle" into the category "Location", the headers "Meals", "Hotels", and "Transport" in the category "Expenses", and the four days into the category "Date". The previous three questions would then have the following meanings:

- "What did I spend for all my meals?" means "What are all the data cells in the "Expenses=Meals" category?"
- "What did I spend for meals on 25 August?" means "What are all the data cells in the "Expenses=Meals" and "Date=Aug-25-1997" categories?"
- "What did I spend for all expenses in San Jose?" means "What are all the data cells in the "Expenses=Meals, Hotels, Transport" and "Location=San Jose" categories?"

Authors categorize a header or data cell by setting the axis [p.107] attribute for the cell. For instance, in the travel expense table, the cell containing the information "San Jose" could be placed in the "Location" category as follows:

```
<th id="a6" axis="location">San Jose</th>
```

Any cell containing information related to "San Jose" should refer to this header cell via either the headers [p.107] or the scope [p.107] attribute. Thus, meal expenses for 25-Aug-1997 should be marked up to refer to id [p.25] attribute (whose value here is "a6") of the "San Jose" header cell:

```
<td headers="a6">37.74</td>
```

Each headers [p.107] attribute provides a list of id [p.25] references. Authors may thus categorize a given cell in any number of ways (or, along any number of "headers", hence the name).

Below we mark up the travel expense table with category information:

```
<table
  summary="This table summarizes travel expenses
    incurred during August trips to
    San Jose and Seattle">
<caption>Travel Expense Report</caption>
<tbody>
  <tr>
    <th></th>
    <th id="a2" axis="expenses">Meals</th>
    <th id="a3" axis="expenses">Hotels</th>
    <th id="a4" axis="expenses">Transport</th>
    <td>subtotals</td>
  </tr>
  <tr>
    <th id="a6" axis="location">San Jose</th>
    <th></th>
    <th></th>
    <th></th>
    <td></td>
  </tr>
  <tr>
    <td id="a7" axis="date">25-Aug-97</td>
    <td headers="a6 a7 a2">37.74</td>
    <td headers="a6 a7 a3">112.00</td>
    <td headers="a6 a7 a4">45.00</td>
    <td></td>
  </tr>
  <tr>
    <td id="a8" axis="date">26-Aug-97</td>
    <td headers="a6 a8 a2">27.28</td>
    <td headers="a6 a8 a3">112.00</td>
    <td headers="a6 a8 a4">45.00</td>
    <td></td>
  </tr>
  <tr>
    <td>subtotals</td>
    <td>65.02</td>
    <td>224.00</td>
    <td>90.00</td>
    <td>379.02</td>
  </tr>
  <tr>
    <th id="a10" axis="location">Seattle</th>
    <th></th>
    <th></th>
    <th></th>
    <td></td>
```

```

</tr>
<tr>
  <td id="a11" axis="date">27-Aug-97</td>
  <td headers="a10 a11 a2">96.25</td>
  <td headers="a10 a11 a3">109.00</td>
  <td headers="a10 a11 a4">36.00</td>
  <td></td>
</tr>
<tr>
  <td id="a12" axis="date">28-Aug-97</td>
  <td headers="a10 a12 a2">35.00</td>
  <td headers="a10 a12 a3">109.00</td>
  <td headers="a10 a12 a4">36.00</td>
  <td></td>
</tr>
<tr>
  <td>subtotals</td>
  <td>131.25</td>
  <td>218.00</td>
  <td>72.00</td>
  <td>421.25</td>
</tr>
<tr>
  <th>Totals</th>
  <td>196.27</td>
  <td>442.00</td>
  <td>162.00</td>
  <td>800.27</td>
</tr>
</tbody>
</table>

```

Note that marking up the table this way also allows user agents to avoid confusing the user with unwanted information. For instance, if a speech synthesizer were to speak all of the figures in the "Meals" column of this table in response to the query "What were all my meal expenses?", a user would not be able to distinguish a day's expenses from subtotals or totals. By carefully categorizing cell data, authors allow user agents to make important semantic distinctions when rendering.

Of course, there is no limit to how authors may categorize information in a table. In the travel expense table, for example, we could add the additional categories "subtotals" and "totals".

This specification does not require user agents to handle information provided by the axis [p.107] attribute, nor does it make any recommendations about how user agents may present axis [p.107] information to users or how users may query the user agent about this information.

However, user agents, particularly speech synthesizers, may want to factor out information common to several cells that are the result of a query. For instance, if the user asks "What did I spend for meals in San Jose?", the user agent would first determine the cells in question (25-Aug-1997: 37.74, 26-Aug-1997:27.28), then render this information. A user agent speaking this information might read it:

```
Location: San Jose. Date: 25-Aug-1997. Expenses, Meals: 37.74
Location: San Jose. Date: 26-Aug-1997. Expenses, Meals: 27.28
```

or, more compactly:

```
San Jose, 25-Aug-1997, Meals: 37.74
San Jose, 26-Aug-1997, Meals: 27.28
```

An even more economical rendering would factor the common information and reorder it:

```
San Jose, Meals, 25-Aug-1997: 37.74
                26-Aug-1997: 27.28
```

User agents that support this type of rendering should allow user agents a means to customize rendering (e.g., through style sheets).

### 18.3.3.3. Algorithm to find heading information

In the absence of header information from either the scope [p.107] or headers [p.107] attribute, user agents may construct header information according to the following algorithm. The goal of the algorithm is to find an ordered list of headers. (In the following description of the algorithm the table directionality [p.96] is assumed to be left-to-right.)

- First, search left from the cell's position to find row header cells. Then search upwards to find column header cells. The search in a given direction stops when the edge of the table is reached or when a data cell is found after a header cell.
- Row headers are inserted into the list in the order they appear in the table. For left-to-right tables, headers are inserted from left to right.
- Column headers are inserted after row headers, in the order they appear in the table, from top to bottom.
- If a header cell has the headers [p.107] attribute set, then the headers referenced by this attribute are inserted into the list and the search stops for the current direction.
- td [p.106] cells that set the axis [p.107] attribute are also treated as header cells.

## 18.3.4. Sample table

This sample illustrates grouped rows and columns.

```
<table
  summary="Calendar for 2002.">
<caption><b>Calendar for 2002</b></caption>
<colgroup span="7">
<colgroup span="7">
<colgroup span="7">
<thead>
  <tr>
    <th colspan="7">January</th>
    <th colspan="7">February</th>
    <th colspan="7">March</th>
  </tr>
</thead>
```



```

<tbody>
  <tr>
    <td>S</td><td>M</td><td>T</td><td>W</td><td>T</td><td>F</td><td>S</td>
    <td>S</td><td>M</td><td>T</td><td>W</td><td>T</td><td>F</td><td>S</td>
    <td>S</td><td>M</td><td>T</td><td>W</td><td>T</td><td>F</td><td>S</td>
  </tr>
</tbody>
<tbody>
  <tr>
    <td></td><td></td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td>
    <td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>2</td>
    <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>2</td>
  </tr>
  <tr>
    <td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td>
    <td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td>
    <td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td>
  </tr>
  <tr>
    <td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td>
    <td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td>
    <td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td>
  </tr>
  <tr>
    <td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td>
    <td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td>
    <td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td>
  </tr>
  <tr>
    <td>27</td><td>28</td><td>29</td><td>30</td><td>31</td><td></td><td></td>
    <td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td></td><td></td>
    <td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td>
  </tr>
  <tr>
    <td></td><td></td><td></td><td></td><td></td><td></td><td></td>
    <td></td><td></td><td></td><td></td><td></td><td></td><td></td>
    <td>31</td><td></td><td></td><td></td><td></td><td></td><td></td>
  </tr>
</tbody>
</table>

```

would be rendered something like this:

Calendar for 2002																				
January							February							March						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
		1	2	3	4	5						1	2						1	2
6	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9
13	14	15	16	17	18	19	10	11	12	13	14	15	16	10	11	12	13	14	15	16
20	21	22	23	24	25	26	17	18	19	20	21	22	23	17	18	19	20	21	22	23
27	28	29	30	31			24	25	26	27	28			24	25	26	27	28	29	30
																				31

A graphical user agent might render this as:

January							February							March						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
	1	2	3	4	5						1	2						1	2	
6	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9
13	14	15	16	17	18	19	10	11	12	13	14	15	16	10	11	12	13	14	15	16
20	21	22	23	24	25	26	17	18	19	20	21	22	23	17	18	19	20	21	22	23
27	28	29	30	31			24	25	26	27	28			24	25	26	27	28	29	30
																				31

This example illustrates how `colgroup` [p.92] can be used to group columns and set the default column alignment. Similarly, `tbody` [p.106] is used to group rows.

## 18.4. The tbody element

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The `tbody` [p.106] element contains rows of table data. In tables that also contain `thead` [p.112] or `tfoot` [p.112] elements, all of these sections must contain the same number of columns.

## 18.5. The td and th elements

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

`abbr` = Text [p.23]

This attribute should be used to provide an abbreviated form of the cell's content, and may be rendered by user agents when appropriate in place of the cell's content. Abbreviated names should be short since user agents may render them repeatedly. For instance, speech synthesizers may render the abbreviated headers relating to a particular cell before rendering that cell's content.

**axis = CDATA [p.21]**

This attribute may be used to place a cell into conceptual categories that can be considered to form axes in an n-dimensional space. User agents may give users access to these categories (e.g., the user may query the user agent for all cells that belong to certain categories, the user agent may present a table in the form of a table of contents, etc.). Please consult the section on categorizing cells [p.100] for more information. The value of this attribute is a comma-separated list of category names.

**colspan = Number [p.23]**

This attribute specifies the number of columns spanned by the current cell. The default value of this attribute is one ("1"). The value zero ("0") means that the cell spans all columns from the current column to the last column of the column group ( `colgroup` [p.92] ) in which the cell is defined.

**headers = IDREFS [p.21]**

This attribute specifies the list of header cells that provide header information for the current data cell. The value of this attribute is a space-separated list of cell names; those cells must be named by setting their `id` [p.25] attribute. Authors generally use the `headers` [p.107] attribute to help non-visual user agents render header information about data cells (e.g., header information is spoken prior to the cell data), but the attribute may also be used in conjunction with style sheets. See also the `scope` [p.107] attribute.

**rowspan = Number [p.23]**

This attribute specifies the number of rows spanned by the current cell. The default value of this attribute is one ("1"). The value zero ("0") means that the cell spans all rows from the current row to the last row of the table section ( `thead` [p.112] , `tbody` [p.106] , or `tfoot` [p.112] ) in which the cell is defined.

**scope = row | col | rowgroup | colgroup**

This attribute specifies the set of data cells for which the current header cell provides header information. This attribute may be used in place of the `headers` [p.107] attribute, particularly for simple tables. When specified, this attribute must have one of the following values:

- **row:** The current cell provides header information for the rest of the row that contains it (see also the section on table directionality [p.96] ).
- **col:** The current cell provides header information for the rest of the column that contains it.
- **rowgroup:** The header cell provides header information for the rest of the row group that contains it.
- **colgroup:** The header cell provides header information for the rest of the column group [p.92] that contains it.

Table cells may contain two types of information: header information and data. This distinction enables user agents to render header and data cells distinctly, even in the absence of style sheets. For example, visual user agents may present header cell text with a bold font. Speech synthesizers may render header information with a distinct voice inflection.

The th [p.106] element defines a cell that contains header information. User agents have two pieces of header information available: the contents of the th [p.106] element and the value of the abbr [p.106] attribute. User agents must render either the contents of the cell or the value of the abbr [p.106] attribute. For visual media, the latter may be appropriate when there is insufficient space to render the full contents of the cell. For non-visual media abbr [p.106] may be used as an abbreviation for table headers when these are rendered along with the contents of the cells to which they apply.

The headers [p.107] and scope [p.107] attributes also allow authors to help non-visual user agents process header information. Please consult the section on labeling cells for non-visual user agents [p.97] for information and examples.

The td [p.106] element defines a cell that contains data.

Cells may be empty (i.e., contain no data).

For example, the following table contains four columns of data, each headed by a column description.

```
<table summary="This table charts the number of cups
                of coffee consumed by each senator, the type
                of coffee (decaf or regular), and whether
                taken with sugar.">
<caption>Cups of coffee consumed by each senator</caption>
<tbody>
  <tr>
    <th>Name</th>
    <th>Cups</th>
    <th>Type of Coffee</th>
    <th>Sugar?</th>
  </tr>
  <tr>
    <td>T. Sexton</td>
    <td>10</td>
    <td>Espresso</td>
    <td>No</td>
  </tr>
  <tr>
    <td>J. Dinnen</td>
    <td>5</td>
    <td>Decaf</td>
    <td>Yes</td>
  </tr>
</tbody>
</table>
```

A user agent rendering to a tty device might display this as follows:

<b>Name</b>	<b>Cups</b>	<b>Type of Coffee</b>	<b>Sugar?</b>
T. Sexton	10	Espresso	No
J. Dinnen	5	Decaf	Yes

## 18.5.1. Cells that span several rows or columns

Cells may span several rows or columns. The number of rows or columns spanned by a cell is set by the `rowspan` [p.107] and `colspan` [p.107] attributes for the `th` [p.106] and `td` [p.106] elements.

In this table definition, we specify that the cell in row four, column two should span a total of three columns, including the current column.

```
<table>
<caption>Cups of coffee consumed by each senator</caption>
<tbody>
  <tr>
    <th>Name</th>
    <th>Cups</th>
    <th>Type of Coffee</th>
    <th>Sugar?</th>
  </tr>
  <tr>
    <td>T. Sexton</td>
    <td>10</td>
    <td>Espresso</td>
    <td>No</td>
  </tr>
  <tr>
    <td>J. Dinnen</td>
    <td>5</td>
    <td>Decaf</td>
    <td>Yes</td>
  </tr>
  <tr>
    <td>A. Soria</td>
    <td colspan="3"><em>Not available</em></td>
  </tr>
</tbody>
</table>
```

This table might be rendered on a tty device by a visual user agent as follows:

```
Cups of coffee consumed by each senator
-----
| Name |Cups|Type of Coffee|Sugar?|
-----
|T. Sexton|10 |Espresso      |No   |
-----
|J. Dinnen|5  |Decaf        |Yes  |
-----
|A. Soria |Not available      |
-----
```

The next example illustrates (with the help of table borders) how cell definitions that span more than one row or column affect the definition of later cells. Consider the following table definition:

```

<table>
<tbody>
  <tr>
    <td>1</td>
    <td rowspan="2">2</td>
    <td>3</td>
  </tr>
  <tr>
    <td>4
    <td>6</td>
  </tr>
  <tr>
    <td>7</td>
    <td>8</td>
    <td>9</td>
  </tr>
</tbody>
</table>

```

As cell "2" spans the first and second rows, the definition of the second row will take it into account. Thus, the second td [p.106] in row two actually defines the row's third cell. Visually, the table might be rendered to a tty device as:

```

-----
| 1 | 2 | 3 |
-----
| 4 |   | 6 |
-----
| 7 | 8 | 9 |
-----

```

while a graphical user agent might render this as:

1	2	3
4		6
7	8	9

Note that if the td [p.106] defining cell "6" had been omitted, an extra empty cell would have been added by the user agent to complete the row.

Similarly, in the following table definition:

```

<table>
<tbody>
  <tr>
    <td>1</td>
    <td>2</td>
    <td>3</td>
  </tr>
  <tr>

```

```

        <td colspan="2">4</td>
        <td>6</td>
    </tr>
    <tr>
        <td>7</td>
        <td>8</td>
        <td>9</td>
    </tr>
</tbody>
</table>

```

cell "4" spans two columns, so the second td [p.106] in the row actually defines the third cell ("6"):

```

-----
| 1 | 2 | 3 |
-----|-----
| 4   | 6 | |
|---|---|---|
| 7 | 8 | 9 |
-----

```

A graphical user agent might render this as:

1	2	3
4		6
7	8	9

Defining overlapping cells is an error. User agents may vary in how they handle this error (e.g., rendering may vary).

The following illegal example illustrates how one might create overlapping cells. In this table, cell "5" spans two rows and cell "7" spans two columns, so there is overlap in the cell between "7" and "9":

```

<table">
<tbody>
  <tr>
    <td>1</td>
    <td>2</td>
    <td>3</td>
  </tr>
  <tr>
    <td>4</td>
    <td rowspan="2">5</td>
    <td>6</td>
  </tr>
  <tr>
    <td colspan="2">7</td>

```

```

        <td>9</td>
    </tr>
</tbody>
</table>

```

## 18.6. The thead and tfoot elements

### Attributes

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

Table rows may be grouped into a table head, table foot, and one or more table body sections, using the thead [p.112] , tfoot [p.112] and tbody [p.106] elements, respectively. This division enables user agents to support scrolling of table bodies independently of the table head and foot. When long tables are printed, the table head and foot information may be repeated on each page that contains table data.

The table head and table foot should contain information about the table's columns. The table body should contain rows of table data.

When present, each thead [p.112] , tfoot [p.112] , and tbody [p.106] contains a *row group*. Each row group must contain at least one row, defined by the tr [p.113] element.

If the thead [p.112] , tfoot [p.112] , and tbody [p.106] elements are used, and a rowspan attribute is used within a group, the rowspan must remain within the group boundaries of which it is defined.

This example illustrates the order and structure of the table head, foot, and bodies.

```

<table>
<thead>
    <tr> ...header information...</tr>
</thead>
<tfoot>
    <tr> ...footer information...</tr>
</tfoot>
<tbody>
    <tr> ...first row of block one data...</tr>
    <tr> ...second row of block one data...</tr>
</tbody>
<tbody>
    <tr> ...first row of block two data...</tr>
    <tr> ...second row of block two data...</tr>
    <tr> ...third row of block two data...</tr>
</tbody>
</table>

```



tfoot [p.112] must appear before tbody [p.106] within a table [p.95] definition so that user agents can render the foot before receiving all of the (potentially numerous) rows of data.

## 18.7. The tr element

### *Attributes*

The Common [p.36] collection

A collection of other attribute collections, including: Core [p.25] , Events [p.35] , I18N [p.26] , Bi-directional [p.27] , Edit [p.28] , Embedding [p.31] , and Hypertext [p.28]

The tr [p.113] elements acts as a container for a row of table cells.

This sample table contains three rows, each begun by the tr [p.113] element:

```
<table summary="This table charts the number of cups
                of coffee consumed by each senator, the type
                of coffee (decaf or regular), and whether
                taken with sugar.">
<caption>Cups of coffee consumed by each senator</caption>
<tbody>
  <tr> ...A header row...</tr>
  <tr> ...First row of data...</tr>
  <tr> ...Second row of data...</tr>
  ...the rest of the table...</tr>
</tbody>
</table>
```



## A. Changes from XHTML 1.1

This appendix is *informative*.

This Appendix describes the differences between XHTML 2.0 and XHTML 1.1.

Change summary needed

This section needs a table that illustrates elements removed and added, and changes made to elements that were kept.



## B. XHTML 2.0 Schema

This appendix is *normative*.

This appendix will contain the implementation of the XHTML 2.0 Schema driver file and content model file.

XHTML 2.0 Schema Needed

The XHTML 2.0 Schema driver and content model files need to be built.



## C. XHTML Schema Module Implementations

This appendix is *normative*.

This appendix will contain implementations of the modules defined in this specification via XML Schema [XMLSCHEMA [p.130] ] when XML Schema becomes a W3C Recommendation.





## D. XHTML 2.0 Document Type Definition

This appendix is *normative*.

This appendix will contain the implementation of the XHTML 2.0 DTD driver file and content model file.

### XHTML 2.0 DTD Needed

The XHTML 2.0 DTD driver and content model files need to be built. There is an open issue about how to integrate the XForms instance data into such a DTD.



## E. XHTML DTD Module Implementations

This appendix is *normative*.

This appendix will contain implementations of the modules defined in this specification. These module implementations can be used in other XHTML Family Document Types.

### E.1. XHTML Modular Framework

In order to take advantage of the XHTML DTD Modules, DTD authors need to define the content model for their DTD. XHTML provides a variety of tools to ease this effort. They are defined in a set of support modules, instantiated by a main Framework module:

```
Module DTD/xhtml1-framework-2.mod not found!
```

Note that the module above references a content model module. This module is defined on a per-document type basis in addition to the document type driver file. The Modular framework also relies upon the following component modules:

#### E.1.1. XHTML Base Architecture

DTD Module XHTML Base Architecture needed

The DTD Module DTD Module XHTML Base Architecture needed referenced as DTD/xhtml1-arch-2.mod needs to be defined. It will be defined before publication of a last call draft.

#### E.1.2. XHTML Notations

DTD Module XHTML Notations needed

The DTD Module DTD Module XHTML Notations needed referenced as DTD/xhtml1-notations-2.mod needs to be defined. It will be defined before publication of a last call draft.

#### E.1.3. XHTML Datatypes

DTD Module XHTML Datatypes needed

The DTD Module DTD Module XHTML Datatypes needed referenced as DTD/xhtml1-datatypes-2.mod needs to be defined. It will be defined before publication of a last call draft.

## E.1.4. XHTML Common Attribute Definitions

DTD Module XHTML Common Attribute Definitions needed

The DTD Module DTD Module XHTML Common Attribute Definitions needed referenced as DTD/xhtmll-attribs-2.mod needs to be defined. It will be defined before publication of a last call draft.

## E.1.5. XHTML Qualified Names

DTD Module XHTML Qualified Names needed

The DTD Module DTD Module XHTML Qualified Names needed referenced as DTD/xhtmll-qname-2.mod needs to be defined. It will be defined before publication of a last call draft.

## E.1.6. XHTML Character Entities

DTD Module XHTML Character Entities needed

The DTD Module DTD Module XHTML Character Entities needed referenced as DTD/xhtmll-charent-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2. XHTML Module Implementations

This section contains the formal definition of each of the XHTML Abstract Modules as a DTD module.

### E.2.1. Structure

DTD Module Structure needed

The DTD Module DTD Module Structure needed referenced as DTD/xhtmll-struct-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.2. Text

DTD Module Text needed

The DTD Module DTD Module Text needed referenced as DTD/xhtmll-text-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.3. Hypertext

DTD Module Hypertext needed

The DTD Module DTD Module Hypertext needed referenced as DTD/xhtml1-hypertext-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.4. Lists

DTD Module Lists needed

The DTD Module DTD Module Lists needed referenced as DTD/xhtml1-list-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.5. Bi-directional Text

DTD Module Bi-directional Text needed

The DTD Module DTD Module Bi-directional Text needed referenced as DTD/xhtml1-bdo-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.6. Client-side Image Map

DTD Module Client-side Image Map needed

The DTD Module DTD Module Client-side Image Map needed referenced as DTD/xhtml1-csismap-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.7. Edit

DTD Module Edit needed

The DTD Module DTD Module Edit needed referenced as DTD/xhtml1-edit-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.2.8. Link

DTD Module Link needed

The DTD Module DTD Module Link needed referenced as DTD/xhtml1-link-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.9. Metainformation

DTD Module Metainformation needed

The DTD Module DTD Module Metainformation needed referenced as DTD/xhtml1-meta-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.10. Object

DTD Module Object needed

The DTD Module DTD Module Object needed referenced as DTD/xhtml1-object-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.11. Presentation

DTD Module Presentation needed

The DTD Module DTD Module Presentation needed referenced as DTD/xhtml1-pres-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.12. Scripting

DTD Module Scripting needed

The DTD Module DTD Module Scripting needed referenced as DTD/xhtml1-script-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.13. Server-side Image Map

DTD Module Server-side Image Map needed

The DTD Module DTD Module Server-side Image Map needed referenced as DTD/xhtml1-ssismap-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.14. Style Sheet

DTD Module Style Sheet needed

The DTD Module DTD Module Style Sheet needed referenced as DTD/xhtml1-style-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.15. Tables

DTD Module Tables needed

The DTD Module DTD Module Tables needed referenced as DTD/xhtml-table-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.2.16. Target

DTD Module Target needed

The DTD Module DTD Module Target needed referenced as DTD/xhtml-target-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3. XHTML DTD Support Modules

The modules in this section are elements of the XHTML DTD implementation that, while hidden from casual users, are important to understand when creating derivative markup languages using the Modularization architecture.

### E.3.1. Block Phrasal

DTD Module Block Phrasal needed

The DTD Module DTD Module Block Phrasal needed referenced as DTD/xhtml-blkphras-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.3.2. Block Presentational

DTD Module Block Presentational needed

The DTD Module DTD Module Block Presentational needed referenced as DTD/xhtml-blkpres-1.mod needs to be defined. It will be defined before publication of a last call draft.

### E.3.3. Block Structural

DTD Module Block Structural needed

The DTD Module DTD Module Block Structural needed referenced as DTD/xhtml-blkstruct-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3.4. Inline Phrasal

DTD Module Inline Phrasal needed

The DTD Module DTD Module Inline Phrasal needed referenced as DTD/xhtml1-inlphras-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3.5. Inline Presentational

DTD Module Inline Presentational needed

The DTD Module DTD Module Inline Presentational needed referenced as DTD/xhtml1-inlpres-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3.6. Inline Structural

DTD Module Inline Structural needed

The DTD Module DTD Module Inline Structural needed referenced as DTD/xhtml1-inlstruct-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3.7. Param

DTD Module Param needed

The DTD Module DTD Module Param needed referenced as DTD/xhtml1-param-1.mod needs to be defined. It will be defined before publication of a last call draft.

## E.3.8. Legacy Redeclarations

DTD Module Legacy Redeclarations needed

The DTD Module DTD Module Legacy Redeclarations needed referenced as DTD/xhtml1-legacy-redecl-1.mod needs to be defined. It will be defined before publication of a last call draft.



## F. References

This appendix is *normative*.

### F.1. Normative References

#### [CSS2]

"*Cascading Style Sheets, level 2 (CSS2) Specification*", W3C Recommendation, B. Bos *et al.*, eds., 12 May 1998.

Available at: <http://www.w3.org/TR/1998/REC-CSS2-19980512>

#### [DOM]

"*Document Object Model (DOM) Level 1 Specification*", L. Wood *et al.*, eds., 1 October 1998.

Available at: <http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001>

#### [HTML4]

"*HTML 4.01 Specification: W3C Recommendation*", W3C Recommendation, D. Raggett *et al.*, eds., 24 December 1999.

Available at: <http://www.w3.org/TR/1999/REC-html401-19991224>

#### [MIMETYPES]

List of registered content types (MIME media types). Download a list of registered content types from <http://www.iana.org/assignments/media-types/>.

#### [P3P]

"*The Platform for Privacy Preferences 1.0 (P3P1.0) Specification*", W3C Recommendation, L. Cranor *et al.*, 16 April 2002.

Available at: <http://www.w3.org/TR/2002/REC-P3P-20020416/>

#### [PICS]

"*Rating Services and Rating Systems (and Their Machine Readable Descriptions)*", W3C Recommendation, J. Miller *et al.*, 31 October 1996.

Available at: <http://www.w3.org/TR/REC-PICS-services-961031>

#### [RFC2045]

"*Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies*", RFC 2045, N. Freed and N. Borenstein, November 1996.

Available at: <http://www.rfc-editor.org/rfc/rfc2045.txt>

#### [RFC2119]

"*Key words for use in RFCs to indicate requirement levels*", RFC 2119, S. Bradner, March 1997.

Available at: <http://www.rfc-editor.org/rfc/rfc2119.txt>

#### [RFC2616]

"*Hypertext Transfer Protocol -- HTTP/1.1*", RFC 2616, R. Fielding *et al.*, June 1999.

Available at: <http://www.rfc-editor.org/rfc/rfc2616.txt>

#### [RFC3066]

"*Tags for the Identification of Languages*", RFC 3066, H. Alvestrand, January 2001.

Available at: <http://www.rfc-editor.org/rfc/rfc3066.txt>

#### [RUBY]

"*Ruby Annotation*", W3C Recommendation, M. Sawicki *et al.*, eds., 31 May 2001.

Available at: <http://www.w3.org/TR/2001/REC-ruby-20010531>

## [SGML]

"*Information Processing -- Text and Office Systems -- Standard Generalized Markup Language (SGML)*", ISO 8879:1986.

Please consult the ISO Web site at <http://www.iso.ch/> for information about the standard, or <http://www.oasis-open.org/cover/general.html#overview> about SGML.

## [UNICODE]

"*The Unicode Standard*", The Unicode Consortium. Version 3.2.0 is defined by: *The Unicode Standard, Version 3.0* (Reading, MA, Addison-Wesley, 2000. ISBN 0-201-61633-5), as amended by the *Unicode Standard Annex #27: Unicode 3.1* (<http://www.unicode.org/reports/tr27/>) and the *Unicode Standard Annex #28: Unicode 3.2* (<http://www.unicode.org/reports/tr28/>).

For more information about Unicode, see <http://www.unicode.org>.

## [URI]

"*Uniform Resource Identifiers (URI): Generic Syntax*", RFC 2396, T. Berners-Lee *et al.*, August 1998.

Available at: <http://www.rfc-editor.org/rfc/rfc2396.txt>.

## [XFORMS]

"*XForms 1.0*", W3C Candidate Recommendation, M. Dubinko *et al.*, eds., 18 January 2002, *work in progress*.

Available at: <http://www.w3.org/TR/2002/CR-xforms-20021112/>

## [XHTML1]

"*XHTML 1.0: The Extensible HyperText Markup Language (Second Edition)*", W3C Recommendation, S. Pemberton *et al.*, 1 August 2002.

Available at: <http://www.w3.org/TR/2002/REC-xhtml1-20020801>

## [XHTMLMOD]

*Modularization of XHTML*, W3C Recommendation, M. Altheim *et al.*, eds., 10 April 2001

Available at: <http://www.w3.org/TR/2001/REC-xhtml-modularization-20010410>

## [XML]

"*Extensible Markup Language (XML) 1.0 (Second Edition)*", W3C Recommendation, T. Bray *et al.*, eds., 6 October 2000.

Available at: <http://www.w3.org/TR/2000/REC-xml-20001006>

## [XMLBASE]

"*XML Base*", W3C Recommendation, J. Marsh, ed., 27 June 2001.

Available at: <http://www.w3.org/TR/2001/REC-xmlbase-20010627/>

## [XMLEVENTS]

"*XML Events*", W3C Working Draft, S. McCarron *et al.*, eds., 26 October 2001, *work in progress*.

Available at: <http://www.w3.org/TR/2002/WD-xml-events-20020812>

## [XMLNAMES]

"*Namespaces in XML*", W3C Recommendation, T. Bray *et al.*, eds., 14 January 1999.

Available at: <http://www.w3.org/TR/1999/REC-xml-names-19990114>

## [XMLSCHEMA]

"*XML Schema Part 1: Structures*", W3C Recommendation, H. S. Thompson *et al.*, eds., 2 May 2001.

Available at: <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502>

See also "*XML Schema Part 2: Datatypes*", available at:

<http://www.w3.org/TR/2001/REC-xmlschema-2-20010502>

## F.2. Informative References

### [XFRAMES]

"*XFrames*", W3C Working Draft, S. Pemberton, *ed.*, 6 August 2002, *work in progress*.  
Available at: <http://www.w3.org/TR/2002/WD-xframes-20020806>

### [XLINK]

"*XML Linking Language (XLink) Version 1.0*", W3C Recommendation, S. DeRose *et al.*,  
*eds.*, 27 June 2001.  
Available at: <http://www.w3.org/TR/2001/REC-xlink-20010627/>



## G. Acknowledgements

This appendix is *informative*.

This specification was prepared by the W3C HTML Working Group. The members at the time of publication were:

*This section will be updated at publication time.*