

A proposal to issue 7970 (changes are in **RED**)

## Section 3.4 Terminology

### Event Source

A Web service that accepts requests to create subscriptions and sends notifications directly or through a separate event dispatcher.

### Event Dispatcher

A SOAP endpoint that sends event notifications on behalf of the event source.

## Section 4.1 Subscribe

```
[Action]
http://www.w3.org/2009/09/ws-evt/SubscribeResponse

[Body]
<wse:SubscribeResponse ...>
  <wse:SubscriptionManager>
    wsa:EndpointReferenceType
  </wse:SubscriptionManager>

  <wse:EventDispatcher>
    wsa:EndpointReferenceType
  </wse:EventDispatcher> ?

  <wse:Expires>(xs:dateTime | xs:duration)</wse:Expires>
  xs:any*
</wse:SubscribeResponse>
```

(After the text of **[Body]/wse:SubscribeResponse/wse:SubscriptionManager**)

### **[Body]/wse:SubscribeResponse/wse:EventDispatcher**

The EPR of the event dispatcher for this subscription.

If the event source uses a separate event dispatcher to send notifications, it MUST include wse:EventDispatcher element for this subscription in its SubscribeResponse. Otherwise, the event notification is sent from the event source.

If the EPR of the event dispatcher cannot be determined, the <wsa:Address> value of wse:EventDispatcher MUST be "http://www.w3.org/2005/08/addressing/anonymous"

---