

# Checklist of Checkpoints for User Agent Accessibility Guidelines 1.0

#### This version:

http://www.w3.org/WAI/UA/WAI-USERAGENT-19991022/full-checklist (plain text, postscript, pdf)

This document is an appendix to:

http://www.w3.org/WAI/UA/WAI-USERAGENT-19991022

Latest version of User Agent Accessibility Guidelines 1.0:

http://www.w3.org/WAI/UA/WAI-USERAGENT

#### Editors:

Jon Gunderson, University of Illinois at Urbana-Champaign Ian Jacobs, W3C

Copyright © 1999 W3C<sup>®</sup> (MIT, INRIA, Keio), All Rights Reserved. W3C liability, trademark, document use and software licensing rules apply.

## **Abstract**

This document is an appendix to the W3C "User Agent Accessibility Guidelines 1.0". It provides a list of all checkpoints from the User Agent Accessibility Guidelines 1.0, organized by concept, as a checklist for user agent developers. Please refer to the Guidelines document for introductory information, information about related documents, a glossary of terms, and more.

This list may be used to review a tool or set of tools for accessibility. For each checkpoint, indicate whether the checkpoint has been satisfied, has not been satisfied, or is not applicable.

A list version of the checkpoints is also available.

### Status of this document

This section describes the status of this document at the time of its publication. Other documents may supersede this document. The latest status of this document series is maintained at the W3C.

This document is an appendix to a Working Draft. It is a draft document and may be updated, replaced or obsoleted by other documents at any time. It is inappropriate to use W3C Working Drafts as reference material or to cite them as other than "work in progress". This is work in progress and does not imply endorsement by, or the consensus of, either W3C or Members of the WAI User

Agent (UA) Working Group.

Please send comments about this document to the public mailing list: w3c-wai-ua@w3.org.

This document has been produced as part of the Web Accessibility Initiative. The goal of the WAI User Agent Guidelines Working Group is discussed in the Working Group charter.

A list of current W3C Recommendations and other technical documents can be found at http://www.w3.org/TR.

#### **Priorities**

Each checkpoint in this document is assigned a priority that indicates its importance for users.

#### [Priority 1]

This checkpoint **must** be satisfied by user agents as a native feature, otherwise one or more groups of users with disabilities will find it impossible to access information. Satisfying this checkpoint is a basic requirement for some individuals to be able to use the Web.

#### [Priority 2]

This checkpoint **should** be satisfied by user agents as a native feature, otherwise one or more groups of users will find it difficult to access information. Satisfying this checkpoint will remove significant barriers to accessing Web documents.

#### [Priority 3]

This checkpoint **may** be satisfied by user agents as a native feature to make it easier for one or more groups of users to access information. Satisfying this checkpoint will improve access to the Web for some individuals.

## Priority 1 checkpoints

In General (Priority 1)	Yes	No	N/A
3.1 Ensure that the user has access to all content, including alternative representations of content.			
3.3 Render content according to natural language identification.			
6.5 Implement selection and focus mechanisms and make the selection and focus available to users and through APIs.			
8.4 Allow the user to navigate all active elements.			
12.1 Provide a version of the product documentation that conforms to the Web Content Accessibility Guidelines.			

22 Oct 1999 00:51

12.2 Document all user agent features that promote accessibility.			
User Interface (Priority 1)	Yes	No	N/A
4.4 Allow the user to turn on and off animated or blinking text.			
4.5 Allow the user to turn on and off animations and blinking images.			
5.1 Allow the user to control font family.			
5.2 Allow the user to control the size of text.			
5.3 Allow the user to control foreground color.			
5.4 Allow the user to control background color.			
5.5 Allow the user to control selection highlighting (e.g., foreground and background color).			
5.6 Allow the user to control focus highlighting (e.g., foreground and background color).			
5.14 Allow the user to control synthesized speech playback rate.			
5.15 Allow the user to control synthesized speech volume.			
5.17 Allow the user to select from available author, user, and user agent default style sheets.			
8.1 Allow the user to navigate viewports (including frames).			
8.2 For user agents that offer a browsing history mechanism, when the user returns to a previous view, restore the point of regard in the viewport.			
9.1 Provide a mechanism for highlighting and identifying (through a standard interface where available) the current viewport, selection, and focus.			
Keyboard Support (Priority 1)	Yes	No	N/A
2.1 By default and without additional customization, ensure that all functionalities offered by the user agent may be operated through the standard keyboard API supported by the operating system.			
2.2 Provide documentation on default keyboard commands and include with user agent documentation and user help system.			
2.3 Provide information to the user about the current keyboard configuration.			
Device Independence (Priority 1)	Yes	No	N/A

1.1 Ensure that all functionalities offered through the user interface are available through input device APIs implemented by the user agent.			
1.2 Ensure that the user can interact with all active elements in a device independent manner.			
1.3 Ensure that the user can install the user agent software in a device independent manner.			
1.4 Ensure that the user can configure the user agent in a device independent manner.			
1.5 Ensure that the user can access user agent documentation in a device independent manner.			
1.6 Ensure that all messages to the user (e.g., warnings, errors, etc.) are available through standard output device APIs supported by the operating system.			
For Tables (Priority 1)	Yes	No	N/A
8.3 Allow the user to navigate just among table cells of a table (notably left and right within a row and up and down within a column).			
9.2 Provide access to table cell header information.			
For Images, Animations, and Image Maps (Priority 1)	Yes	No	N/A
4.1 Allow the user to turn on and off rendering of background images.			
For Synchronized Multimedia (Priority 1)	Yes	No	N/A
3.2 If more than one alternative equivalent is available for content, allow the user to choose from among the alternatives. This includes the choice of viewing no alternatives.			
3.4 Provide time-independent access to time-dependent active elements or allow the user to control the timing of changes.			
3.5 Allow the user to specify that continuous equivalent tracks (e.g., closed captions, auditory descriptions, video of sign language, etc.) be rendered at the same time as audio and video tracks.			
3.6 If a technology allows for more than one audio track, allow the user to choose from among tracks.			

22 Oct 1999 00:51 4

4.3 When the user agent renders audio natively, allow the user to turn on and off rendering of audio, including background audio.			
5.8 Allow the user to control video frame rates.			
5.9 Allow the user to control the position of audio closed captions.			
5.11 Allow the user to control audio playback rate.			
For Events, Applets, and Scripts (Priority 1)	Yes	No	N/A
4.6 Allow the user to turn on and off support for scripts and applets.			
10.1 Provide information about user agent-initiated content and viewport changes directly to the user and through APIs.			
For Standards and Conventions (Priority 1)	Yes	No	N/A
6.1 Implement the standard input and output device APIs supported by the operating system (e.g., mouse, keyboard, speech, etc.)			
6.2 Provide accessible APIs to other technologies.			
6.3 Use accessibility resources and conventions of the operating system and supported programming languages, including those for plug-ins and virtual machine environments.			
6.4 Provide programmatic read and write access to user agent functionalities and user interface controls.			
6.6 Provide programmatic notification of changes to content and user interface controls (including selection and focus).			
6.7 Comply with W3C Document Object Model specifications and export interfaces defined by those specifications.			
7.1 Implement the accessibility features of supported specifications (markup languages, style sheet languages, metadata languages, graphics formats, etc.).			

# Priority 2 checkpoints

In General (Priority 2)	Yes	No	N/A
3.7 When no text equivalent has been specified, indicate what type of object is present.			
8.5 Allow the user to navigate just among all active elements.			

9.5 Provide information to help the user decide whether to follow a focused link.			
9.4 Indicate whether a focused link has been marked up to indicate that following it will involve a fee.			
For Links (Priority 2)	Yes	No	N/A
2.7 Avoid default keyboard configurations that interfere with operating system conventions.			
2.6 Use operating system conventions to indicate which keys activate which user agent functionalities.			
2.5 Allow the user to turn on and off author-specified keyboard configurations.			
2.4 Allow the user to configure the keystrokes used to activate user agent functionalities. Users should be able to configure single key activation of functionalities.			
Keyboard Support (Priority 2)	Yes	No	N/A
11.1 Allow the user to configure the user agent in named profiles that may be shared (by other users or software).			
10.2 Ensure that when the selection or focus changes, it is in the viewport after the change.			
9.3 Provide an outline of a resource view built from its structural elements (e.g., frames, headers, lists, forms, tables, etc.)			
5.18 Allow the user to control user agent-initiated spawned viewports.			
5.16 Allow the user to control synthesized speech pitch, gender and other articulation characteristics.			
User Interface (Priority 2)	Yes	No	N/A
12.3 In a dedicated section, document all features of the user agent that promote accessibility.			
8.7 Allow the user to navigate according to structure.			
			I

22 Oct 1999 00:51 6

10.3 Prompt the user to confirm any form submission triggered indirectly, that is by any means other than the user activating an explicit form submit control.			
For Images, Animations, and Image Maps (Priority 2)	Yes	No	N/A
5.7 Allow the user to control animation rate.			
For Synchronized Multimedia (Priority 2)	Yes	No	N/A
5.10 Allow the user to start, stop, pause, and rewind video.			
5.12 When the user agent renders audio natively, allow the user to control the audio volume.			
5.13 Allow the user to start, stop, pause, and rewind audio.			
For Standards and Conventions (Priority 2)	Yes	No	N/A
6.8 Provide programmatic exchange of information in a timely manner.			
6.9 Follow operating system conventions and accessibility settings. In particular, follow conventions for user interface design, default keyboard configuration, product installation, and documentation.			
7.2 Implement W3C specifications when they are appropriate for a task.			

# Priority 3 checkpoints

In General (Priority 3)	Yes	No	N/A
3.8 When alternative text has been specified explicitly as empty (i.e., an empty string), render nothing.			
3.9 For identified but unsupported natural languages, notify the user of language changes when configured to do so.			
8.8 Allow the user to configure structured navigation.			
9.8 Provide a mechanism for highlighting and identifying (through a standard interface where available) active elements.			
10.5 When loading content (e.g., document, video clip, audio clip, etc.) indicate what portion of the content has loaded and whether loading has stalled.			

10.6 Indicate the relative position of the viewport in content (e.g., the percentage of an audio or video clip that has been played, the percentage of a Web page that has been viewed, etc.).			
User Interface (Priority 3)	Yes	No	N/A
4.8 Allow the user to turn on and off author-specified forwards that occur after a time delay and without user intervention.			
4.9 Allow the user to turn on and off automatic content refresh.			
9.6 Allow the user to configure the outline view.			
9.9 Maintain consistent user agent behavior and default configurations between software releases. Consistency is less important than accessibility and adoption of operating system conventions.			
11.2 Allow the user to configure the graphical arrangement of user interface controls.			
Keyboard Support (Priority 3)	Yes	No	N/A
2.8 Provide a default keyboard configuration for frequently performed operations.			
For Links (Priority 3)	Yes	No	N/A
9.7 Allow the user to configure what information about links to present.			
For Images, Animations, and Image Maps (Priority 3)	Yes	No	N/A
4.7 Allow the user to turn on and off rendering of images.			
For Events, Applets, and Scripts (Priority 3)	Yes	No	N/A
10.4 Allow the user to configure notification preferences for common types of content and viewport changes.			

22 Oct 1999 00:51