

# Schema.org Reservations Proposal

Last Modified May 9th 2013 by Yaar Schnitman, Google Inc. (yaar@google.com)

## Overview

This proposal includes new types for describing reservations and tickets.

A generalized Reservation type described, as well as sub-types for flight, train, bus, car, restaurant, event and hotel reservations.

An additional type ReservationPackage is also proposed, which should be used to group complex reservations (e.g. flights with multiple legs, itineraries with a flight and a hotel) under a single item.

## General Reservation Schemas

### Thing > Reservation

Describes a generic reservation. Some reservations may have a ticket information.

| Name              | Type                   | Description  |
|-------------------|------------------------|--|
| reservationNumber | Text                   | The number, code or id of the reservation.   |
| reservationStatus | ReservationStatus      | Current status of the reservation.   |
| reservationFor    | Thing                  | The thing -- book, restaurant, movie, event, flight, etc. -- the reservation is for. |
| underName         | Person or Organization | The Person or organization the reservation is for.                                   |
| provider          | Organization           | The organization providing the reservation.  |
| creator           | Person                 | The Person / organization that made the reservation.                                 |
| bookingAgent      | Organization or Person | Who made the reservation.  |
| bookingDate       | DateTime               | Date the reservation was made.   |
| bookingTime       | DateTime               | Date the reservation was made.   |
| programMembership | ProgramMembership      | Any membership in a frequent flyer, hotel  |

|                       |          |  |
|-----------------------|----------|--|
|                       |          | loyalty program, etc. being applied to the reservation.                |
| dateModified          | DateTime | Time the reservation was last modified.                                |
| modifiedTime          | DateTime | Time the reservation was last modified.                                |
| confirmReservationUrl | URL      | Web page where reservation can be confirmed.                           |
| cancelReservationUrl  | URL      | Web page where reservation can be cancelled.                           |
| modifyReservationUrl  | URL      | Web page where reservation can be modified.                            |
| checkinUrl            | URL      | Webpage where the passenger can check in.                              |
| numSeats              | Text     | Number of seats if unreserved seating.                                 |
| seat                  | Seat     | Seating information.   |
| ticket                | Ticket   | Ticket information.  |
| price                 | Text     | Total price of the Reservation.  |
| priceCurrency         | Text     | The currency (in 3-letter ISO 4217 format) of the Reservation's price. |

### Thing > Enumeration > ReservationStatus

Enumeration for describing a reservation state.

|           |
|-----------|
| Value     |
| Pending   |
| Confirmed |
| Cancelled |
| Hold      |

### Thing > ProgramMembership

Used to describe membership in a loyalty programs (e.g. "StarAlliance"), traveler clubs (e.g. "AAA"), purchase clubs ("Safeway Club"), etc.

| Name             | Type   | Description                          |
|------------------|--------|--------------------------------------|
| membershipNumber | Text   | The identifier of the membership     |
| member           | Person | The individual with the membership   |
| program          | Text   | The program providing the membership |

## Thing > Ticket

Used to describe a ticket to an event, a flight, a bus ride, etc.

| Name          | Type                   | Description  |
|---------------|------------------------|--|
| underName     | Person or Organization | The Person or organization the ticket is for.                                    |
| ticketFor     | Thing                  | The thing the ticket is for: an Event, a Reservation, a Flight, etc.             |
| issuedBy      | Organization           | The organization providing the ticket.   |
| dateIssued    | DateTime               | Time the ticket was issued.  |
| numSeats      | Text                   | Number of seats if unreserved seating.   |
| seat          | Seat                   | The location of the reserved seat (e.g., 27B).                                   |
| ticketNumber  | Text                   | The number or id of the ticket.  |
| ticketToken   | Text or URL            | Reference to an asset (e.g., Barcode, QR code image or PDF) usable for entrance. |
| downloadUrl   | URL                    | .  |
| printUrl      | URL                    | .  |
| price         | Text                   | Total price of the ticket.   |
| priceCurrency | Text                   | The currency (in 3-letter ISO 4217 format) of the ticket's price.                |

## Thing > Seat

Used to describe a seat, such as a reserved seat in an event reservation.

| Name | Type | Description |
|------|------|-------------|
|------|------|-------------|

|             |      |   |
|-------------|------|---|
| seatNumber  | Text | The location of the reserved seat (e.g., 27).               |
| row         | Text | The row location of the reserved seat (e.g., B).            |
| section     | Text | The section location of the reserved seat (e.g. Orchestra). |
| seatingType | Text | The type/class of the seat.                                 |

## Thing > Reservation > ReservationPackage

Used to group multiple reservations together and centralized common values for all sub-reservations.

| Name        | Type        | Description   |
|-------------|-------------|---|
| reservation | Reservation | The individual reservations included in the package. Typically a repeated property. |

### Example

Flight from NY to San Francisco with a leg in Chicago + a hotel in San Franisco

```
<div itemscope itemtype="http://schema.org/ReservationPackage">
  <link itemprop="url" href="http://travel123.com/myreservations/xyz456"/>
  <span itemprop="reservationNumber">xyz456</span>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Smith</span>
  </div>
  <div itemprop="reservation" itemscope itemtype="http://schema.org/FlightReservation">
    <div itemprop="reservationFor" itemscope itemtype="http://schema.org/Flight">
      <span itemprop="flightNumber">110</span>
      <span itemprop="airline">United</span>
      <span itemprop="departureAirport">JFK</span>
      <span itemprop="departureTime">2013-03-04 11:00 -5</span>
      <span itemprop="arrivalAirport">ORD</span>
      <span itemprop="arrivalTime">2013-03-05 13:25 -6</span>
    </div>
  </div>
  <div itemprop="reservation" itemscope itemtype="http://schema.org/FlightReservation">
    <div itemprop="reservationFor" itemscope itemtype="http://schema.org/Flight">
      <span itemprop="flightNumber">110</span>
      <span itemprop="airline">United</span>
      <span itemprop="departureAirport">ORD</span>
      <span itemprop="departureTime">2013-03-05 14:55 -6</span>
      <span itemprop="arrivalAirport">SFO</span>
      <span itemprop="arrivalTime">2013-03-05 15:15 -8</span>
    </div>
  </div>
</div>
```

```

</div>
<div itemprop="reservation" itemscope itemtype="http://schema.org/LodgingReservation">
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/LodgingBusiness">
    <span itemprop="name">Hilton San Francisco</span>
  </div>
  <span itemprop="checkinTime">2013-03-05</span>
  <span itemprop="checkoutTime">2013-03-07</span>
</div>
</div>

```

## Event Reservations

### Thing > Reservation > EventReservation

| Name           | Type  | Description                       |
|----------------|-------|-----------------------------------|
| reservationFor | Event | The event the reservation is for. |

### Example

Minimal Event Reservation example:

```

<div itemscope itemtype="http://schema.org/EventReservation">
  <span itemprop="reservationNumber">abc123</span>
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/Event">
    <span itemprop="name">Foo Fighters Concert</span>
    <div itemprop="performer" itemscope itemtype="http://schema.org/Person">
      <span itemprop="name">The Foo Fighters</span>
    </div>
    <span itemprop="startDate">2013-03-06 19:30 PST</span>
    <div itemprop="location" itemscope itemtype="http://schema.org/PostalAddress">
      <span itemprop="name">AT&T Park</span>
      <span itemprop="streetAddress">24 Willie Mays Plaza</span>
      <span itemprop="addressLocality">San Francisco</span>
      <span itemprop="addressRegion">CA</span>
      <span itemprop="addressCountry">US</span>
      <span itemprop="postalCode">94107</span>
    </div>
  </div>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Smith</span>
  </div>
</div>

```

### Example

Example for an EventReservation which includes ticket and seating information.

```

<div itemscope itemtype="http://schema.org/EventReservation">
  <span itemprop="reservationNumber">abc123</span>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Smith</span>
  </div>
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/Event">
    <span itemprop="name">Foo Fighters Concert</span>
    <div itemprop="performer" itemscope itemtype="http://schema.org/Person">
      <span itemprop="name">The Foo Fighters</span>
    </div>
    <span itemprop="startDate">2013-03-06 19:30 PST</span>
    <div itemprop="location" itemscope itemtype="http://schema.org/PostalAddress">
      <span itemprop="name">AT&T Park</span>
      <span itemprop="streetAddress">24 Willie Mays Plaza</span>
      <span itemprop="addressLocality">San Francisco</span>
      <span itemprop="addressRegion">CA</span>
      <span itemprop="addressCountry">US</span>
      <span itemprop="postalCode">94107</span>
    </div>
  </div>
  <div itemscope itemtype="http://schema.org/Ticket">
    <link itemprop="downloadUrl" href="http://tickets.org/ticket/id=abc123"/>
    <span itemprop="ticketToken">cid:abc123</span>
    <div itemscope itemtype="http://schema.org/Seat">
      <span itemprop="seatNumber">14</span>
      <span itemprop="row">F</span>
      <span itemprop="section">Orchestra</span>
      <span itemprop="seatingType">ReservedSeating</span>
    </div>
  </div>
</div>

```

## Flight Reservations

### Thing > Reservation > FlightReservation

| Name           | Type   | Description  |
|----------------|--------|--|
| reservationFor | Flight | The flight the reservation is for.                             |
| boardingGroup  | Text   | The airline-specific indicator of boarding order / preference. |

### Example

Flight reservation example.

```

<div itemscope itemtype="http://schema.org/FlightReservation">
  <span itemprop="reservationNumber">RXJ34P</span>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Smith</span>
  </div>
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/Flight">
    <span itemprop="flightNumber">110</span>
    <span itemprop="airline">United</span>
    <span itemprop="departureAirport">SFO</span>
    <span itemprop="departureTime">2013-3-4 20:15 -5</span>
    <span itemprop="arrivalAirport">JFK</span>
    <span itemprop="arrivalTime">2013-3-5 6:30 -5</span>
  </div>
</div>

```

## Thing > Flight

| Name              | Type            | Description   |
|-------------------|-----------------|---|
| flightNumber      | Text            | Flight identifier   |
| airline           | Text or Airline | The airline providing the flight (iata code)                              |
| operatedBy        | Text or Airline | The airline operating the flight (iata code)                              |
| departureTime     | Datetime        | Expected time of departure  |
| departureAirport  | Text or Airport | The departure airport for the flight (iata code)                          |
| departureGate     | Text            | Identifier of the airport departure gate of the flight.                   |
| departureTerminal | Text            | The airport terminal of the departureGate.                                |
| arrivalTime       | Datetime        | Expected time of arrival  |
| arrivalAirport    | Text or Airport | The final destination of the flight (iata code)                           |
| arrivalGate       | Text            | Identifier of the airport arrival gate of the flight.                     |
| arrivalTerminal   | Text            | The airport terminal of the arrivalGate.                                  |
| aircraft          | Text            | The kind of aircraft (e.g., "Boeing 747")                                 |
| mealService       | Text            | Description of the meals that will be provided or available for purchase. |
| duration          | Text            | How long the flight will take (e.g., "2h 34m")                            |
| distance          | Text            | How far the flight will travel (e.g., "2432 mi",                          |

|                |          |                               |
|----------------|----------|-------------------------------|
|                |          | "500 km")                     |
| webCheckinTime | Datetime | Earliest time for web checkin |

## Restaurant Reservations

### Thing > Reservation > FoodEstablishmentReservation

| Name           | Type              | Description                                    |
|----------------|-------------------|--|
| reservationFor | FoodEstablishment | The food establishment the reservation is for. |
| startTime      | Datetime          | Reservation date and time                      |
| partySize      | Number            | Number of people in the party                  |

### Example

#### Minimal restaurant reservation example

```
<div itemscope itemtype="http://schema.org/FoodEstablishmentReservation">
  <span itemprop="reservationNumber">ABC123</span>
  <div itemprop="reservationStatus" itemscope itemtype="http://schema.org/EventStatus">
  </div>
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/FoodEstablishment">
    <span itemprop="name">Wagamama</span>
  </div>
  <span itemprop="startTime">2013-04-10 8:00 EST</span>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Green</span>
  </div>
</div>
```

## Train Reservations

### Thing > Reservation > TrainReservation

| Name           | Type      | Description                            |
|----------------|-----------|--|
| reservationFor | TrainTrip | The train trip the reservation is for. |

### Thing > TrainTrip

| Name              | Type         | Description              |
|-------------------|--------------|--------------------------|
| trainNumber       | Text         | e.g. 9203.               |
| trainName         | Text         | e.g. Orient Express.     |
| trainCode         | Text         | e.g. iGTV.               |
| trainCompany      | Organization | e.g. Deusech Bahn (DB).  |
| departureStation  | TrainStation | e.g. Munich Central.     |
| departurePlatform | Text         | e.g. 64.                 |
| departureTime     | DateTime     |                          |
| arrivalStation    | TrainStation | e.g. Paris Gare De Lyon. |
| arrivalPlatform   | Text         | e.g. 101.                |
| arrivalTime       | DateTime     |                          |

## Bus Reservation

### Thing > Resevation > BusReservation

| Name           | Type    | Description                           |
|----------------|---------|---------------------------------------|
| reservationFor | BusTrip | The bus trip this reservation is for. |

### Thing > BusTrip

| Name             | Type                  | Description           |
|------------------|-----------------------|-----------------------|
| busNumber        | Text                  | e.g. 101.             |
| busName          | Text                  | e.g. Bolt Express.    |
| busCompany       | Organization          | e.g. Bolt NYC.        |
| departureBusStop | BusStop or BusStation | E.g. King's Crossing. |

|                |                       |                       |
|----------------|-----------------------|-----------------------|
| departureTime  | DateTime              | .                     |
| arrivalBusStop | BusStop or BusStation | E.g. King's Crossing. |
| arrivalTime    | DateTime              | .                     |

## Rental Car Reservations

### Thing > Reservation > RentalCarReservation

Extends Reservation

| Name            | Type      | Description                            |
|-----------------|-----------|--|
| reservationFor  | RentalCar | The car rental the reservation is for. |
| pickupLocation  | Place     | Where the car is picked up.            |
| pickupTime      | DateTime  | When the car is picked up.             |
| dropoffLocation | Place     | Where the car is returned.             |
| dropoffTime     | DateTime  | When the car is returned.              |

### Thing > Product > Car > RentalCar

| Name          | Type         | Description                       |
|---------------|--------------|-----------------------------------|
| rentalCompany | Organization | The rental company, e.g. 'Hertz'. |

### Thing > Product > Car

No additional properties.

## Hotel Reservations

### Thing > Reservation > LodgingReservation

| Name           | Type            | Description              |
|----------------|-----------------|--------------------------|
| reservationFor | LodgingBusiness | The lodging business the |

|                        |          |  |
|------------------------|----------|--|
|                        |          | reservation is for.  |
| checkinTime            | Datetime | Checkin time.  |
| checkoutTime           | Datetime | Checkout time.   |
| lodgingUnitType        | Text     | Textual description of the unit type (including suite vs. room, size of bed, etc.) |
| numAdults              | Number   | Number of adults who will be staying in the lodging unit                           |
| numChildren            | Number   | Number of children who will be staying in the lodging unit                         |
| lodgingUnitDescription | Text     | Full description of the room   |

## Example

### Minimal hotel reservation example:

```

<div itemscope itemtype="http://schema.org/LodgingReservation">
  <span itemprop="reservationNumber">xyz456</span>
  <link itemprop="url" href="http://travel123.com/myreservations/xyz456"/>
  <div itemprop="underName" itemscope itemtype="http://schema.org/Person">
    <span itemprop="name">John Smith</span>
  </div>
  <div itemprop="reservationFor" itemscope itemtype="http://schema.org/LodgingBusiness">
    <span itemprop="name">Hilton San Francisco</span>
  </div>
  <span itemprop="checkinTime">2013-4-11</span>
  <span itemprop="checkoutTime">2013-4-13</span>
</div>

```